



2019
2020



Catalogue

2019 / 2020





INNOVATIVE DIVERSITY!

We offer high-turnover DIY products at a particularly favourable price-performance ratio under our brand KRAFTMANN®. KRAFTMANN® stands for imaginative concepts for the DIY sector, while sales-promoting packaging ensures a high article turnover. Of course, our high quality requirements in the area of product safety also apply to DIY articles. The attractive KRAFTMANN® range is constantly being expanded with a multitude of new innovations from the DIY and hobby sectors as well as consumables, angle joints, hardware and automotive tools.





| | |
|---|------------|
| Workshop Trolleys | 1 |
| Socket Sets & Tool Assortments | 3 |
| Sockets | 16 |
| Bit Sockets & Bits | 19 |
| Ratchets, Extensions, Adaptors & Accessories | 28 |
| Torque Tools | 30 |
| Hand Tools | 32 |
| Pneumatic Tools | 100 |
| Electric / Cordless Battery Tools | 104 |
| Speciality Tools Motorbike | 109 |
| Speciality Tools SUV and Trucks | 109 |
| Speciality Tools Car | 110 |
| Workshop Equipment | 136 |
| Car Accessories | 144 |
| Industrial Safety | 151 |
| House & Garden | 152 |
| Sales Aids | 181 |
| | |
| Alphabetical Index | 203 |
| | |
| Numerical Index | 207 |

Visit www.bgstechnic.com for updates.

Subscribe to our Newsletter at www.bgstechnic.com and be the first to find out about new items in our product range.



Workshop Trolley | 7 Drawers | 1 Side Door | with 197 Tools

6.3 \square 1/4 12.5 \square 1/2

- 4 ball bearing castors, thereof 2 castors lockable
- each drawer individually secured, with safety lock
- side door lockable individually

includes 14 plastic tool trays with the following tools:

- socket set, 6.3 mm (1/4"), 19 pcs.
 - socket set, 12.5 mm (1/2"), 22 pcs.
 - screwdriver set, 7 pcs.
 - screwdriver set, cross slot PH, 7 pcs.
 - bit-/socket set, external hexagon 6.3 mm (1/4"), 10 mm (3/8"), internal square 6.3 mm (1/4"), 10 mm (3/8"), 12,5 mm (1/2"), 85 pcs.
 - combination spanner Set, 6 - 22 mm, 17 pcs.
 - combination spanner Set, 27 - 32 mm, 4 pcs.
 - double Ring spanner Set, deep offset, 6x7 - 20x22 mm, 8 pcs.
 - pliers set, 3 pcs.
 - pliers set, 2 pcs.
 - hammer set, 2 pcs.
 - pin-punch set, 150 mm, incl. chisel, 9 pcs.
 - machinist's file set, 200 mm, 5 pcs.
 - measuring tool set, 7 pcs.
- number of drawers: 7 pieces
 - 1th to 6th drawer capacity: each 20 kg
 - 7th drawer capacity: 25 kg
 - drawer pull-out: 100 %
 - drawer width: 525 mm
 - drawer depth: 400 mm
 - drawer height: 50 mm
 - length: 460 mm
 - width: 760 mm
 - height: 895 mm
 - weight: 81 kg



Item #
4074





Workshop Trolley | 7 Drawers | 1 Side Door | empty

- 4 ball bearing castors, there of 2 castors lockable
- each drawer individually secured, with safety lock
- side door lockable individually
- number of drawers: 7 pieces
 - 1th to 6th drawer capacity: each 20 kg
 - 7th drawer capacity: 25 kg
- drawer pull-out: 100 %
- drawer width: 525 mm
- drawer depth: 400 mm
- drawer height: 6 x 50 | 1 x 130 mm
- length: 460 mm
- width: 760 mm
- height: 895 mm
- weight: 59 kg



| |
|--------|
| Item # |
| 4074-1 |

Drawer divider for Workshop Trolley | 125 mm

- suitable for drawers with 12.5 cm height
- suitable for workshop trolley BGS 4074, 4074-1



| |
|--------|
| Item # |
| 4070-2 |



Socket Set | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive | 176 pcs. **6.3** **1/4** **10** **3/8** **12.5** **1/2**

- 12 ratchet wrenches: 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 9 pcs. L-Type wrench set, internal hexagon/internal hexagon with ball point: 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 9 pcs. L-Type wrench set, T-Star tamperproof (for Torx): T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 mm

6.3 mm (1/4") drive

- 13 sockets, Super Lock: 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 7 sockets, Super Lock, deep: 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
- 5 sockets, E-type: E4 - E5 - E6 - E7 - E8
- 1 reversible ratchet 6.3 mm (1/4")
- 2 extension bars 50 and 100 mm, 1 universal joint, 1 sliding handle 115 mm
- 1 spinner handle 150 mm
- 33 bit sockets, length 38 mm

10 mm (3/8") drive

- 10 sockets, Super Lock: 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 6 sockets, Super Lock, deep: 10 - 11 - 12 - 13 - 14 - 15 mm
- 6 sockets, E-type: E10 - E11 - E12 - E14 - E16 - E18
- 1 spark plug socket: 18 mm
- 1 reversible ratchet
- 1 extension bar 150 mm, 1 universal joint
- 1 bit adaptor with retaining ball, internal hexagon 10 mm (3/8")
- 1 sliding adaptor external square 12.5 mm (1/2")

12.5 mm (1/2") drive

- 17 sockets, Super Lock: 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
- 2 sockets, Super Lock, deep: 16 - 18 mm
- 2 sockets, E-type: E20 - E24
- 3 protective impact sockets, 17 - 19 - 21 mm
- 2 spark plug sockets, 16 and 21 mm
- 1 reversible ratchet, 2 extension bars 125 and 250 mm
- 1 universal joint
- 1 bit adaptor with retaining ball, internal hexagon, 8 mm (5/16")

8 mm (5/16") drive

- 26 bits, length 30 mm

• **also available as fully equipped sales display 89960**

- directly sellable
- delivery on 1/2 plastic pallet incl. 4 colour printed sales display
- unpack - tag - sell
- includes 14 socket sets (BGS 15217), 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2"), 176 pcs. and 1 pc. POS sales display, 4 colour, incl. 1/2 plastic pallet



| Item # | Description |
|--------|---|
| 15217 | Socket Set 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive 176 pcs. |
| 89960 | Sales Display 1/2 Pallet Socket Set 176 pcs. |



Socket Set | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive | 216 pcs. **6.3** **1/4** **10** **3/8** **12.5** **1/2**

- 12 combination spanners 8 - 19
- 7 allen keys internal hexagon 1.2 - 5 mm

12.5 mm (1/2") drive

- reversible ratchet
- extension bar, external/internal square 12.5 mm (1/2"), length 125 mm
- extension bar, external/internal square 12.5 mm (1/2"), length 250 mm
- sliding handle adaptor
- universal joint, external/internal square 12.5 mm (1/2")
- adaptor 10 mm (3/8") - 12.5 mm (1/2")
- 2 spark plug sockets 16 - 21 mm
- 14 sockets 13 - 32 mm
- 5 deep sockets, 16 - 17 - 19 - 21 - 22 mm
- 3 sockets, E-type E20 - E22 - E24
- bit socket, T-Star (for Torx) T70
- bit socket, internal hexagon 14 mm

10 mm (3/8") drive

- reversible ratchet
- extension bar, external/internal square 10 mm (3/8"), length 125 mm
- spark plug socket 18 mm
- sliding handle adaptor
- universal joint, external/internal square 10 mm (3/8")
- 10 sockets, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 6 deep sockets 10 - 11 - 12 - 13 - 14 - 15 mm
- 7 sockets, E-type E10 - E11 - E12 - E14 - E16 - E18 mm

6.3 mm (1/4") drive

- reversible ratchet
- sliding handle with adaptor
- extension bar, external/internal square 6.3 mm (1/4"), length 50 mm
- extension bar, external/internal square 6.3 mm (1/4"), length 100 mm
- 13 sockets, 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 7 deep sockets, 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
- 5 sockets, E-type E4 - E5 - E6 - E7 - E8
- 30 bit sockets, with corresponding spinner handle
- bit adaptor
- 44 bits
- 1 bit holder

8 mm (5/16") drive

- 30 bits, length 38 mm
- profile: Super Lock
- surface finish: satin chrome plated



| Item # | Description |
|---------|---|
| 15216 | Socket Set 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive 216 pcs. |
| 15216-1 | Empty Case for BGS 15216 |



Socket Set | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive | 172 pcs. **6.3** **1/4** **10** **3/8** **12.5** **1/2**

- 7 L-type wrenches, internal hexagon 1.2 - 5 mm

12.5 mm (1/2") drive

- reversible ratchet
- extension bar external/internal square 12.5 mm (1/2"), length 125 mm
- extension bar external/internal square 12.5 mm (1/2"), length 250 mm
- sliding handle adaptor
- universal joints external/internal square 12.5 mm (1/2")
- spark plug socket, 16 - 21 mm
- adaptor 12.5 mm (1/2") - 8 mm (5/16")
- 17 sockets, 10 - 32 mm
- 5 deep sockets, 16 - 17 - 18 - 19 - 22 mm
- 2 sockets, E-type E20 - E24

10 mm (3/8") drive

- reversible ratchet
- extension bar, external/internal square 10 mm (3/8"), length 125 mm
- universal joints, external/internal square 10 mm (3/8")
- spark plug socket 18 mm
- adaptor 10 mm (3/8") - 8 mm (5/16")
- 10 sockets, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 6 deep sockets, 10 - 11 - 12 - 13 - 14 - 15 mm
- 6 sockets, E-type E10 - E11 - E12 - E14 - E16 - E18

6.3 mm (1/4") drive

- reversible ratchet
- sliding handle
- universal joints, external/internal square 6.3 mm (1/4")
- extension bar, external/internal square 6.3 mm (1/4"), length 50 mm
- extension bar, external/internal square 6.3 mm (1/4"), length 100 mm
- spinner handle
- 13 sockets, 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 7 deep sockets, 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
- 5 sockets, E-type E4 - E5 - E6 - E7 - E8
- 30 bit sockets
- 1 bit adaptor
- 20 bits

8 mm (5/16") drive

- 24 bits profile: Super Lock
- surface finish: satin chrome plated



| Item # | Description |
|-----------|---|
| 2283 | Socket Set 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") Drive 172 pcs. |
| 2283-LEER | Empty Case for BGS 2283 |



Socket Set | 6.3 mm (1/4") / 12.5 mm (1/2") Drive | 108 pcs.

6.3 1/4 12.5 1/2

6.3 mm (1/4") drive

- reversible ratchet
- short extension bar, external/internal square 6.3 mm (1/4")
- long extension bar, external/internal square 6.3 mm (1/4")
- universal joint, external/internal square 6.3 mm (1/4")
- sliding handle
- spinner handle
- 13 sockets, Super Lock: 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14
- 8 sockets, long, Super Lock: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13
- 7 bit sockets, T-Star (for Torx): T8 - T10 - T15 - T20 - T25 - T27 - T30
- 3 bit sockets, slot SL
- 4 bit sockets, cross slot PH
- 4 bit sockets, internal hexagon 3 - 4 - 5 - 6 mm
- 5 sockets, E-type: E4 - E5 - E6 - E7 - E8

12.5 mm (1/2") drive

- reversible ratchet
- short extension bar external/internal square 12.5 mm (1/2")
- long extension bar external/internal square 12.5 mm (1/2")
- universal joint external/internal square 12.5 mm (1/2")
- sliding handle
- spinner handle
- 17 sockets, Super Lock: 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
- 5 sockets, long, Super Lock: 14 - 15 - 17 - 19 - 22 mm
- 1 bit holder
- 5 bits, T-Star (for Torx): T40 - T45 - T50 - T55 - T60
- 3 bits, slot SL
- 4 bits, cross slot PH
- 5 bits, internal hexagon 7 - 8 - 10 - 12 - 14 mm
- 8 sockets, E-type: E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24
- 2 spark plug sockets, long, 16 - 21 mm

- profile: Super Lock
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 2287 |





Socket Set | 6.3 mm (1/4") / 12.5 mm (1/2") Drive | 94 pcs.

6.3 **1/4** **12.5** **1/2**

- 3-pcs. L-type wrench set, internal hexagon 1.5 - 2 - 3 mm
- 6.3 mm (1/4") drive**
- 13 sockets, Super Lock: 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
 - 8 sockets, Super Lock, long: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
 - 1 reversible ratchet, fine 72 tooth
 - 2 extension bars, 50 and 100 mm
 - 1 universal joint
 - 1 adaptor outer hex x outer square 6.3 mm (1/4")
 - 1 flexible extension bar, 140 mm
 - 1 sliding handle 110 mm
 - 1 spinner handle 150 mm
 - 3 bit sockets, slot SL 4 - 5.5 - 7 mm, length 38 mm
 - 2 bit sockets, cross slot PH1 - PH2, length 38 mm
 - 2 bit sockets, cross slot PZ1 - PZ2, length 38 mm
 - 4 bit sockets, internal hexagon 3 - 4 - 5 - 6 mm, length 38 mm
 - 6 bit sockets, T-Star (for Torx) T8 - T10 - T15 - T20 - T25 - T30, length 38 mm
- 12,5 mm (1/2") drive**
- 18 Super Lock sockets: 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
 - 4 Super Lock sockets, long: 14 - 15 - 17 - 19 mm
 - 2 spark plug sockets with rubber holder 16 and 21 mm
 - 1 reversible ratchet, fine 72 tooth
 - 2 extension bars 125 und 250 mm
 - 1 universal joint
 - 1 sliding-T adaptor for extension bars
 - 1 bit holder internal hexagon 8 mm (5/16")
- 8 mm (5/16") drive**
- 3 bits, slot SL 8 - 10 - 12 mm, length 30 mm
 - 2 bits, cross slot PH3 - PH4, length 30 mm
 - 2 bits, cross slot PZ3 - PZ4, length 30 mm
 - 4 bits, internal hexagon 8 - 10 - 12 - 14 mm, length 30 mm
 - 4 bits, T-Star (for Torx) T40 - T45 - T50 - T55, length 30 mm
- profile: Super Lock
 - surface finish: satin chrome plated



Socket Sets & Tool Assortments



| Item # | Description |
|-----------|---|
| 2296 | Socket Set 6.3 mm (1/4") / 12.5 mm (1/2") Drive 94 pcs. |
| 2296-LEER | Empty Case for BGS 2296 |



Socket Set | 6.3 mm (1/4") / 12.5 mm (1/2") Drive | 174 pcs.

6.3 1/4 12.5 1/2

2 sockets sets

1. socket set, 6.3 mm (1/4"), 130 pcs.

- reversible ratchet, finely toothed, 72 teeth with quick release function
- extension bar 50 mm
- sliding handle
- spinner handle, 150 mm
- sockets, 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- bit adaptor
- bits:
 - cross slot, length 50 mm: PZ1 - PZ2
 - slot sl, length 50 mm: 4 - 6 mm
 - wing nut bit
 - internal hexagon non-tamperproof, inch sizes: 1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"
 - internal hexagon tamperproof, inch sizes: 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/62"
 - internal hexagon non-tamperproof, metric: 1.5 - 2 - 2.5 - 3 - 4 - 5 - 5.5 - 6 - 8 mm
 - internal hexagon tamperproof, metric: 2 - 2.5 - 3 - 4 - 5 - 6 mm
 - 2-pin: 4 - 6 - 8 - 10 mm
 - T-Star non-tamperproof (for Torx): T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40
 - T-Star tamperproof (for Torx): T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40
 - spline (for XZN): M5 - M6 - M8
 - 4-point: S0 - S1 - S2 - S3
 - cross slot: PZ0 - PZ0 - PZ1 - PZ1 - PZ2 - PZ2 - PZ2 - PZ2 - PZ3 - PZ3
 - cross slot: PH0 - PH0 - PH1 - PH1 - PH2 - PH2 - PH2 - PH2 - PH3 - PH3
 - slot sl: 3 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 - 8 mm
 - 2-panel: C1 - C2 - C3
 - 3-panel: 1 - 2 - 3 - 4 - 6 - 8 - 10
 - L-type wrenches, internal hexagon: 1 - 1.5 - 2 - 2.5 - 3 - 4 - 5 mm

2. socket set, 12.5 mm (1/2"), 44 pcs.

- reversible ratchet, finely toothed, 72 teeth with quick release function
- extension bar, 125 mm and 200 mm
- sliding handle adaptor, for extension bar
- joint
- sockets, hexagon, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
- bit adaptor for 8 mm (5/16") bits
- bits, 8 mm (5/16") drive:
 - cross slot: PH3 - PH4 / PZ3 - PZ4
 - slot sl: 8 - 10 - 12 mm
 - T-Star non-tamperproof (for Torx): T40 - T45 - T50 - T55 - T60
 - T-Star tamperproof (for Torx): T40 - T45 - T50 - T55 - T60
 - spline (for XZN): M8 - M10 - M12
 - internal hexagon: 7 - 8 - 10 - 12 mm



| |
|--------|
| Item # |
| 9191 |





Socket Set | 6.3 mm (1/4") / 12.5 mm (1/2") Drive | Inch Sizes | 174 pcs. **6.3** 1/4 **12.5** 1/2

2 sockets

1. socket set, 6.3 mm (1/4"), 130 pcs.

- reversible ratchet, 6.3 mm (1/4"), finely toothed, 72 teeth with quick release function
- extension bar, 6.3 mm (1/4"), 50 mm
- sliding handle 6.3 mm (1/4")
- spinner handle, 6.3 mm (1/4"), 150 mm
- sockets, 6.3 mm (1/4") drive: 5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 13/32" - 7/16" - 15/32" - 1/2" - 9/16"
- bit adaptor for 6,3 mm (1/4") bits
- bits, 6.3 mm (1/4") drive:
 - cross slot, length 50 mm: PH1 - PH2
 - slot sl, length 50 mm: 4 - 6 mm
 - wing nut bit
 - internal hexagon non-tamperproof: 1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"
 - internal hexagon tamperproof: 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/62"
 - internal hexagon non-tamperproof, metric: 1.5 - 2 - 2.5 - 3 - 4 - 5 - 5.5 - 6 - 8 mm
 - internal hexagon tamperproof, metric: 2 - 2.5 - 3 - 4 - 5 - 6 mm
 - 2-pin: 4 - 6 - 8 - 10 mm
 - T-Star (for Torx): T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40 - T45
 - T-Star tamperproof (for Torx): T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40
 - spline (for XZN): M5 - M6 - M8
 - 4-point: S0 - S1 - S2 - S3
 - cross slot: PZ0 - PZ0 - PZ1 - PZ1 - PZ2 - PZ2 - PZ2 - PZ2 - PZ3 - PZ3
 - cross slot: PH0 - PH0 - PH1 - PH1 - PH2 - PH2 - PH2 - PH2 - PH3 - PH3
 - slot sl: 3 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 - 8 mm
 - 2-panel: C1 - C2 - C3
 - 3-panel: 1 - 2 - 3 - 4 - 6 - 8 - 10
- L-type wrenches: 1 - 1.5 - 2 - 2.5 - 3 - 4 - 5 mm

2. socket set, 12.5 mm (1/2"), 44 pcs.

- reversible ratchet, 12.5 mm (1/2"), finely toothed, 72 teeth with quick release function
- extension bar, 12.5 mm (1/2"), 125 mm
- extension bar, 12.5 mm (1/2"), 200 mm
- sliding handle adaptor, for extension bar, 12.5 mm (1/2")
- universal joint, 12.5 mm (1/2")
- sockets, 12.5 mm (1/2") drive: 3/8" - 7/16" - 15/32" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 23/32" - 3/4" - 7/8" - 15/16" - 1.1/16" - 1.3/16" - 1.1/4"
- bit adaptor for 8 mm (5/16") bits
- bits, 8 mm (5/16") drive:
 - cross slot: PH3 - PH4 / PZ3 - PZ4
 - slot sl: 8 - 10 - 12 mm
 - T-Star (for Torx): T40 - T45 - T50 - T55 - T60
 - T-Star tamperproof (for Torx): T40 - T45 - T50 - T55 - T60
 - spline (for XZN): M8 - M10 - M12
 - internal hexagon: 7 - 8 - 10 - 12 mm
- surface finish: satin chrome plated



| | |
|--------|---|
| Item # |   |
| 9192 | |



Socket Set | 6.3 mm (1/4") Drive | 46 pcs.

6.3 **1/4**

- finely toothed ratchet, 72 teeth
- ratchet, external square 6.3 mm (1/4")
- sockets, 6.3 mm (1/4") drive 4 - 13
- bit sockets, 6.3 mm (1/4") drive, cross slot
- bit sockets, 6.3 mm (1/4") drive, slot sl
- bit sockets, 6.3 mm (1/4") drive, internal hexagon
- bit sockets, 6.3 mm (1/4") drive, T-Star (for Torx)
- profile: Super Lock
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 2142 |



Socket Set | 6.3 mm (1/4") Drive | 4-13 mm | 27 pcs.

6.3 **1/4**

- reversible ratchet, 6.3 mm (1/4") drive
- 12 sockets, 6.3 mm (1/4") drive, Pro torque® 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- bit sockets, 6.3 mm (1/4") drive, T-Star (for Torx) T10 - T15 - T20 - T25 - T30
- bit sockets, 6.3 mm (1/4") drive, cross slot PH1 - PH2
- bit sockets, 6.3 mm (1/4") drive, slot sl 4 - 5,5 - 7 mm
- bit sockets, 6.3 mm (1/4") drive, internal hexagon 3 - 4 - 5 - 6 mm
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 15105 |



Socket Set | 6.3 mm (1/4") Drive | 40 pcs.

6.3 **1/4**

- reversible bit ratchet, internal hexagon 6.3 mm (1/4"), length 110 mm
- extension bar, external/internal square 6.3 mm (1/4"), length 70 mm
- ratchet spinner handle, reversible, internal hexagon 6.3 mm (1/4")
- sockets, 6.3 mm (1/4") drive 5 - 6 - 7 - 8 - 10
- bits, 6.3 mm (1/4") drive, cross slot PH0 - PH1 - PH2 - PH3
- bits, 6.3 mm (1/4") drive, cross slot PZ0 - PZ1 - PZ2 - PZ3
- bits, 6.3 mm (1/4") drive, internal hexagon 2 - 2.5 - 3 - 4 - 5 - 5.5 - 6 - 7 mm
- bits, 6.3 mm (1/4") drive, slot sl 3 - 4 - 4.5 - 5 - 5.5 - 6 - 6.5 - 7 mm
- bits, 6.3 mm (1/4") drive, T-Star (for Torx) T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40



| |
|--------|
| Item # |
| 20102 |





Socket Set | 10 mm (3/8") Drive | 8-19 mm | 7 pcs.

10 **3/8**

- reversible ratchet, external hexagon 10 mm (3/8")
- sockets, 10 mm (3/8") drive, hexagon 8 - 10 - 13 - 15 - 17 - 19 mm
- profile: hexagon
- surface finish: satin chrome plated

| |
|--------|
| Item # |
| 15112 |



Socket Set | 12.5 mm (1/2") Drive | 8-32 mm | 19 pcs.

12.5 **1/2**

- reversible ratchet, external square 12.5 mm (1/2")
- sockets, 12.5 mm (1/2") drive, Pro torque®
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 - 23 - 24 - 27 -
30 - 32 mm
- profile: hexagon
- surface finish: satin chrome plated

| |
|--------|
| Item # |
| 15110 |



Socket Set | 20 mm (3/4") Drive | 19-50 mm | 20 pcs.

20 **3/4**

- in plastic case
- reversible ratchet, external square 20 mm (3/4"), length 500 mm
- sliding handle, 20 mm (3/4") drive, length 450 mm
- extension bar, external/internal square 20 mm (3/4"), length 100 mm
- extension bar, external/internal square 20 mm (3/4"), length 200 mm
- sockets, 20 mm (3/4") drive, hexagon 19 - 21 - 22 - 23 - 24 - 26 - 27 -
30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
- surface finish: chrome plated



| Item # | Description |
|-----------|--|
| 1202 | Socket Set 20 mm (3/4") Drive 19-50 mm 20 pcs. |
| 1202-LEER | Empty Case for BGS 1202 |



Socket Set | 20 mm (3/4") Drive | 19-50 mm | 20 pcs.

20 **3/4**

- in metal box
- reversible ratchet, external square 20 mm (3/4"), length 495 mm
- sliding handle, 20 mm (3/4") drive, length 450 mm
- extension bar, external/internal square 20 mm (3/4"), length 100 mm
- extension bar, external/internal square 20 mm (3/4"), length 200 mm
- sockets, 20 mm (3/4") drive, hexagon 19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
- surface finish: chrome plated



| |
|--------|
| Item # |
| 15113 |



Socket Set | 25 mm (1") Drive | 36-80 mm | 15 pcs.

25 **1**

- in metal box
- reversible ratchet, external square 25 mm (1")
- sliding handle, drive 25 mm (1")
- extension bar, external/internal square 25 mm (1"), length 200 mm
- extension bar, external/internal square 25 mm (1"), length 450 mm
- sockets, 25 mm (1") drive, hexagon 36 - 41 - 46 - 50 - 55 - 60 - 65 - 70 - 75 - 80 mm
- surface finish: chrome plated



| |
|--------|
| Item # |
| 15111 |





Tool Set in Aluminium Case | 129 pcs.

6.3  1/4

- Engineers tool case, aluminium with folding bottom, lockable
- 1 cutter knife 155 mm, blade 18 mm
- 10 spare blades for cutter knife, 18 mm
- 1 Universal Wrench Set, 200 mm
- 1 water pump plier, 250 mm
- 1 combination plier, 175 mm
- 1 telephone plier, 200 mm
- 1 water level, 230 mm
- 1 tape measure, 15 mm x 3 m
- 1 reversible ratchet, external square 6.3 mm (1/4"), 72 teeth
- 1 extension bar, external/internal square 6.3 mm (1/4") 100 mm
- 1 spinner handle, 6.3 mm (1/4"), 150 mm
- 13 sockets, 6.3 mm (1/4") drive on metal bar, 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 1 bit adaptor, 6.3 mm (1/4") for bits external hexagon 6.3 mm (1/4") drive
- 19 bits, 6.3 mm (1/4") drive, slot sl 3 - 8 mm
- 11 bits, 6.3 mm (1/4") drive, internal hexagon 2 - 8 mm
- 8 bits, 6.3 mm (1/4") drive, cross slot PZ0 - PZ3
- 8 bits, 6.3 mm (1/4") drive, cross slot PH0 - PH3
- 10 bits, 6.3 mm (1/4") drive, T-Star (for Torx) T8 - T40
- 4 bits, 6.3 mm (1/4") drive, square 2 - 3.5 mm
- 1 bit adaptor, external/internal hexagon 6.3 mm (1/4")
- 1 precision screwdriver slot sl 2.5 x 50 mm
- 1 precision screwdriver, cross slot PH00 x 50 mm
- 3 screwdrivers slot sl 5.5 x 75 mm, 6.5 x 100 mm, 8 x 125 mm
- 1 voltage tester, 100 - 250 V
- 2 screwdrivers cross slot PH1 x 75 mm, PH2 x 100 mm
- 1 spinner handle for bits, internal hexagon 6.3 mm (1/4")
- 1 hacksaw, 260 mm, incl. 7 saw blades
- 9 allen keys internal hexagon with ball point 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 8 open ended spanners, satin chrome plated, 6 x 7 - 8 x 9 - 10 x 11 - 12 x 13 - 14 x 15 - 16 x 17 - 18 x 19 - 20 x 22 mm
- 1 machinist hammer, 300 g

case dimensions:

- length: 425 mm
- width: 350 mm
- height: 235 mm



| Item # | Description |
|-----------|---------------------------------------|
| 2204 | Tool Set in Aluminium Case 129 pcs. |
| 2204-LEER | Empty Case for BGS 2204 |



Tool Assortment | 84 pcs.

10  3/8

- water pump pliers, 245 mm
- combination pliers, 180 mm
- diagonal side cutters, 160 mm
- machinist's hammer, 300 g
- bow saw, 300 mm, incl. metal saw blade
- measuring tape, 5 m
- cutter knife, 18 mm, incl. blade
- telescope magnetic lifter, 11 mm magnet, length 570 mm (132 mm)

socket set, 10 mm (3/8") drive

- reversible ratchet, finely toothed, 72 teeth
- universal joint, external/internal square 10 mm (3/8")
- extension bar, external/internal square 10 mm (3/8") 150 mm
- bit adaptor, 10 mm (3/8") drive, internal hexagon 6.3 mm (1/4")
- sockets, satin chrome plated, 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm
- spark plug socket, 16 mm, hexagon, with rubber insert, 64 mm long, external hexagon 19 mm
- spark plug socket, 21 mm, hexagon, with rubber insert, 64 mm long, external hexagon 21 mm

bits, 6.3 mm (1/4") drive

- bits, slot SL 4.0 - 5.5 - 6.5 mm
- bits, cross slot PH1 - PH1 - PH2 - PH2 - PH3 - PH3
- bits, cross slot PZ1 - PZ1 - PZ2 - PZ2 - PZ3 - PZ3
- bits, T-Star (for Torx) T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- bits, internal hexagon 3 - 4 - 5 - 6 - 7 - 8 mm
- bit adaptor, external/internal hexagon 6.3 mm (1/4")

screwdriver

- screwdriver, slot SL 1.2 x 8 x 150 mm - 1.0 x 5.5 x 100 mm
- screwdriver, cross slot PH1 x 100 mm - PH2 x 100 mm
- screwdriver, cross slot PZ2 x 100 mm
- bit holder, internal hexagon 6.3 mm (1/4"), 75 mm
- voltage tester, slot SL 3 x 60 mm
- L-type wrenches, internal hexagon, long side with ball head 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- combination spanners, satin chrome plated, 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 21 mm



| |
|--------|
| Item # |
| 2039 |





Tool Assortment | 58 pcs.

- water pump pliers, 245 mm
- combination pliers, 180 mm
- telephone pliers, 200 mm
- machinist's hammer, 300 g
- reversible ratchet, 6.3 mm (1/4"), finely toothed, 72 teeth
- extension bar, 6.3 mm (1/4") 50 mm
- bit adaptor, 6.3 mm (1/4"), internal hexagon 6.3 mm (1/4")
- sockets, 6.3 mm (1/4"), satin chrome plated, 4 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- bits, 6.3 mm (1/4"): slot SL 3 - 4 - 5 - 6 mm, bits, cross slot PH1 - PH2 - PH3, cross slot PZ1 - PZ2 - PZ3, T-Star (for Torx) T10 - T15 - T20 - T25 - T27 - T30, internal hexagon 3 - 4 - 5 - 6 mm
- screwdriver slot SL 0.4 x 2.0 x 50 mm - 0.4 x 2.5 x 50 mm - 0.5 x 3.0 x 50 mm - 1.0 x 5.5 x 75 mm - 1.2 x 6.5 x 38 mm - 1.2 x 6.5 x 100 mm
- screwdriver cross slot PH00 x 50 mm - PH0 x 50 mm - PH1 x 75 mm - PH2 x 38 mm - PH2 x 100 mm
- bit-holder internal hexagon 6.3 mm (1/4"), 75 mm
- L-type wrenches internal hexagon 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm



| |
|--------|
| Item # |
| 2037 |



Tool Set | 23 pcs.

- in high-quality tetron pouch
- 1 all-round hand saw with 150 mm saw blade
- 1 machinist's hammer, 300 g, DIN standard 1041
- 1 PVC tape role
- 1 universal wrench 150 mm
- 1 precision screwdriver slot sl 2.4 mm
- 1 precision screwdriver cross slot PH 00
- 2 screwdrivers, slot sl 5.5 x 125 mm, 6.5 x 125 mm
- 3 screwdrivers, cross slot PH1 x 80 mm, PH2 x 100 mm, PH3 x 125 mm
- 1 voltage tester
- 1 combination pliers 165 mm
- 1 water pump pliers 240 mm
- 1 tape measure 3 m



| |
|--------|
| Item # |
| 2199 |

Tool Set | 7 pcs.

- in strong polyester wallet
- machinist's hammer, 200 g
- plastic folding rule, 2000 mm
- combination pliers 165 mm
- universal knife, blade 18 mm
- voltage tester 230 V
- screwdriver with slot sl/cross slot change bit



| Item # | Description |
|--------|-------------------|
| 15007 | Tool Set 7 pcs. |
| 15008 | Nylon Belt Pouch |



Socket Set | 12.5 mm (1/2") Drive | 10 - 11 - 13 mm | 3 pcs.

12.5 1/2

- profile: hexagon
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 15123 |



Socket Set | 12.5 mm (1/2") Drive | 15 - 17 - 19 mm | 3 pcs.

12.5 1/2

- profile: hexagon
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 15125 |



Protective Impact Socket Set | 12.5 mm (1/2") Drive | 17 - 19 - 21 mm | 3 pcs.

12.5 1/2

- suitable for both manual and impact wrenches
- with plastic cover and plastic inset to protect the aluminium rims
- with ball hole and groove
- with colour coding for quick Identification
- fibreglass inserts for wheel screws, 12.5 mm (1/2") drive, 17 -19 - 21 mm
- profile: hexagon
- length: 85 mm



| |
|--------|
| Item # |
| 7310 |



Impact Socket Set | 12.5 mm (1/2") Drive | 10-32 mm | 13 pcs.

12.5 1/2

- suitable for impact wrenches
- socket, hexagon 10, max. capacity 153 Nm
- socket, hexagon 13, max. capacity 249 Nm
- socket, hexagon 14, max. capacity 282 Nm
- socket, hexagon 15, max. capacity 339 Nm
- socket, hexagon 17, max. capacity 475 Nm
- socket, hexagon 18, max. capacity 542 Nm
- socket, hexagon 19, max. capacity 565 Nm
- socket, hexagon 21, max. capacity 570 Nm
- socket, hexagon 22, max. capacity 570 Nm
- socket, hexagon 24, max. capacity 570 Nm
- socket, hexagon 27, max. capacity 570 Nm
- socket, hexagon 30, max. capacity 570 Nm
- socket, hexagon 32, max. capacity 570 Nm
- profile: hexagon
- length: 78 mm
- fitting depth: 40 mm




| | |
|--------|---|
| Item # |   |
| 95207 | |

Bit Socket / Socket Set | 12.5 mm (1/2") Drive | T-Star (for Torx)/E-Type | 19 pcs. 12.5 1/2

- knurled
- socket, 12.5 mm (1/2") drive, E-type E10
- socket, 12.5 mm (1/2") drive, E-type E11
- socket, 12.5 mm (1/2") drive, E-type E12
- socket, 12.5 mm (1/2") drive, E-type E14
- socket, 12.5 mm (1/2") drive, E-type E16
- socket, 12.5 mm (1/2") drive, E-type E18
- socket, 12.5 mm (1/2") drive, E-type E20
- socket, 12.5 mm (1/2") drive, E-type E22
- socket, 12.5 mm (1/2") drive, E-type E24
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T20
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T25
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T27
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T30
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T40
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T45
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T50
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T55
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T60
- bit socket, 12.5 mm (1/2") drive, T-Star (for Torx) T70
- surface finish: satin chrome plated



| | |
|--------|---|
| Item # |  |
| 95100 | |



Screw Extractor Set | M3-M50 | 8 pcs.

- for fast and easy loosening and removal of broken and damaged screws, as well as embedded screws with defective heads
- releases slot SL and cross slot screws with PH and PZ profiles, as well as other types of screw profile
- in plastic case
- screw extractor for screw sizes M3 - M6
- screw extractor for screw sizes M6 - M8
- screw extractor for screw sizes M8 - M11
- screw extractor for screw sizes M11 - M14
- screw extractor for screw sizes M14 - M18
- screw extractor for screw sizes M18 - M25
- screw extractor for screw sizes M25 - M35
- screw extractor for screw sizes M35 - M50



| |
|--------|
| Item # |
| 1897 |



Special Socket Set | Screw extractor | 10 mm (3/8") Drive | twist type 9-19 mm | 10 pcs. 10 $\frac{3}{8}$

- for loosening damaged screws and nuts
- the innovative twist type digs itself into the head of a damaged screw/nut and thereby allows to loosen it securely
- additional outer hexagon shaft
- in aluminium case
- sockets, 10 mm (3/8") drive, 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 mm



| |
|--------|
| Item # |
| 20210 |

Screw Extractor Set | #0-#3 | 5 pcs.

- for fast and easy release and removal of broken and damaged screws, as well as embedded screws with defective heads
- releases slot sl and cross slot screws with PH and PZ profiles, as well as other types of screw profile
- suitable for most electric drills with speed control
- 6.3 mm (1/4") drive
- in plastic case
- 2 screw extractors size 0, for 6 mm, drive speed 700 - 800 rpm
- 1 screw extractor size 1, for 8 mm, drive speed 600 - 700 rpm
- 1 screw extractor size 2, for 10 mm, drive speed 500 - 600 rpm
- 1 screw extractor size 3, for 12 mm, drive speed 400 - 500 rpm



| |
|--------|
| Item # |
| 50410 |





Bit Socket Assortment | 12.5 mm (1/2") Drive | 88 pcs.

12.5 1/2

- bit sockets, 55 mm, spline (for XZN)
M5 - M6 - M8 - M9- M10 - M12 - M14 - M16
- bit sockets, 100 mm, spline (for XZN)
M5 - M6 - M8 - M9- M10 - M12 - M14
- bit sockets, 140 mm, spline (for XZN)
M5 - M6 - M8 - M9- M10 - M12 - M14
- bit sockets, 200 mm, spline (for XZN) M8 - M10 - M12 - M14
- bit sockets, 55 mm, internal hexagon
5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm
- bit sockets, 100 mm, internal hexagon
5 - 6 - 7 - 8 - 10 - 11 - 12 - 13 mm
- bit sockets, 140 mm, internal hexagon 5 - 6 - 7 - 8 - 10 - 12 - 14 mm
- bit sockets, 200 mm, internal hexagon 5 - 6 - 7 - 8 - 10 - 12 mm
- bit sockets, 55 mm, T-Star (for Torx)
T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 - T70
- bit sockets, 100 mm, T-Star (for Torx) T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 - T70
- bit sockets, 140 mm, T-Star (for Torx) T40 - T45 - T50 - T55 - T60 - T70
- bit sockets, 200 mm, T-Star (for Torx) T40 - T45 - T50 - T55 - T60 - T70



| |
|--------|
| Item # |
| 5186 |



Bit / Socket Set | with Ratchet T-Handle for Bits, reversible | 22 pcs

- ratchet T-handle with quick-change bit holder
- with magnet
- left / right ratchet function, with locking function, easy one-hand operation
- 3 bits, cross slot PH: PH0 - PH1 - PH2
- 3 bits, cross slot PZ: PZ0 - PZ1 - PZ2
- 3 bits, slot SL: 3 - 4 - 5 mm
- 3 bits T-Star (for Torx): T10 - T15 - T20
- 8 bit sockets, hexagon, sizes: 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
- 1 ratchet T-handle for bits, reversible, length 105 mm
- 1 magnetic bit holder, 60 mm



| |
|--------|
| Item # |
| 20122 |





Nut Driver Set | 6.3 mm (1/4") Drive | 5-13 mm | 8 pcs.

- suitable for cordless drills with inner hexagon drive and for clamping in drill chucks
- bit sockets, 6.3 mm (1/4") drive, hexagon 5 - 6 - 7 - 8 - 9 - 10 - 12 - 13 mm



| | | |
|--------|---|---|
| Item # |  |  |
| 67308 | | |

Bit / Socket Set | with Ratchet Spinner Handle for Bits, reversible | 38 pcs.

6.3 mm 1/4"

- in plastic case
- 4 bits, 6.3 mm (1/4") drive, cross slot PH: PH0 - PH1 - PH2 - PH3
- 4 bits, 6.3 mm (1/4") drive, cross slot PZ: PZ0 - PZ1 - PZ2 - PZ3
- 4 bits, 6.3 mm (1/4") drive, slot SL: 3 - 4 - 5 - 6 mm
- 6 bits, 6.3 mm (1/4") drive, T-Start (for Torx): T10 - T15 - T20 - T25 - T27 - T30
- 5 bits, 6.3 mm (1/4") drive, internal hexagon : 2 - 3 - 4 - 5 - 6 mm
- 4 bits, 6.3 mm (1/4") drive, square (for Robertson): 0 - 1 - 2 - 3
- 1 bit ratchet adaptor, external hexagon 6.3 mm (1/4") - external square 6.3 mm (1/4"), length 24,5 mm
- 9 sockets, hexagon, 6.3 mm (1/4") drive, sizes: 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 mm
- 1 ratchet spinner handle for bits, reversible, 6.3 mm (1/4") drive, length 125 mm



| | |
|--------|---|
| Item # |  |
| 20138 | |



Screwdriver Bit Set | 31 pcs.

- ergonomic bit screwdriver handle with 30 bits
- with magnet
- in practical folding box with plastic hanger on top e.g. for hanging on the workbench
- plastic box with inner magnet for holding the bit screwdriver handle
- 7 bits, 6.3 mm (1/4") drive, internal hexagon: 2 - 2.5 - 3 - 4 - 5 - 6 - 8 mm
- 8 bits, 6.3 mm (1/4") drive, T-Star (for Torx): T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- 5 bits, 6.3 mm (1/4") drive, cross slot PH: PH0 - PH1 - PH2 - PH2 - PH3
- 5 bits, 6.3 mm (1/4") drive, cross slot PZ: PZ0 - PZ1 - PZ2 - PZ2 - PZ3
- 5 bits, 6.3 mm (1/4") drive, slot SL: 3 - 4 - 5 - 6 - 7 mm
- 1 spinner handle for bits, internal hexagon 6.3 mm (1/4"), 190 mm, with magnet



| |
|--------|
| Item # |
| 35831 |



Combined Bit Set | 40 pcs.

10 3/8 12.5 1/2

- bit adaptor 12.5 mm (1/2")
- bit adaptor 10 mm (3/8")
- bits, 30 mm, external hexagon drive, internal hexagon 4 - 5 - 6 - 7 - 8 - 10 - 12 mm
- bits, 75 mm, external hexagon drive, internal hexagon 4 - 5 - 6 - 7 - 8 - 10 - 12 mm
- bits, 30 mm, external hexagon drive, T-Star (for Torx) T20 - T25 - T30 - T40 - T50 - T55
- bits, 75 mm, external hexagon drive, T-Star (for Torx) T20 - T25 - T30 - T40 - T50 - T55
- bits, 30 mm, external hexagon drive, spline (for XZN) M5 - M6 - M8 - M10 - M12
- bits, 75 mm, external hexagon drive, spline (for XZN) M5 - M6 - M8 - M10 - M12



| |
|--------|
| Item # |
| 7073 |

Bit Set | Spline (for XZN) | 11 pcs.

- 5 bits, short, external hexagon drive, spline (for XZN) M5 - M6 - M8 - M10 - M12
- 5 bits, long, external hexagon drive, spline (for XZN) M5 - M6 - M8 - M10 - M12
- 1 bit adaptor 12.5 mm (1/2") 10 mm



| |
|--------|
| Item # |
| 5030 |





Bit Set | 10 mm (3/8") Drive | T-Star (for Torx) | 15 pcs.

- special bits, short, T-star (for Torx) T20 - T25 - T30 - T40 - T45 - T50 - T55
- special bits, long, T-star (for Torx) T20 - T25 - T30 - T40 - T45 - T50 - T55
- adaptor, 12.5 mm (1/2") drive



Bit Set | 10 mm (3/8") Drive | 15 pcs.

- bits, short, 30 mm, internal hexagon 4 - 5 - 6 - 7 - 8 - 10 - 12 mm
- bits, long, 75 mm, internal hexagon 4 - 5 - 6 - 7 - 8 - 10 - 12 mm
- adaptor, 12.5 mm (1/2") drive



Universal Bit Set | 122 pcs.

- square adaptor 6.3 mm (1/4"), length 25 mm / 50 mm
- bit holder, length 60 mm
- bit for screw hooks
- 10 hexagon sockets 4 - 13 mm
- 10 hexagon sockets 5/32" - 1/2"
- 9 bits, slot SL 3 - 8 mm
- 8 bits, cross slot PH0 - PH3
- 8 bits, cross slot PZ0 - PZ3
- 10 bits, T-Star (for Torx) T8 - T45
- 10 bits, T-Star tamperproof (for Torx) T8 - T40
- 9 bits, internal hexagon 1.5 - 8 mm
- 10 bits, internal hexagon 1/16" - 1/4"
- 6 bits, internal hexagon tamperproof 2 - 6 mm
- 6 bits, internal hexagon tamperproof 2/16" - 5/32"
- 4 bits, 2-pin size 4 - 10
- 3 bits, double V profile size 1 - 3
- 3 bits, special cross size 6 - 10
- 3 bits, spline (for XZN) M5 - M8
- 4 bits, square size 0 - 3
- 4 bits, 3-slot SL size 1 - 4





Bit / Drill Set | 6.3 mm (1/4") Drive | 41 pcs.

- bits, 50 mm, slot SL 5 mm - 6 mm
- bits, 50 mm, internal hexagon 2 - 2.5 - 3 - 4 - 5 - 6 mm
- bits, 50 mm, T-Star (for Torx) T10 - T15 - T20 - T25 - T30 - T40
- bits sockets, 36 mm - 38 mm, internal hexagon 5.5 - 6 - 7 - 8 - 10 - 12 - 13 mm
- belt clip
- magnetic bit holder, 60 mm
- double bit, 110 mm, cross slot PH2
- bit, 110 mm, cross slot PH2
- double bits, 110 mm, cross slot PZ2
- bit, 110 mm, cross slot PZ2
- double bits, 45 mm, slot SL 5 mm
- double bits, 65 mm, cross slot PH1 - PH3
- double bits, 65 mm, cross slot PZ1 - PZ2 - PZ3
- adaptor 50 mm for internal square 6.3 mm (1/4")
- twist drill, 63 mm - 104 mm, Ø 1.5 - 2.5 - 3 - 4 - 5 mm



| |
|--------|
| Item # |
| 759 |



Bit Set | short | 6.3 mm (1/4") Drive | various types | 33 pcs.

- for security screws
- suitable for electric drills
- 9 bits, 25 mm, T-Star tamperproof (for Torx) T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40
- 6 bits, 25 mm, internal hexagon tamperproof 2 - 2.5 - 3 - 4 - 5 - 6 mm
- 3 bits, 25 mm, four-panel offset 6 - 8 - 10 mm
- 4 bits, 25 mm, staples 4 - 6 - 8 - 10 mm
- 4 bits, 25 mm, three-panel size 1 - 2 - 3 - 4
- 3 bits, 25 mm, cross slot PZ1 - PZ2 - PZ3
- 2 bits, 25 mm, cross slot PH1 - PH2
- 1 bit, 25 mm, slot SL 6 mm
- 1 magnetic holder, internal hexagon 6.3 mm (1/4")



| |
|--------|
| Item # |
| 763 |



Bit Set for Security Screws | 6.3 mm (1/4") Drive | 33 pcs.

- for security screws
- in plastic holder
- 1 bit, cross slot PH0
- 2 bits, cross slot PH1
- 2 bits, cross slot PH2
- 2 bits, cross slot PH3
- 1 bit, cross slot PZ0
- 2 bits, cross slot PZ1
- 2 bits, cross slot PZ2
- 2 bits, cross slot PZ3
- 5 bits, slot SL 3 - 7 mm
- 6 bits, internal hexagon 2 - 6 mm
- 7 bits, T-Star (for Torx) T10 - T40
- magnetic adaptor for electric drills



| |
|--------|
| Item # |
| 20810 |





Double Bit Set | "gold" | 6.3 mm (1/4") Drive | 10 pcs.

- with belt holder
- double-blade bits, 65 mm, cross slot PH1 - PH2 - H3
- double-blade bits, 65 mm, cross slot PZ1 - PZ2 - Z3
- double-blade bits, 65 mm, slot SL 3 - 4 - 6 - 7 mm



Bit Set | "gold" | 6.3 mm (1/4") Drive | 10 pcs.

- with belt holder
- bits, 50 mm, cross slot PH1 - PH2 - PH3
- bits, 50 mm, cross slot PZ1 - PZ2 - PZ3
- bits, 50 mm, slot SL 3 - 4 - 6 - 7 mm



Bit Set | 6.3 mm (1/4") Drive | 20 pcs.

- bits, slot SL 3 - 4.5 - 6 - 7 mm
- bits, cross slot PH0 - PH1 - PH2 - PH3
- bits, cross slot PZ0 - PZ1 - PZ2 - PZ3
- bits, T-Star (for Torx) T10 - T15 - T20 - T30
- bits, internal hexagon 3 - 4 - 5 - 6 mm



Bit and Socket/Hexagon Key Set | 6.3 mm (1/4") Drive | 26 pcs.

- for manual use
- bits, slot SL 4 - 5 - 6 mm
- bits, cross slot PH1 - PH2 - PH3
- bits, cross slot PZ1 - PZ2 - PZ3
- bits, internal hexagon 3 - 4 - 5 mm
- bits, T-Star (for Torx) T15 - T20 - T25
- 1 bit adaptor
- sockets, 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm





Bit Set with Flexible Shaft | 6.3 mm (1/4") Drive | 11 pcs.

- especially for use with power drills
- flexible shaft, 300 mm, internal hexagon 6.3 mm (1/4")
- bits, 50 mm, slot SL 4.5 - 7 mm
- bits, 50 mm, cross slot PH1 - PH2
- bits, 50 mm, cross slot PZ1 - PZ2
- bits, 75 mm, cross slot PH1 - PH2
- bits, 75 mm, cross slot PZ1 - PZ2

| |
|--------|
| Item # |
| 20804 |



Angled Screwdriver with 7 double ended bits | 6.3 mm (1/4") Drive | 8 pcs.

- in belt holder
- bit key wrench, double-sided internal hexagon 6.3 mm (1/4")
- double-blade bits, cross slot PZ 1-2-3
- double-blade bits, cross slot PH1 - PH2 - PH3
- double-blade bits, slot SL 4 - 5 - 6 mm
- double-blade bits, internal hexagon 4 - 5 - 6 mm
- double-blade bits, T-Star (for Torx) T15 - T20

| |
|--------|
| Item # |
| 20805 |



Bit Set | 6.3 mm (1/4") Drive | 16 pcs.

- in plastic case
- bits, slot SL 5 - 6 - 7 mm
- bits, cross slot PH0 - PH1 - PH2 - PH3
- bits, cross slot PZ0 - PZ1 - PZ2 - PZ3
- bits, T-Star (for Torx) T10 - T20 - T30 - T40
- magnetic holder

| |
|--------|
| Item # |
| 20816 |



Bit Set | 6.3 mm (1/4") Drive | 31 pcs.

6.3 1/4

- bits, slot SL 2 - 3 - 4 - 5 - 6 mm
- bits, internal hexagon 2 - 3 - 4 - 5 - 6 - 7 - 8 mm
- bits, T-Star (for Torx) T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40
- bits, cross slot PH0 - PH1 - PH2 - PH2 - PH3
- bits, cross slot PZ0 - PZ1 - PZ2 - PZ2 - PZ3
- bit holder, magnetic, internal hexagon 6.3 mm (1/4")
- lockable box with strap clip

| |
|--------|
| Item # |
| 20820 |





MICRO Bit Set | 23 pcs.

- suitable for precision engineering work
- bits, external hexagon drive 4 mm, slot SL 1.5 - 2 - 2.5 - 3 mm
- bits, external hexagon drive 4 mm, T-Star (for Torx) T5 - T6 - T7 - T8 - T15
- bits, external hexagon drive 4 mm, T-Star tamperproof (for Torx) T8 - T10 - T15
- bit, external hexagon drive 4 mm, two-pin, 2.5 mm
- bit, external hexagon drive 4 mm, three-slot, 3 mm
- bit, external hexagon drive 4 mm, triangle, 3 mm
- 5 bits, external hexagon drive 4 mm, cross slot
- 2 component handle
- tweezers, 120 mm



| |
|--------|
| Item # |
| 20823 |



Precision Bit Set | 31 pcs.

- spinner handle
- bits, external hexagon drive, slot SL 1.5 - 2 - 2.5 - 3 - 3.5 - 4 mm
- bits, external hexagon drive, cross slot PH00 - PH0 - PH1 - PH2
- bits, external hexagon drive, T-Star (for Torx) T4 - T5 - T6 - T7 - T8 - T12 - T15 - T20
- bits, external hexagon drive, internal hexagon 1 - 1.3 - 1.5 - 2 - 2.5 - 3 - 4 mm
- bit, external hexagon drive, two-pin, 2.6 mm
- bit, external hexagon drive, three-slot, 3 mm
- bit, external hexagon drive, star, 2 mm
- bit, external hexagon drive, triangle, 3 mm
- bit, external hexagon drive, pins, 1 mm



| |
|--------|
| Item # |
| 20831 |



Bit Set with Depth Stop | for Plasterboard | 6.3 mm (1/4") | Cross Slot PH 2 | 6 pcs.

- with depth stop
- for letting-in flush screws in soft material
- avoids deep screwing in plasterboards and light building boards in dry construction
- to be used with bit holder (seperately available) or directly with the drill or cordless screwdriver
- 3 bits, 25 mm, 6.3 mm (1/4") drive, cross slot PH 2
- 3 bits, 50 mm, 6.3 mm (1/4") drive, cross slot PH 2



| |
|--------|
| Item # |
| 50406 |





Bit Set with Depth Stop | for Plasterboard | 6.3 mm (1/4") | Cross Slot PH 2 | 10 pcs.

- with depth stop
- for letting-in flush screws in soft material
- avoids deep screwing in plasterboards and light building boards in dry construction
- to be used with bit holder (seperately available) or directly with the drill or cordless screwdriver
- 10 bits, 25 mm, 6.3 mm (1/4") drive, cross slot PH 2



Flexible Angle Bit Holder Extension | 6.3 mm (1/4") | 310 mm

- 6.3 mm (1/4") bit drive
- with angled bit holder
- with guide-holder, adjustable
- profile size, metric: 6.3 mm
- profile size, inch: 1/4"
- length: 310 mm



Angled Bit Holder | 6.3 mm (1/4") Drive | internal Hexagon 6.3 mm (1/4")

- special short overall height (only 37 mm), also ideal for confined working areas
- quick release function
- profile: internal hexagon
- profile size, metric: 6.3 mm
- profile size, inch: 1/4"



Offset Screwdriver Attachment for Drills | 10 pcs.

- key wrench with adjustable guide holder
- 2 bits, 6.3 mm (1/4") drive, slot SL 5 mm - 6 mm
- 2 bits, 6.3 mm (1/4") drive, cross slot PH1 - PH2
- 2 bits, 6.3 mm (1/4") drive, cross slot PZ1 - PZ2
- 1 bit adaptor external square 6.3 mm (1/4") - external hexagon 6.3 mm (1/4")
- 2 sockets 8 - 10 mm





Reversible Ratchets | Fine Tooth

6.3 \square 1/4 10 \square 3/8 12.5 \square 1/2

- fine toothed (72 teeth)
- with quick release



| Item # | Description |
|--------|--|
| 517 | Reversible Ratchet Fine Tooth 6.3 mm (1/4") |
| 518 | Reversible Ratchet Fine Tooth 10 mm (3/8") |
| 519 | Reversible Ratchet Fine Tooth 12.5 mm (1/2") |



Reversible Ratchets

6.3 \square 1/4 10 \square 3/8 12.5 \square 1/2

- quick change from forward to reverse
- round head with rubber handle



| Item # | Description |
|--------|-------------------------------------|
| 221 | Reversible Ratchet 6.3 mm (1/4") |
| 301 | Reversible Ratchet 10 mm (3/8") |
| 2300 | Reversible Ratchet 12.5 mm (1/2") |



Electric Drill Adaptor Set | 6.3 mm (1/4") Drive | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") | 3 pcs.

- for electric drill operation
- length 75 mm
- surface finish: sandblasted
- electric drill adaptor, 75 mm, 6.3 mm (1/4") drive, external square with ball 6.3 mm (1/4")
- electric drill adaptor, 75 mm, 6.3 mm (1/4") drive, external square with ball 10 mm (3/8")
- electric drill adaptor, 75 mm, 6.3 mm (1/4") drive, external square with ball 12.5 mm (1/2")



| Item # |
|--------|
| 8204 |



Adaptor Set | 4 pcs.

6.3 \square 1/4 10 \square 3/8 12.5 \square 1/2

- for adapting various square drives with, e.g., ratchets, sockets, etc.
- adaptor internal square 6.3 mm (1/4") on external square 10 mm (3/8")
- adaptor internal square 10 mm (3/8") on external square 6.3 mm (1/4")
- adaptor internal square 10 mm (3/8") on external square 12.5 mm (1/2")
- adaptor internal square 12.5 mm (1/2") on external square 10 mm (3/8")
- surface finish: satin chrome plated



| Item # |
|--------|
| 8808 |





"Wobble" Extension Bar Set | 6.3 mm (1/4") | 5 pcs.

6.3 \square 1/4

- in plastic tool tray
- "Wobble" extension bar, external/internal square 6.3 mm (1/4") 50 mm
- "Wobble" extension bar, external/internal square 6.3 mm (1/4") 75 mm
- "Wobble" extension bar, external/internal square 6.3 mm (1/4") 100 mm
- "Wobble" extension bar, external/internal square 6.3 mm (1/4") 150 mm
- "Wobble" extension bar, external/internal square 6.3 mm (1/4") 225 mm
- surface finish: chrome plated, polished

| |
|--------|
| Item # |
| 6110 |



"Wobble" Extension Bar Set | 10 mm (3/8") | 5 pcs.

10 \square 3/8

- in plastic tool tray
- "Wobble" extension bar, external/internal square 10 mm (3/8") 38 mm
- "Wobble" extension bar, external/internal square 10 mm (3/8") 75 mm
- "Wobble" extension bar, external/internal square 10 mm (3/8") 150 mm
- "Wobble" extension bar, external/internal square 10 mm (3/8") 250 mm
- "Wobble" extension bar, external/internal square 10 mm (3/8") 450 mm
- surface finish: chrome plated, polished

| |
|--------|
| Item # |
| 6111 |



"Wobble" Extension Bar Set | 12.5 mm (1/2") | 5 pcs.

12.5 \square 1/2

- in plastic tool tray
- "Wobble" extension bar, external/internal square 12.5 mm (1/2") 50 mm
- "Wobble" extension bar, external/internal square 12.5 mm (1/2") 75 mm
- "Wobble" extension bar, external/internal square 12.5 mm (1/2") 125 mm
- "Wobble" extension bar, external/internal square 12.5 mm (1/2") 250 mm
- "Wobble" extension bar, external/internal square 12.5 mm (1/2") 450 mm
- surface finish: chrome plated, polished

| |
|--------|
| Item # |
| 6112 |



"Wobble" Extension Bar Set | 6.3 mm (1/4") / 10 mm (3/8") / 12.5 mm (1/2") | 9 pcs. 6.3 \square 1/4 10 \square 3/8 12.5 \square 1/2

- in plastic tool tray
- Wobble extension bar, external/internal square 6.3 mm (1/4") 50 mm
- Wobble extension bar, external/internal square 6.3 mm (1/4") 100 mm
- Wobble extension bar, external/internal square 6.3 mm (1/4") 225 mm
- Wobble extension bar, external/internal square 10 mm (3/8") 75 mm
- Wobble extension bar, external/internal square 10 mm (3/8") 150 mm
- Wobble extension bar, external/internal square 10 mm (3/8") 225 mm
- Wobble extension bar, external/internal square 12.5 mm (1/2") 50 mm
- Wobble extension bar, external/internal square 12.5 mm (1/2") 125 mm
- Wobble extension bar, external/internal square 12.5 mm (1/2") 250 mm
- surface finish: chrome plated, polished

| |
|--------|
| Item # |
| 6113 |





Torque Wrench | 6.3 mm (1/4") | 2 - 24 Nm

6.3 1/4

- reversible ratchet
- for setting the torque on screw connections with right-hand thread
- click signal when torque is reached
- locks the set torque value
- profile: external square
- profile size, metric: 6.3 mm
- length: 275 mm
- min. torque: 2 Nm
- max. torque: 24 Nm
- effective length: 200 mm
- profile size, inch: 1/4"
- in blow mould case



| |
|--------|
| Item # |
| 987 |

Torque Wrench | 10 mm (3/8") | 19 - 110 Nm

10 3/8

- reversible ratchet
- for setting the torque on screw connections with right-hand thread
- click signal when torque is reached
- locks the set torque value
- profile: external square
- profile size, metric: 10 mm
- length: 290 mm
- min. torque: 19 Nm
- max. torque: 110 Nm
- effective length: 210 mm
- profile size, inch: 3/8"
- in blow mould case



| |
|--------|
| Item # |
| 988 |

Torque Wrench | 12.5 mm (1/2") | 28 - 210 Nm

12.5 1/2

- reversible ratchet
- fixing the set torque with locking screw
- for setting the torque on screw connections with right-hand thread
- click signal when torque is reached
- locks the set torque value
- profile: external square
- profile size, metric: 12.5 mm
- min. torque: 28 Nm
- max. torque: 210 Nm
- profile size, inch: 1/2"



| |
|--------|
| Item # |
| 963 |





Torque Wrench | 20 mm (3/4") | 140 - 980 Nm

20  3/4

- reversible ratchet
- for setting the torque on screw connections with right-hand thread
- click signal when torque is reached
- locks the set torque value
- length: 830 mm
- min. torque: 140 Nm
- max. torque: 980 Nm
- drive profile size, metric: 20 mm
- output profile: external square
- drive profile size, inch: 3/4"
- in blow mould case



| |
|--------|
| Item # |
| 9576 |

Torque Wrench | 25 mm (1") | 140 - 980 Nm

25  1

- reversible ratchet
- for setting the torque on screw connections with right-hand thread
- click signal when torque is reached
- locks the set torque value
- length: 830 mm
- min. torque: 140 Nm
- max. torque: 980 Nm
- drive profile size, metric: 25 mm
- output profile: external square
- drive profile size, inch: 1"
- in blow mould case



| |
|--------|
| Item # |
| 9577 |



Puller Set | hydraulic | 10 t

- hydraulic spindle
- traverse 100 mm
- traverse 150 mm
- traverse 200 mm
- headpiece for 2-legs pullers
- headpiece for 3-legs pullers
- 2 extension rods
- 2 separators from 20 - 105 mm



| |
|--------|
| Item # |
| 97729 |

Internal/External Puller Set, 2/3-legs | 35 - 135 mm | 12 pcs.

- suitable as inside and outside puller
- 3 puller arm sets (3 pcs. per set) for clamping depth of 100, 200 and 300 mm
- clamping depth: 450 mm
- Hakenfußtiefe: 9 mm
- Hakenlänge: 12 mm
- min. clamping width: 35 mm
- max. clamping width: 135 mm
- Hakenfußstärke an der Spitze: 3,5 mm
- Spindellänge: 450 mm
- hex drive size: SW 17 mm



| |
|--------|
| Item # |
| 94 |

Blind Hole Bearing Puller Set with Slide Hammer | 5 pcs.

- suitable for removing bearings, bushings, sleeves, etc.
- especially suitable for dismantling blind holes
- sliding hammer 1430 g, 370 mm
- spreader claws, 10-14 mm
- spreader claws, 15-19 mm
- spreader claws, 18-25 mm
- spreader claws, 25-32 mm



| |
|--------|
| Item # |
| 8598 |



Blind Hole Bearing Puller Set | 11 pcs.

- spreader claws and adaptors can be used with sliding hammer and twin-arm pullers
- sliding hammer 910 g, 285 mm
- puller, 2-arms, 125 mm puller width
- 5 spreader claws for extracting of interior bearings, sizes:
6 x 8 mm - 8 x 14 mm - 14 x 18 mm - 18 x 23 mm - 23 x 30 mm
- 1 replacement expanding mandrel
- adaptor for removing components with inside thread M6 x 1.0
- adaptor for removing components with inside thread M8 x 1.25
- adaptor for removing components with inside thread M10 x 1.5

| |
|--------|
| Item # |
| 97710 |



Blind Hole Bearing Puller Set | 16 pcs.

- for dismantling of bearings installed in a blind hole
- is used when repairing gearboxes, for example
- slide hammer, length 290 mm
- 2-feet puller with spindle
- spreader claws for bearings with inner diameter of 5 - 52 mm

| |
|--------|
| Item # |
| 7715 |



Battery Pole Terminal/Wiper Puller, 2-Arm | 10 - 30 mm

- pull-out foot distance 10 - 30 mm
- adjustment and pre-tension via cone
- max. pulling width: 22 mm
- spindle Ø 12 mm
- pressure piece Ø 11 mm
- spring mechanism

| |
|--------|
| Item # |
| 97743 |





Puller/Ball Joint Tool Set | 5 pcs.

- for extracting / pulling ball joints of e.g. anti-roll bar, control arm, tie rod and other ball joints
- suitable for many automobiles and light trucks from Ford, Volkswagen, Mercedes-Benz, Audi, Skoda, Citroen, Peugeot, Renault, Fiat, Mazda, Toyota etc.
- also suitable for pulling bearings and bushings
- 2-arm tie rod ball joint & drop arm puller
 - opening: 33 mm / width: 28 mm
 - opening (inside): 55 mm / height (inside): 55 mm
 - spindle: M16 / drive: 19 mm outer hexagon
 - forged & galvanized
- 2-arm tie rod ball joint & drop arm puller
 - opening: 18 mm / width: 18 mm
 - opening (inside): 45 mm / height (inside): 50 mm
 - spindle: M16 / drive: 19 mm outer hexagon
 - forged & galvanized
- tie rod ball joint extractor
 - opening: 18 mm / width: 28 mm
 - height: 50 mm / spindle M12 x 1.75
 - drive: 19 mm outer hexagon
 - forged & galvanized
- control arm ball joint & tie rod ball joint extractor
 - opening: 20-22 mm / length: 155 mm
 - extracting range: 2 steps max. 30 or 55 mm
 - drive: 21 mm outer hexagon
- 2-arm bearing puller, adjustable
 - leg wide: 16 mm / length: 160 mm
 - spindle: M14 / leg (inside): 75 mm
 - leg height (inside): 75 mm
 - drive: 17 mm outer hexagon



| |
|--------|
| Item # |
| 9396 |

Puller Set, 2/3-legs | 150 / 100 / 75 mm | 3 pcs.

- puller, 2-legs, 75 mm, reversible
- puller, 3-legs, 100 mm, reversible
- puller, 3-legs, 150 mm, reversible
- surface finish: chrome plated

| |
|--------|
| Item # |
| 7730 |





Parallel Jaw Pullers

- for 2-arm and 3-arm use available
- fine thread
- forged special steel
- mechanic puller with standard hooks
- can be used for inside and outside pulling via detachable and adjustable puller hooks

| Item # | Description |
|--------|--|
| 93-1 | Parallel Jaw Puller, 2-legs 50 - 140 mm |
| 93-2 | Parallel Jaw Puller, 2-legs 80 - 200 mm |
| 93-3 | Parallel Jaw Puller, 2-legs 100 - 250 mm |
| 93-4 | Parallel Jaw Puller, 2-legs 120 - 350 mm |
| 93-6 | Parallel Jaw Puller, 3-legs 40 - 120 mm |
| 93-7 | Parallel Jaw Puller, 3-legs 60 - 200 mm |



Hammer, Drill and Chisel Set | SDS shaft, carbide Tip | 5 - 20 mm | 12 pcs.

- in plastic case
- drill Ø 5 mm, 110 mm
- drill Ø 6 mm, 110 mm
- drill Ø 8 mm, 160 mm
- drill Ø 10 mm, 160 mm
- drill Ø 12 mm, 160 mm
- drill Ø 14 mm, 200 mm
- drill Ø 16 mm, 210 mm
- drill Ø 18 mm, 300 mm
- drill Ø 20 mm, 450 mm
- flat chisel 250 mm
- pointed chisel 250 mm
- hollow chisel 250 mm



| Item # | Description |
|-----------|---|
| 2005 | Hammer, Drill and Chisel Set SDS shaft, carbide Tip 5 - 20 mm 12 pcs. |
| 2005-LEER | Empty Case for BGS 2005 |

Hammer Drill Set | SDS shaft | carbide tipped | 5 - 10 mm | 6 pcs.

- in plastic case
- hammer drill Ø 5 mm, 110 mm
- hammer drill Ø 6 mm, 110 mm
- hammer drill Ø 8 mm, 110 mm
- hammer drill Ø 6 mm, 160 mm
- hammer drill Ø 8 mm, 160 mm
- hammer drill Ø 10 mm, 160 mm

| Item # |
|--------|
| 2007 |



SDS Drill Bit Set | SDS shaft-max | 16 / 20 / 26 mm | 3 pcs.

- with SDS shaft
- carbide coated tip
- wall breakthrough Ø 16 mm, 600 mm
- wall breakthrough Ø 20 mm, 600 mm
- wall breakthrough Ø 26 mm, 600 mm

| Item # |
|--------|
| 2006 |





SDS Drill Bit Set | SDS shaft | 12 / 16 / 24 mm | 3 pcs.

- with SDS shaft
- carbide coated tip
- wall breakthrough drill Ø 12 mm, 1000 mm
- wall breakthrough drill Ø 16 mm, 1000 mm
- wall breakthrough drill Ø 24 mm, 1000 mm



Item #
2012



SDS Drill Bit Set | SDS shaft | 8 - 20 mm | 5 pcs.

- with SDS shaft
- carbide coated tip
- wall breakthrough drill Ø 8 mm, 600 mm
- wall breakthrough drill Ø 10 mm, 600 mm
- wall breakthrough drill Ø 12 mm, 600 mm
- wall breakthrough drill Ø 16 mm, 600 mm
- wall breakthrough drill Ø 20 mm, 600 mm



Item #
2016



Concrete Drill Set | 4 - 10 mm | 5 pcs.

- in plastic case
- concrete drill Ø 4 mm
- concrete drill Ø 5 mm
- concrete drill Ø 6 mm
- concrete drill Ø 8 mm
- concrete drill Ø 10 mm



Item #
50816



Drill & Anchor Set | 300 pcs.

- in plastic storage case
- 7 metal drills Ø 2 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 wood drills Ø 4 - 5 - 6 - 8 - 10 mm
- 5 masonry drills Ø 4 - 5 - 6 - 8 - 10 mm
- 1 bit holder
- 2 bits, slot SL 4.5 - 6 mm
- 2 bits, cross slot PH1 - PH2
- 2 bits, cross slot PZ1 - PZ2
- extensive assortment of anchors in Ø 5 - 6 - 8 - 10 mm



Item #
50820



Combination Drill Set | 5 - 8 mm | 9 pcs.

- in plastic case
- metal drill Ø 5 mm
- metal drill Ø 6 mm
- metal drill Ø 8 mm
- masonry drill Ø 5 mm
- masonry drill Ø 6 mm
- masonry drill Ø 8 mm
- wood drill Ø 5 mm
- wood drill Ø 6 mm
- wood drill Ø 8 mm

| |
|--------|
| Item # |
| 50819 |



Masonry Drill Set | 4 - 10 mm | 5 pcs.

- in plastic case
- masonry drill Ø 4 mm
- masonry drill Ø 5 mm
- masonry drill Ø 6 mm
- masonry drill Ø 8 mm
- masonry drill Ø 10 mm

| |
|--------|
| Item # |
| 50807 |



Masonry Drill Set | 4 - 8 mm | 5 pcs.

- in plastic case
- masonry drill Ø 4 mm
- masonry drill Ø 5 mm
- masonry drill Ø 6 mm
- masonry drill Ø 7 mm
- masonry drill Ø 8 mm

| |
|--------|
| Item # |
| 50805 |





HSS Drill Set | titanium coated | 1.5 - 6 mm | 10 pcs.

- in plastic holder
- with hexagon drive
- HSS twist drill Ø 1.5 mm
- HSS twist drill Ø 2.0 mm
- HSS twist drill Ø 2.5 mm
- HSS twist drill Ø 3.0 mm
- HSS twist drill Ø 3.2 mm
- HSS twist drill Ø 3.5 mm
- HSS twist drill Ø 4.0 mm
- HSS twist drill Ø 4.5 mm
- HSS twist drill Ø 5.0 mm
- HSS twist drill Ø 6.0 mm
- material: HSS steel
- surface finish: titanium nitrided



| |
|--------|
| Item # |
| 50801 |



HSS Drill Set | 3 - 10 mm | 8 pcs.

- in plastic case
- HSS twist drill Ø 3.0 mm
- HSS twist drill Ø 4.0 mm
- HSS twist drill Ø 5.0 mm
- HSS twist drill Ø 6.0 mm
- HSS twist drill Ø 7.0 mm
- HSS twist drill Ø 8.0 mm
- HSS twist drill Ø 9.0 mm
- HSS twist drill Ø 10.0 mm
- material: HSS steel



| |
|--------|
| Item # |
| 50808 |



HSS Drill Set | 1.5 - 6.5 mm | titanium coated | 13 pcs.

- in plastic case
- HSS twist drill Ø 1.5 mm
- HSS twist drill Ø 2 mm
- HSS twist drill Ø 2.5 mm
- HSS twist drill Ø 3 mm
- HSS twist drill Ø 3.2 mm
- HSS twist drill Ø 3.5 mm
- HSS twist drill Ø 4 mm
- HSS twist drill Ø 4.5 mm
- HSS twist drill Ø 4.8 mm
- HSS twist drill Ø 5 mm
- HSS twist drill Ø 5.5 mm
- HSS twist drill Ø 6 mm
- HSS twist drill Ø 6.5 mm
- material: HSS steel
- surface finish: titanium nitrided



| |
|--------|
| Item # |
| 50813 |



HSS Drill Set | 1 - 10 mm | 19 pcs.

- in metal case
- HSS twist drill Ø 1 mm
- HSS twist drill Ø 1.5 mm
- HSS twist drill Ø 2 mm
- HSS twist drill Ø 2.5 mm
- HSS twist drill Ø 3 mm
- HSS twist drill Ø 3.5 mm
- HSS twist drill Ø 4 mm
- HSS twist drill Ø 4.5 mm
- HSS twist drill Ø 5 mm
- HSS twist drill Ø 5.5 mm
- HSS twist drill Ø 6 mm
- HSS twist drill Ø 6.5 mm
- HSS twist drill Ø 7 mm
- HSS twist drill Ø 7.5 mm
- HSS twist drill Ø 8 mm
- HSS twist drill Ø 8.5 mm
- HSS twist drill Ø 9 mm
- HSS twist drill Ø 9.5 mm
- HSS twist drill Ø 10 mm
- material: HSS steel



| |
|--------|
| Item # |
| 2010 |



HSS Step Drill Set | 3 - 20 mm | 3 pcs.

- with pouch
- HSS step drill, size 1: 3 - 12 mm, 1 mm steps
- HSS step drill, size 2: 6 - 20 mm, 2 mm steps
- HSS step drill, size 3: 4 - 12 mm, 2 mm steps
- material: HSS steel
- surface finish: titanium-nitrided



| |
|--------|
| Item # |
| 1616 |



HSS Milling Drill Set | titanium coated | 3 - 8 mm | 6 pcs.

- in wooden case
- HSS milling drill Ø 3 mm
- HSS milling drill Ø 4 mm
- HSS milling drill Ø 5 mm
- HSS milling drill Ø 6 mm
- HSS milling drill Ø 6.5 mm
- HSS milling drill Ø 8 mm
- surface finish: titanium nitrided



| |
|--------|
| Item # |
| 1996 |





Wooden Dowel / Drill Set | 6 - 10 mm | 43 pcs.

- drill Ø 6 mm
- drill Ø 8 mm
- drill Ø 10 mm
- hole depth limiter 6 - 8 - 10 mm
- each 2 centering tips Ø 6 - 8 - 10 mm
- each 10 wooden dowels 6 - 8 - 10 mm
- internal hexagon wrench, 2 mm



| |
|--------|
| Item # |
| 50405 |



Wood Drill Set | 4 - 10 mm | 5 pcs.

- in plastic case
- with centering tips
- wood drill Ø 4 mm
- wood drill Ø 5 mm
- wood drill Ø 6 mm
- wood drill Ø 8 mm
- wood drill Ø 10 mm



| |
|--------|
| Item # |
| 2017 |



Wood Drill Set | 6 - 14 mm | 6 pcs.

- with centering tips
- with shoulder cutting
- wood drill Ø 6 mm x 300 mm
- wood drill Ø 8 mm x 300 mm
- wood drill Ø 10 mm x 300 mm
- wood drill Ø 12 mm x 300 mm
- wood drill Ø 13 mm x 300 mm
- wood drill Ø 14 mm x 300 mm



| |
|--------|
| Item # |
| 2018 |



Drilling Depth Limiter Set | 8 pcs.

- suitable for all drill types
- can be adjusted on the drill
- drill depth limiters in the following sizes:
3 - 4 - 5 - 6 - 8 - 10 - 12 mm
- L-type hexagon wrench 2.5 mm



| |
|--------|
| Item # |
| 50407 |





Auger Set | 2 - 5 mm | 4 pcs.

- handheld drill Ø 2 mm
- handheld drill Ø 3 mm
- handheld drill Ø 4 mm
- handheld drill Ø 5 mm

| |
|--------|
| Item # |
| 2022 |



Center Drill Bit Set | 5 pcs.

- suitable for drill machines and box column drills
- with center point for precise working
- exact holes in soft wood
- suitable for: wood, wallboard, veneer and chipboard
- right cutting
- round shank
- shaft diameter: 8 mm for Ø 15 - 20 - 25 mm, 10 mm for Ø 30 - 35 mm
- total length drill incl. mandrel: 87 mm
- in plastic box
- center bit drill, Ø 15 mm
- center bit drill, Ø 20 mm
- center bit drill, Ø 25 mm
- center bit drill, Ø 30 mm
- center bit drill, Ø 35 mm

| |
|--------|
| Item # |
| 92025 |



Hole Saw Set | Ø 26 - 63 mm | depth 25 mm | 7 pcs.

- suitable for wood, plasterboard and chipboard
- centre drill diameter: 6 mm
- with metal housing and centre drills
- hole saw Ø 26 mm, cut depth 25 mm
- hole saw Ø 32 mm, cut depth 25 mm
- hole saw Ø 36 mm, cut depth 25 mm
- hole saw Ø 45 mm, cut depth 25 mm
- hole saw Ø 50 mm, cut depth 25 mm
- hole saw Ø 56 mm, cut depth 25 mm
- hole saw Ø 63 mm, cut depth 25 mm



| Item # | Description |
|--------|--|
| 3903 | Hole Saw Set Ø 26 - 63 mm depth 25 mm 7 pcs. |
| 3904 | Hole Saw Set Ø 26 - 63 mm depth 43 mm 7 pcs. |



Hole Saw Set | Ø 32 - 54 mm | depth 24 mm | 6 pcs.

- suitable for wood, plasterboard and chipboard
- centre drill diameter: 6 mm
- hole saw Ø 32 mm, cut depth 24 mm
- hole saw Ø 38 mm, cut depth 24 mm
- hole saw Ø 51 mm, cut depth 24 mm
- hole saw Ø 54 mm, cut depth 24 mm



| |
|--------|
| Item # |
| 50310 |



Hole Saw Set | Ø 19 - 64 mm | depth 24 mm | 11 pcs.

- suitable for plastics, wood, plasterboard and chipboard
- centre drill diameter: 6 mm
- total length with mounted drill: 90 mm
- hole saw Ø 19 mm, cutting depth 24 mm
- hole saw Ø 22 mm, cutting depth 24 mm
- hole saw Ø 29 mm, cutting depth 24 mm
- hole saw Ø 32 mm, cutting depth 24 mm
- hole saw Ø 38 mm, cutting depth 24 mm
- hole saw Ø 44 mm, cutting depth 24 mm
- hole saw Ø 51 mm, cutting depth 24 mm
- hole saw Ø 64 mm, cutting depth 24 mm
- 2 adapters



| |
|--------|
| Item # |
| 50315 |



Hole Saw Set | Ø 60 - 95 mm | depth 35 mm | 5 pcs.

- hardened tothing
- for wood, chipboard, plasterboard, etc.
- centre drill diameter: 10 mm
- hole saw Ø 60 mm, cut depth 35 mm
- hole saw Ø 67 mm, cut depth 35 mm
- hole saw Ø 74 mm, cut depth 35 mm
- hole saw Ø 81 mm, cut depth 35 mm
- hole saw Ø 95 mm, cut depth 35 mm
- adaptor plate



| |
|--------|
| Item # |
| 50305 |



Hole Saw Set | Ø 60 / 67 / 74 mm | depth 30 mm | 3 pcs.

- hardened tothing
- für wood, chipboard, plasterboard, etc.
- centre drill diameter: 8 mm
- hole saw Ø 60 mm, cut depth 30 mm
- hole saw Ø 67 mm, cut depth 30 mm
- hole saw Ø 74 mm, cut depth 30 mm
- adaptor plate



| |
|--------|
| Item # |
| 50300 |





Quick Action Chuck



| Item # | Description |
|--------|--|
| 9935 | Quick Action Chuck 0.8 - 10 mm 3/8" x 24 UNF |
| 9936 | Quick Action Chuck 2 - 13 mm 1/2" x 20 UNF |

4 Size Drill Chuck Wrench Set | Ø 10 / 13 mm | 2 pcs.

- suitable for 10 + 13 mm drill chucks



| |
|--------|
| Item # |
| 8212 |



4 Size Drill Chuck Wrench | for most chuck Sizes | Ø 4 / 5.5 / 6 / 7 mm

- for most drill chuck sizes
- suitable for AEG, Bosch, Skil, Black & Decker, Makita, Milwaukee etc.
- pin Ø 4 - 5.5 - 6 - 7 mm



| |
|--------|
| Item # |
| 8625 |



Glass Cutter | for glass thickness 3 - 4 mm | 130 mm

- with 6 wheels
- wooden handle
- DIN 7209 B



| |
|--------|
| Item # |
| 7977 |



Brush Set | 175 mm | 3 pcs.

- with black plastic handle
- 1 brass brush
- 1 nylon brush
- 1 steel brush
- length: 175 mm



| |
|--------|
| Item # |
| 85811 |





Brush Set | 225 mm | 3 pcs.

- with black plastic handle
- 1 brass brush
- 1 nylon brush
- 1 steel brush
- length: 225 mm

| |
|--------|
| Item # |
| 3079 |



Steel Wire Brush Set | wooden handle | 2, 3, 4 rows | 3 pcs.

- 2, 3, 4-rows
- compact wooden handle
- steel wire trim

| |
|--------|
| Item # |
| 85815 |



Steel Wire brush Set | Ø 25 - 50 mm | 3 pcs.

- for electric drills
- for use on straight and bent surfaces
- crimped bristles
- 6 mm shaft
- pot brush, Ø 50 mm
- disc brush, Ø 50 mm
- wire pencil brush, Ø 25 mm

| |
|--------|
| Item # |
| 50903 |



Steel Wire brush Set | Ø 25 - 75 mm | 8 pcs.

- for electric drills
- for removing rust, cleaning and reconditioning of surfaces
- 3 shafts for clamping into the electric drill, Ø 7 mm x 48 mm
- 5 brushes: Ø 25 - 40 - 50 - 60 - 75 mm
- max. drive speed: 4500 rpm
- drill shaft diameter: 7 mm
- shaft length: 48 mm

| |
|--------|
| Item # |
| 50908 |





Punch Set | 36-in-1

- 4 mm figures + letters
- automatic puncher (170 mm), brass made, adjustable striking force
- with all letters and numbers as well as centre tip for easy marking on wood or metal



| |
|--------|
| Item # |
| 3043 |

Needle File Set | 140 mm | 6 pcs.

- in plastic case
- flat, round, square, triangle, half-round, flat taper
- 2 component handles
- stroke: 3



| |
|--------|
| Item # |
| 1911 |



File Set | 200 mm | 3 pcs.

- stable plastic handle (blue)
- file, 200 mm, flat
- file, 200 mm, half round
- file, 200 mm, round
- stroke: 2



| |
|--------|
| Item # |
| 50210 |



Rasp Set | 200 mm | 3 pcs.

- stable plastic handle (blue)
- wood shavings, 200 mm, flat
- wood shavings, 200 mm, half round
- wood shavings, 200 mm, round
- stroke: 2



| |
|--------|
| Item # |
| 50235 |





High Precision Drill Accessory Set | 24 pcs.

- suitable for small components
- for grinding, polishing, cutting, engraving, etc.
- max. drive speed: 35000 rpm
- shaft diameter 3 mm
- steel round brush Ø 22 mm
- plastic round brush Ø 22 mm
- plastic finger brush, Ø 4 mm
- plastic wire cup brush Ø 25 mm
- grindstone, cylindrical, Ø 6 mm x length 16 mm
- adaptor for using the polishing heads, 3 mm
- 6 polishing discs Ø 13 mm, thickness 6 mm
- 3 polishing discs Ø 25 mm, thickness 6 mm
- polishing head, cone shape, Ø 10 mm x 20 mm length
- container with polishing paste for approx. 10 cm³
- adaptor for using the cutting and grinding discs, 3 mm
- 4 cutting discs Ø 24 mm, thickness 0.5 mm
- 2 grinding discs Ø 22 mm, thickness 3 mm

| | |
|--------|--|
| Item # | |
| 50802 | |



High Precision Drill Accessory Set | 67 pcs.

- suitable for small components
- for grinding, cutting, engraving, etc.
- max. drive speed: 35000 rpm
- drill shaft diameter: 3 mm
- grindstone, cylindrical, Ø 6 mm
- grindstone, cylindrical, Ø 10 mm
- grindstone, disc-shaped, Ø 20 mm
- adaptor for using the cutting and grinding discs, 3 mm
- cutting disc Ø 22 mm, narrow
- cutting disc Ø 20 mm, wide
- 50 sandpaper grinding discs
- adaptor for using the grinding rollers, 3 mm
- 8 grinding rollers Ø 16 mm, height 13 mm

| | |
|--------|--|
| Item # | |
| 50803 | |





High Precision Drill Accessory Set | 12 pcs.

- suitable for small components
- for milling, sanding, engraving, etc.
- max. drive speed: 35000 rpm
- drill shaft diameter: 3 mm
- incl. 2 adaptors for 5 mm chucks
- HSS grindstone, cone shape, Ø 4 mm
- HSS grindstone, cone shape, Ø 6 mm
- HSS grindstone, cylinder Ø 6 mm
- HSS grindstone, cylinder Ø 7 mm
- HSS milling tool, Ø 3 mm
- HSS milling tool, cylinder Ø 3 mm
- HSS milling tool, cylinder Ø 8 mm
- HSS milling tool, cone shape, Ø 3 mm
- HSS milling tool, cone shape, Ø 6 mm
- HSS milling tool, truncated cone, Ø 3 mm

| |
|--------|
| Item # |
| 50804 |



Sanding Pads Set for Triangular Sanders | 95 x 95 mm | K 40 - 180 | 50 pcs.

- backside with hook and loop
- suitable for metal, wood, hard wood, etc.
- 10 sanding sheets 95 x 95 mm K 40
- 10 sanding sheets 95 x 95 mm K 60
- 10 sanding sheets 95 x 95 mm K 80
- 10 sanding sheets 95 x 95 mm K 120
- 10 sanding sheets 95 x 95 mm K 180

| |
|--------|
| Item # |
| 80815 |



Sanding Pads for Eccentric Sanders | Ø 125 mm | K 40 - 180 | 25 pcs.

- rear side with hook and loop
- suitable for metal, wood, hard wood, etc.
- 5 sanding sheets Ø 125 mm K 40
- 5 sanding sheets Ø 125 mm K 60
- 5 sanding sheets Ø 125 mm K 80
- 5 sanding sheets Ø 125 mm K 120
- 5 sanding sheets Ø 125 mm K 180

| |
|--------|
| Item # |
| 80817 |





Sanding Sheets Set for Multigrinder | 145 x 100 mm | K 40 - 400 | 25 pcs.

- pre-perforated in the middle and separable
- rear side with hook and loop
- suitable for metal, wood, hard wood, etc.
- 5 sanding sheets 145 x 100 mm K 40
- 5 sanding sheets 145 x 100 mm K 80
- 5 sanding sheets 145 x 100 mm K 120
- 5 sanding sheets 145 x 100 mm K 180
- 5 sanding sheets 145 x 100 mm K 400



| |
|--------|
| Item # |
| 80819 |

Sander and Burnisher Set | 5 pcs.

- various types
- shaft diameter: 6 mm



| |
|--------|
| Item # |
| 8063 |



Garden Tool Sharpener

- suitable for sharpening lawn mower blades, scythes, etc.
- drive speed: 4500 rpm
- shaft diameter: 6 mm



| |
|--------|
| Item # |
| 50835 |



Sharpening Stone | K 120/K 240

- can be used on both sides with 120 and 240 grain sizes
- length: 150 mm
- width: 50 mm
- height: 21 mm
- material: aluminium oxide



| |
|--------|
| Item # |
| 8062 |





Taper Milling Cutter Set | 6 pcs.

- various shapes
- suitable for shaping of plastics, and soft metals
- in plastic case
- material: HSS steel
- max. drive speed: 6000 rpm
- shaft diameter: 6 mm



| |
|--------|
| Item # |
| 1604 |



Die Stock Set | 1/4"-1 1/4" | 8 pcs.

- pipe threading ratchet with extension bar
- one die each 6.3 mm (1/4") - 10 mm (3/8") - 12.5 mm (1/2") - 20 mm (3/4"), 25 mm (1") - 31 mm (1 1/4")



| Item # | Description |
|-----------|--------------------------------------|
| 1891 | Die Stock Set 1/4"-1 1/4" 8 pcs. |
| 1891-LEER | Empty Case for BGS 1891 |

Thread Repair Kit | M5 - M12 | 130 pcs.

- in metal case
- for repairing threads
- minimises required time and cost
- 5 twist drills for drilling out the defective threads
- 5 taps
- 5 installation tools for inserting the thread sleeves
- 5 insertion pin breakers for removing the tang in the sleeve
- 25 thread inserts M5 x 0.8 mm
- 25 thread inserts M6 x 1.0 mm
- 25 thread inserts M8 x 1.25 mm
- 25 thread inserts M10 x 1.5 mm
- 10 thread inserts M12 x 1.75 mm



| |
|--------|
| Item # |
| 19500 |



Machinist's Hammers

- according to DIN 1041
- forged
- black lacquered
- ergonomically shaped wooden handle
- with metal wedge

| Item # | Description |
|--------|-----------------------------|
| 1850 | Machinist's Hammer 100 g |
| 1851 | Machinist's Hammer 200 g |
| 1852 | Machinist's Hammer 300 g |
| 1853 | Machinist's Hammer 400 g |
| 1854 | Machinist's Hammer 500 g |
| 1855 | Machinist's Hammer 800 g |
| 1856 | Machinist's Hammer 1000 g |
| 1857 | Machinist's Hammer 1500 g |
| 1858 | Machinist's Hammer 2000 g |



Rubber Mallets

- with wooden handle

| Item # | Description |
|--------|---|
| 1860 | Rubber Hammer Head diameter 55 mm 250 g |
| 1861 | Rubber Hammer Head diameter 65 mm 500 g |
| 1862 | Rubber Hammer Head diameter 75 mm 750 g |



Stoning Hammer | 1000 g

- according to DIN 6475
- forged
- black lacquered
- ergonomically shaped wooden handle
- with metal wedge
- head weight: 1000 g
- Din standard 6475

| |
|--------|
| Item # |
| 1847 |



"Friday Afternoon" Hammer

- with bottle opener instead of peen

| |
|--------|
| Item # |
| 9181 |





Hollow Punch Set | 2.5 - 10 mm | 9 pcs.

- for perforating leather, textiles, paper
- material output slot
- punch Ø 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm

| |
|--------|
| Item # |
| 50619 |



Claw Wedge Assortment | S-Fix | 4 pcs.

includes one piece each:

- size 0: for 300 mm handles (300 g hammers)
- size 1: for 310 - 330 mm handles (400 - 600 g hammers)
- size 3: for 360 - 380 mm handles (1000 g hammers / stoning hammers / axes)
- size 5: for 600 - 700 mm handles (1000 - 1250 g axes)

| |
|--------|
| Item # |
| 86674 |



Ring Wedges Set | 3 pcs.

includes one piece each:

- size 4: for 320 - 330 mm handles (500 g hammers)
- size 5: for 350 - 360 mm handles (800 - 1000 g hammers)
- size 7: for 400 - 900 mm handles (axes / hatchets)

| |
|--------|
| Item # |
| 86676 |



Wooden Wedges Set | 4 pcs.

includes one piece each:

- size 8: for 400 - 450 mm handles (axes)
- size 10: for 700 - 900 mm handles (axes)

| |
|--------|
| Item # |
| 86678 |



Splitting Wedge | 2700 g

- forged
- length: 260 mm
- surface finish: lacquered
- paint: black

| |
|--------|
| Item # |
| 3835 |





Automatic Centre Punch | 120 mm

- adjustable striking force
- exchangeable steel point
- all metal body
- length: 120 mm



| Item # | Description |
|------------|---------------------------------|
| 2070 | Automatic Centre Punch 120 mm |
| 2070-SPITZ | Spare Steel Point for BGS 2070 |

Firmer Chisel Set | 10 / 16 / 20 mm | 3 pcs.

- with wooden handle
- high-quality design

| |
|--------|
| Item # |
| 50240 |



Stainless Scissors Set | 3 pcs.

- 2-component handles
- stainless blades
- dressmaking shears 245 mm
- household scissors 215 mm
- sewing and unpicking scissors 145 mm

| |
|--------|
| Item # |
| 7961 |



Stainless Steel Scissors | 130 mm

- 2-component handles
- stainless blades

| |
|--------|
| Item # |
| 7964 |





Wallpaper Scissors | 300 mm

- 2-component handles
- stainless blades

| |
|--------|
| Item # |
| 2048 |



Allround Scissors

- manufactured from stainless steel
- insulated handles
- with bottle opener

| |
|--------|
| Item # |
| 2049 |



Universal Scissors | Stainless Steel | 180 mm

- stainless steel blades
- 2 component handles in ergonomic shape with spring and safety lock
- 1 cutting edge with fine saw teeth
- with wire stripping gap

| |
|--------|
| Item # |
| 50620 |



Metal Shears | 260 mm

- suitable for cutting steel, solid brass, copper, aluminium sheets
- hardened jaws
- plastic handles



| Item # | Description |
|--------|--|
| 85813 | Metal Shears straight cutting 260 mm |
| 85820 | Metal shears left/straight cutting 260 mm |
| 85821 | Metal shears right/straight cutting 260 mm |



Pocketknife | 240 mm

- foldable
- with wooden handle
- includes belt pouch
- length: 240 mm
- blade length: 120 mm

| |
|--------|
| Item # |
| 2080 |





Snap-Off Knife | Blade Width 18 mm

- universal knife with 18 mm break-off segmented blade, with metal guide
- non slip rubber coated soft grip
- blade width: 18 mm



| |
|--------|
| Item # |
| 9504 |



Safety Cardboard Knife | 125 mm

- knife housing made of ABS plastic
- handle made of non-slip TPR plastic
- blade holder with strong magnet
- automatic blade return
- strong blade retraction spring
- blade stop for different cutting depths
- 1 trapezoid blade
- with guide hole
- blade 61.5 mm (32 mm) x 19 mm size
- thickness: 0.6 mm



| |
|--------|
| Item # |
| 50611 |



Universal Knife | Break-off segmented Blade 18 mm

- break off segmented blade
- plastic



| |
|--------|
| Item # |
| 7970 |



Universal Knife | Break-off segmented Blade 9 mm

- break off segmented blade
- thin finish
- plastic



| |
|--------|
| Item # |
| 7972 |



Trapezoidal Blades Set | for BGS 50603 / 50611 | 10 pcs.

- spare blades for safety knives
- suitable for BGS 50603 and 50611



| |
|--------|
| Item # |
| 50604 |





Knife Blades | 18 mm | 10 pcs.

- in plastic holder
- material: carbon steel

| |
|--------|
| Item # |
| 50628 |



Universal Scraper | 38 mm | with 5 Blades

- for removing plaques, adhesive residues on glass, sealing residues during engine repairs, in the kitchen area ceramic hob, etc.
- with safety cap
- blade width: 38 mm

| |
|--------|
| Item # |
| 85816 |



Scraper Blades | for BGS 85816 | 5 pcs.

- spare blades for item 85816

| |
|--------|
| Item # |
| 9505 |



Cutter Set | 16 pcs.

- 16-piece Cutter Set for modelling and artwork
- for precise cutting of vinyl, paper, cardboard, etc.
- 3 blade holders
- 13 different blades with straight, angled and round cutting blades in different sizes
- in plastic case

| |
|--------|
| Item # |
| 50613 |





Diamond Tool Sharpener | 130 mm

- round sharpening surface for knives
- straight sharpening surface for tiles
- sharpening surface with groove for hooks, arrows, etc.
- suitable for sharpening and grinding tips and tool blades
- with clip-holder



| |
|--------|
| Item # |
| 53820 |



Folding Rules

- material: plastic
- colour: white



| Item # | Description |
|--------|----------------------------------|
| 2054 | Folding Rule 10 segments 1 m |
| 2052 | Folding Rule 10 segments 2 m |

Measuring Tape | 2 m

- power return and blocking button
- with loop
- ABS housing
- length: 2 m



| |
|--------|
| Item # |
| 2055 |

Measuring Tape | 5 m

- power return and blocking button
- with loop
- length: 5 m



| |
|--------|
| Item # |
| 2058 |





Measuring Tape

- 12 mm wide measuring tape
- with blue plastic cross frame and retractable winding handle
- dust and weather resistant
- front side with metric scale, back side with inch scale




| Item # | Description |
|--------|------------------------|
| 2159 | Measuring Tape 50 m |
| 2160 | Measuring Tape 100 m |

Pocket Spring Balance

- scale in kg and lbs



| Item # | Description |
|--------|------------------------------------|
| 8033 | Pocket Spring Balance max. 25 kg |
| 8034 | Pocket Spring Balance max. 50 kg |



Water Levels

- spirit level (horizontal and vertical)
- with 1 mm scale
- milled bottom
- hanging hole

| Item # | Description |
|--------|-----------------------|
| 50869 | Water Level 200 mm |
| 50870 | Water Level 400 mm |
| 50871 | Water Level 600 mm |
| 50872 | Water Level 800 mm |
| 50873 | Water Level 1000 mm |



Angle Post Level

- very useful for aligning posts and pipes
- with 4 magnets and rubber band

| Item # |
|--------|
| 50877 |





Stop Bracket | 300 mm

- aluminium handle
- professional version
- scale mm/cm



| |
|--------|
| Item # |
| 50885 |

Stop Bracket | 250 mm


- hardened measuring blade
- scale mm/cm



| |
|--------|
| Item # |
| 50888 |

Household Saw | 150 mm

- incl. saw blade
- hand protection
- loop handle



| |
|--------|
| Item # |
| 2067 |



Household Saw | 150 mm

- incl. saw blade
- with tension handle (wood)



| |
|--------|
| Item # |
| 2068 |



Aluminium Hacksaw Frame | Incl. Miter Box and Saw Blade | 145 mm

- ideal for wood, metal and plastic
- pistol grip for optimum handling
- adjustable saw blade 0° - 60° - 120° - 180° - 240° - 300°
- incl. bimetal saw blade and aluminium cutting blade 45°/90°
- for mitred cuts



| |
|--------|
| Item # |
| 2082 |



Saw Blades | 150 mm | 10 pcs.

- suitable for saws BGS 2067, 2068, 2082

| |
|--------|
| Item # |
| 2069 |



Metal Bow Saw | 300 mm

- incl. saw blade
- with captive pin
- clamping screw

| |
|--------|
| Item # |
| 2060 |



Steel Hacksaw Frame | 300 mm

- steel frame 12 x 18 mm
- handle material: ABS / TPR
- adjustable saw blade 0° - 90° - 180° - 270°
- incl. HSS bimetallic saw blade
- with knob handle on the front side

| |
|--------|
| Item # |
| 2065 |



HSS Metal Saw Blade Set | 13 x 300 mm | 2 pcs.

- 2 saw blades
- material: HSS steel
- tooth separation: 24 tpi

| |
|--------|
| Item # |
| 50335 |



Handsaw | 400 mm

- hardened saw teeth for long life
- well balanced for better handling
- soft, comfortable grip
- handle type: 2 component handle

| |
|--------|
| Item # |
| 50340 |





Hacksaw | 600 mm

- for sawing wood, such as branches, tree trunks, beams, etc.
- folding mechanism for tensioning the saw blade
- incl. saw blade

| |
|--------|
| Item # |
| 9149 |



Miter box with slitting Saw

- suitable for 45° and 90° cutting edges
- 250 mm fine saw
- miter box made from high-quality plastic

| |
|--------|
| Item # |
| 50850 |



Jigsaw Saw Blade Set | 10 pcs.

- suitable for jigsaws from e. g. Dewalt, Bosch, AEG, ELU, Festo, Makita, Metabo
- in plastic case
- 1 saw blade 76 mm, fine, for straight sawing in 1 - 3 mm aluminium
- 1 saw blade 76 mm, rough, for straight sawing in 4 - 6 mm aluminium
- 2 saw blades 100 mm, fine, for straight sawing in plastic
- 2 saw blades 100 mm, for straight high-speed sawing in wood
- 2 saw blades 100 mm, for curved high-speed sawing in wood
- 2 saw blades 100 mm, fine, for straight sawing in wood

| |
|--------|
| Item # |
| 50355 |



Circular Saw Blade Adapter | 30 to 25 mm

- for the adaptation of circular saw blades with 30 mm bore on machines with 25 mm shaft

| |
|--------|
| Item # |
| 9318 |



Carbide Tipped Circular Saw Blades

- MPA certified
- **BGS 3950**
 - hole: Ø 20 mm
 - blade thickness 1.5 mm
 - segment width: 2,5 mm (cutting width)
 - borehole adaptor 20 on 16 mm
- **BGS 3952**
 - hole: Ø 30 mm
 - blade thickness: 1.6 mm
 - segment width: 2,5 mm (cutting width)
 - borehole adaptor 30 on 20 mm
- **BGS 3953**
 - hole: Ø 30 mm
 - blade thickness: 1.5 mm
 - segment width: 2,6 mm (cutting width)
 - borehole adaptor 30 on 20 mm
- **BGS 3954**
 - hole: Ø 30 mm
 - blade thickness: 1.8 mm
 - segment width: 3,2 mm (cutting width)
 - borehole adaptor 30 on 16 mm or 25 mm
- **BGS 3955**
 - hole: Ø 30 mm
 - blade thickness: 2.2 mm
 - segment width: 3.2 mm (cutting width)
 - borehole adaptor 30 on 20 mm
- **BGS 3956**
 - hole: Ø 30 mm
 - blade thickness: 2.5 mm
 - segment width: 3.2 mm (cutting width)
 - borehole adaptor 30 on 20 mm
- **BGS 3957**
 - hole: Ø 30 mm
 - blade thickness: 2.2 mm
 - segment width: 3.0 mm (cutting width)
 - borehole adaptor 30 on 20 mm
- **BGS 3958**
 - hole: Ø 30 mm
 - blade thickness: 2.2 mm
 - segment width: 3.4 mm (cutting width)
 - borehole adaptor 30 on 20 mm



| Item # | Description |
|--------|--|
| 3950 | Carbide Tipped Circular Saw Blade Ø 160 x 20 x 2.4 mm 36 teeth |
| 3952 | Carbide Tipped Circular Saw Blade Ø 190 x 30 x 2.5 mm 24 teeth |
| 3953 | Carbide Tipped Circular Saw Blade Ø 210 x 30 x 2.6 mm 40 teeth |
| 3954 | Carbide Tipped Circular Saw Blade Ø 254 x 30 x 3.2 mm 40 teeth |
| 3955 | Carbide Tipped Circular Saw Blade Ø 300 x 30 x 3.2 mm 30 teeth |
| 3957 | Carbide Tipped Circular Saw Blade Ø 315 x 30 x 3.0 mm 30 teeth |
| 3958 | Carbide Tipped Circular Saw Blade Ø 350 x 30 x 3.4 mm 40 teeth |
| 3956 | Carbide Tipped Circular Saw Blade Ø 400 x 30 x 3.2 mm 36 teeth |



T-Handle Screwdriver Set | Internal hexagon | 2 - 10 mm | 9 pcs.

- long sides have ball heads
- black finished shaft
- screwdriver with T-handle and side blade, internal hexagon 2 mm, 100 mm
- screwdriver with T-handle and side blade, internal hexagon 2.5 mm, 100 mm
- screwdriver with T-handle and side blade, internal hexagon 3 mm, 100 mm
- screwdriver with T-handle and side blade, internal hexagon 4 mm, 150 mm
- screwdriver with T-handle and side blade, internal hexagon 5 mm, 150 mm
- screwdriver with T-handle and side blade, internal hexagon 6 mm, 150 mm
- screwdriver with T-handle and side blade, internal hexagon 7 mm, 150 mm
- screwdriver with T-handle and side blade, internal hexagon 8 mm, 200 mm
- screwdriver with T-handle and side blade, internal hexagon 10 mm, 200 mm



| Item # | Description |
|----------|--|
| 7882 | T-Handle L-Type Wrench Set internal Hexagon 2 - 10 mm 9 pcs. |
| 7882-2 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 2 mm |
| 7882-2.5 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 2.5 mm |
| 7882-3 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 3 mm |
| 7882-4 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 4 mm |
| 7882-5 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 5 mm |
| 7882-6 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 6 mm |
| 7882-7 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 7 mm |
| 7882-8 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 8 mm |
| 7882-10 | T-Handle L-Type Wrench internal Hexagon / internal Hexagon with Ball Head 10 mm |

T-Handle Screwdriver Set | internal Hexagon 2 - 10 mm | 10 pcs.

- T-handle
- in stand
- screwdriver with T-handle, internal hexagon 2 - 2,5 - 3 - 4 - 4,5 - 5 - 5,5 - 6 - 8 - 10 mm



| |
|--------|
| Item # |
| 791 |





T-Handle Screwdriver Set | Inch Sizes | internal Hexagon 3/32" - 3/8" | 10 pcs.

- T-handle
- in stand
- screwdriver with T-handle, internal hexagon 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"



L-Type Wrench Set | Inch / Metric Sizes | internal Hexagon | 30 pcs.

- black lacquered
- L-type wrench, internal hexagon 0.7 - 0.9 - 1.3 - 1.5 - 2 - 2.5 - 3 - 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 10 mm, 0.028" - 0.035" - 0.050" - 1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"
- in case
- surface finish: lacquered



L-Type Wrench Set | internal Hexagon / internal Hexagon with Ball Head 1.5 - 10 mm | 9 pcs.

- long side with ball head, for confined spaces, enables spanner tilting up to 30°
- long version, up to 185 mm long
- supplied in a practical plastic holder
- L-type wrench, internal hexagon 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- profile: internal hexagon



L-Type Wrench Set | internal Hexagon 2 - 10 mm | 8 pcs.

- L-type wrench, internal hexagon 2 mm, length 50 x 17 mm
- L-type wrench, internal hexagon 2.5 mm, length 54 x 18 mm
- L-type wrench, internal hexagon 3 mm, length 57 x 21 mm
- L-type wrench, internal hexagon 4 mm, length 67 x 26 mm
- L-type wrench, internal hexagon 5 mm, length 75 x 29 mm
- L-type wrench, internal hexagon 6 mm, length 87 x 33 mm
- L-type wrench, internal hexagon 8 mm, length 103 x 40 mm
- L-type wrench, internal hexagon 10 mm, length 119 x 43 mm
- profile: internal hexagon
- surface finish: nickel plated





L-Type Wrench Set | internal Hexagon 1.5 - 10 mm | 9 pcs.

- in plastic case
- L-type wrench, internal hexagon 1.5 mm
- L-type wrench, internal hexagon 2 mm
- L-type wrench, internal hexagon 2.5 mm
- L-type wrench, internal hexagon 3 mm
- L-type wrench, internal hexagon 4 mm
- L-type wrench, internal hexagon 5 mm
- L-type wrench, internal hexagon 6 mm
- L-type wrench, internal hexagon 8 mm
- L-type wrench, internal hexagon 10 mm
- profile: internal hexagon
- surface finish: burnished



| |
|--------|
| Item # |
| 7957 |




Hexagon Wrench Set | internal Hexagon 2.5 - 10 mm | 7 pcs.

- hardened
- internal hexagon 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- in foldable holder
- profile: internal hexagon




| |
|--------|
| Item # |
| 787 |




Foldable Key | internal Hexagon with Ball Point 1.5 - 6 mm | 7 pcs.

- with ball heads for hard to reach places
- satin chrome internal hexagon wrenches
- internal hexagon with ball point 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 mm
- in red anodised aluminium foldable holder
- profile: internal hexagon ball point
- length: 99 mm
- width: 32 mm
- height: 19 mm



| |
|--------|
| Item # |
| 7847 |




Carburetor Screwdriver | Cross Slot PH2 | Blade Length 90 mm

- with non-slip, 2-component handle
- profile: cross slot PH2
- length: 90 mm



| |
|--------|
| Item # |
| 729 |






Screwdrivers | Cross Slot

- ergonomic 2-component handle
- magnetic tips



| Item # | Description | | |
|----------|-------------|----------------|---------------------|
| 7946-PH0 | Screwdriver | Cross Slot PH0 | Blade Length 80 mm |
| 7946-PH1 | Screwdriver | Cross Slot PH1 | Blade Length 80 mm |
| 7946-PH2 | Screwdriver | Cross Slot PH2 | Blade Length 100 mm |
| 7946-PH3 | Screwdriver | Cross Slot PH3 | Blade Length 200 mm |



Screwdrivers | Cross Slot

- ergonomic 2-component handle
- magnetic tips



| Item # | Description | | |
|----------|-------------|----------------|---------------------|
| 7946-PZ1 | Screwdriver | Cross Slot PZ1 | Blade Length 100 mm |
| 7946-PZ2 | Screwdriver | Cross Slot PZ2 | Blade Length 125 mm |
| 7946-PZ3 | Screwdriver | Cross Slot PZ3 | Blade Length 200 mm |



Carburetor Screwdriver | Slot SL 6 mm | Blade Length 90 mm

- with non-slip, 2-component handle
- profile: slot SL 6 mm
- length: 90 mm

| Item # | CV |
|--------|----|
| 728 | |



Screwdriver | Slot SL

- ergonomic 2-component handle
- magnetic tips



| Item # | Description | | |
|--------|-------------|--------------|---------------------|
| 7946-3 | Screwdriver | Slot SL 3 mm | Blade Length 80 mm |
| 7946-4 | Screwdriver | Slot SL 4 mm | Blade Length 80 mm |
| 7946-5 | Screwdriver | Slot SL 5 mm | Blade Length 100 mm |
| 7946-6 | Screwdriver | Slot SL 6 mm | Blade Length 125 mm |
| 7946-8 | Screwdriver | Slot SL 8 mm | Blade Length 150 mm |






T-Handle L-Type Wrench Set | T-Star tamperproof (for Torx) | T10 - T50 | 9 pcs.

- short ends in tamperproof finish
- T-handle L-type wrench, T-star tamperproof (for Torx) T10 / T10, 145 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T15 / T15, 145 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T20 / T20, 145 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T25 / T25, 210 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T27 / T27, 215 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T30 / T30, 215 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T40 / T40, 220 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T45 / T45, 275 mm
- T-handle L-type wrench, T-star tamperproof (for Torx) T50 / T50, 280 mm
- in case
- short arm profile: T-Star tamperproof (for Torx)
- long arm profile: T-Star (for Torx)

Screwdrivers



| Item # | Description |
|-----------|---|
| 7880 | T-Handle L-Type Wrench Set T-Star tamperproof (for Torx) T10 - T50 9 pcs. |
| 7880-T10 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T10 |
| 7880-T15 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T15 |
| 7880-T20 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T20 |
| 7880-T25 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T25 |
| 7880-T27 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T27 |
| 7880-T30 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T30 |
| 7880-T40 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T40 |
| 7880-T45 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T45 |
| 7880-T50 | T-Handle L-Type Wrench T-Star tamperproof/non-tamperproof (for Torx) T50 |
| 7880-LEER | Empty Case for BGS 7880, 7882 |



T-Handle L-Type Wrench Set | T-Star tamperproof (for Torx) | T10 - T40 | 6 pcs.

- black tip on long arm
- short end in tamperproof finish
- T-Star (for Torx) screws
- T-handle L-type wrench, T-Star tamperproof (for Torx) T10 - T15 - T20 - T25 - T30 - T40
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 7830 |



Screwdrivers | T-Star (for Torx)

- ergonomic 2-component handle
- non-tamperproof
- with hanging hole



| Item # | Description |
|----------|---|
| 7844-T6 | Screwdriver T-Star (for Torx) T6 Blade Length 60 mm |
| 7844-T7 | Screwdriver T-Star (for Torx) T7 Blade Length 60 mm |
| 7844-T8 | Screwdriver T-Star (for Torx) T8 Blade Length 60 mm |
| 7844-T9 | Screwdriver T-Star (for Torx) T9 Blade Length 60 mm |
| 7844-T10 | Screwdriver T-Star (for Torx) T10 Blade Length 60 mm |
| 7844-T15 | Screwdriver T-Star (for Torx) T15 Blade Length 100 mm |
| 7844-T20 | Screwdriver T-Star (for Torx) T20 Blade Length 100 mm |
| 7844-T25 | Screwdriver T-Star (for Torx) T25 Blade Length 100 mm |
| 7844-T27 | Screwdriver T-Star (for Torx) T27 Blade Length 100 mm |
| 7844-T30 | Screwdriver T-Star (for Torx) T30 Blade Length 100 mm |
| 7844-T40 | Screwdriver T-Star (for Torx) T40 Blade Length 125 mm |
| 7844-T45 | Screwdriver T-Star (for Torx) T45 Blade Length 150 mm |



Screwdrivers

Screwdriver Set | T-Star (for Torx) T10 - T30 | 6 pcs.

- ergonomic 2-component handles
- non-tamperproof
- satin chrome blades
- black finish tips
- magnetic tips
- screwdriver, T-Star (for Torx) T10 - T15 - T20 - T25 - T30 - T40
- profile: T-Star (for Torx)



Screwdriver Set | T-Star (for Torx) T6 - T40 | 11 pcs.

- ergonomic 2-component handles
- non-tamperproof
- satin chrome blades
- magnetic tips
- black tips
- screwdriver, T-Star (for Torx) T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
- profile: T-Star (for Torx)





Screwdriver Set | T-Star tamperproof (for Torx) T6 - T40 | 11 pcs.

- ergonomic 2-component handles
- satin chrome blades
- magnetic tips
- black tips
- screwdriver, T-Star non-tamperproof (for Torx) T6 - T7
- screwdriver, T-Star tamperproof (for Torx) T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40



| |
|--------|
| Item # |
| 7845 |



L-Type Wrench Set | long | T-Star (for Torx) T10 - T50 | 9 pcs.

- long version, up to 185 mm
- supplied in a practical plastic holder
- L-type wrench, T-Star (for Torx) T10 - T15 - T20 - T25 - T27 - T30 - T45 - T45 - T50
- short arm profile: T-Star (for Torx)
- long arm profile: T-Star (for Torx)




| |
|--------|
| Item # |
| 816 |



Foldable Wrench Set | T-Star (for Torx) T6 - T20 | 7 pcs.

- in blue anodised aluminium foldable holder
- satin chrome spanners
- T-Star (for Torx) T6 - T7 - T8 - T9 - T10 - T15 - T20
- profile: T-Star (for Torx)
- length: 97 mm
- width: 32 mm
- height: 13 mm



| |
|--------|
| Item # |
| 7848 |



L-Type Wrench Set | T-Star (for Torx) T10 - T50 | 9 pcs.

- burnished
- in plastic case
- L-type wrench, T-Star (for Torx) T10 - T15 - T20 - T25 - T27 - T30 - T45 - T45 - T50
- short arm profile: T-Star (for Torx)
- long arm profile: T-Star (for Torx)
- surface finish: burnished



| |
|--------|
| Item # |
| 7959 |



Precision Screwdriver Set | T-Star (for Torx) T4 / T5 / T6 | 3 pcs.

- for working on mobile phones
- all screwdrivers are magnetic
- with soft plastic handles
- length 140 mm
- precision screwdriver, T-Star (for Torx) T4
- precision screwdriver, T-Star (for Torx) T5
- precision screwdriver, T-Star (for Torx) T6
- profile: T-Star (for Torx)
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 803 |



Precision Screwdriver Set | 6 pcs.

- in plastic case
- precision screwdriver slot SL 1.4 mm
- precision screwdriver slot SL 2.0 mm
- precision screwdriver slot SL 2.4 mm
- precision screwdriver slot SL 3.0 mm
- precision screwdriver cross slot PH0
- precision screwdriver cross slot PH1
- handles: nickel plated
- blades: burnished



| |
|--------|
| Item # |
| 7968 |



Precision Screwdriver Set | 11 pcs.

- in plastic case
- precision screwdriver slot SL 1.0 mm
- precision screwdriver slot SL 1.2 mm
- precision screwdriver slot SL 1.4 mm
- precision screwdriver slot SL 1.8 mm
- precision screwdriver slot SL 2.4 mm
- precision screwdriver slot SL 3.0 mm
- precision screwdriver cross slot PH00
- precision screwdriver cross slot PH0
- precision screwdriver cross slot PH1
- awl
- magnetic holder
- handles: nickel plated
- blades: burnished



| |
|--------|
| Item # |
| 7969 |





Electricians Screwdriver Set | 8 pcs.

- with 7 interchangeable precision double ended blades
- turnable end cap
- in plastic case
- double blade, T-Star (for Torx) T 6 x T10
- double blade, T-Star (for Torx) T7 x T15
- double blade, T-Star (for Torx) T8 x T20
- double blade, T-Star (for Torx) T9 x T15
- double blade cross slot PH/slot SL PH00 x 2 mm
- double blade cross slot PH/slot SL PH0 x 3 mm
- double blade cross slot PH/slot SL PH1 x 4 mm
- blade holder



| Item # | Description |
|----------|---------------------------------------|
| 797 | Electricians Screwdriver Set 8 pcs. |
| 797-LEER | Empty Case for BGS 797 |



Precision Screwdriver Set | 6 pcs.

- blades made of chrome-vanadium steel
- satin chrome blades with magnetic, black tips
- turnable end caps
- In high quality plastic box
- screwdriver, slot SL 0.3 x 1.4 mm, 50 mm
- screwdriver, slot SL 0.4 x 2.0 mm, 50 mm
- screwdriver, slot SL 0.4 x 2.5 mm, 50 mm
- screwdriver, cross slot PH00, 50 mm
- screwdriver, cross slot PH0, 50 mm
- screwdriver, cross slot PH1, 50 mm
- blade length: 50 mm
- handle type: 2-component handle

| Item # | CV | |
|--------|----|--|
| 35807 | | |



Precision Screwdriver Set | T-Star (for Torx) | 6 pcs.

- blades made of chrome-vanadium steel
- satin chrome blades with magnetic, black tips
- turnable end caps
- in high quality plastic box
- screwdriver, T-Star (for Torx) T6, 50 mm
- screwdriver, T-Star (for Torx) T7, 50 mm
- screwdriver, T-Star (for Torx) T8, 50 mm
- screwdriver, T-Star (for Torx) T9, 50 mm
- screwdriver, T-Star (for Torx) T10, 50 mm
- screwdriver, T-Star (for Torx) T15, 50 mm
- blade length: 50 mm
- handle type: 2-component handle

| Item # | CV | |
|--------|----|--|
| 35808 | | |





L- Type Wrench Set | Slot SL / Cross Slot | 3 pcs.

- key wrench slot SL 5 mm
- key wrench slot SL 6 mm
- key wrench slot SL 8 mm
- key wrench cross slot PH1
- key wrench cross slot PH2
- key wrench cross slot PH3

| |
|--------|
| Item # |
| 7982 |



Screwdriver Set | 12 pcs.

- end-to-end blades with outer external hexagon for power transmission with a spanner or socket
- ergonomical handle
- screwdriver, slot SL 3.2 mm, blade length 75 mm
- screwdriver, slot SL 5 mm, blade length 75 mm
- screwdriver, slot SL 6 mm, blade length 38 mm
- screwdriver, slot SL 6 mm, blade length 100 mm
- screwdriver, slot SL 7 mm, blade length 150 mm
- screwdriver, slot SL 8 mm, blade length 200 mm
- screwdriver, cross slot PH0, blade length 75 mm
- screwdriver, cross slot PH1, blade length 75 mm
- screwdriver, cross slot PH2, blade length 38 mm
- screwdriver, cross slot PH2, blade length 100 mm
- screwdriver, cross slot PH3, blade length 150 mm
- screwdriver, cross slot PH4, blade length 200 mm

| |
|--------|
| Item # |
| 7890 |



Screwdriver Set | 5 pcs.

- black tips
- magnetic tips
- according to DIN 5264
- screwdriver, slot SL 4.0 mm, 80 mm
- screwdriver, slot SL 5.5 mm, 125 mm
- screwdriver, slot SL 6.5 mm, 150 mm
- screwdriver, cross slot PH1, 80 mm
- screwdriver, cross slot PH2, 100 mm
- handle type: 2-component handle

| |
|--------|
| Item # |
| 7946 |





Screwdriver Set | Slot SL / Cross Slot | 5 pcs.

- ergonomic 2-component handles
- satin chrome blades
- magnetic black tips
- screwdriver, cross slot PH1, 100 mm
- screwdriver, cross slot PH2, 125 mm
- screwdriver, slot SL 5 mm, 75 mm
- screwdriver, slot SL 6 mm, 100 mm
- screwdriver, slot SL 6 mm, 125 mm



| |
|--------|
| Item # |
| 35835 |



VDE Electrician's Screwdriver Set | Slot SL / Cross Slot | 5 pcs.

- ergonomic 2-component handles
- VDE-tested according to DIN EN 60900
- VDE electrician's screwdriver, cross slot PH1, 80 mm
- VDE electrician's screwdriver, cross slot PH2, 100 mm
- VDE electrician's screwdriver, slot SL 0.5 x 3 mm, 75 mm
- VDE electrician's screwdriver, slot SL 0.8 x 4 mm, 100 mm
- voltage tester with clip, 140 mm



| |
|--------|
| Item # |
| 35815 |



T-Handle Socket Set T-Handle | 6 - 14 mm | 9 pcs.

- 2-component handles
- blade length: 235 mm
- total length of the T-handle wrench: approx. 270 mm
- T-handle socket wrench, hexagon 6 mm
- T-handle socket wrench, hexagon 7 mm
- T-handle socket wrench, hexagon 8 mm
- T-handle socket wrench, hexagon 9 mm
- T-handle socket wrench, hexagon 10 mm
- T-handle socket wrench, hexagon 11 mm
- T-handle socket wrench, hexagon 12 mm
- T-handle socket wrench, hexagon 13 mm
- T-handle socket wrench, hexagon 14 mm



| |
|--------|
| Item # |
| 7881 |





T-Handle Screwdriver Set | internal Hexagon / T-Star (for Torx) | 16 pcs.

- 2-component handles
- internal hexagon, long end with ball head
- screwdriver with T-handle and side
- blade internal hexagon 2 mm, length 75 mm
- blade internal hexagon 2.5 mm, length 75 mm
- blade internal hexagon 3 mm, length 100 mm
- blade internal hexagon 4 mm, length 100 mm
- blade internal hexagon 5 mm, length 150 mm
- blade internal hexagon 6 mm, length 150 mm
- blade internal hexagon 8 mm, length 200 mm
- blade internal hexagon 10 mm, length 200 mm
- blade, T-Star (for Torx) T10, length 75 mm
- blade, T-Star (for Torx) T15, length 75 mm
- blade, T-Star (for Torx) T20, length 100 mm
- blade, T-Star (for Torx) T25, length 100 mm
- blade, T-Star (for Torx) T30, length 150 mm
- blade, T-Star (for Torx) T40, length 150 mm
- blade, T-Star (for Torx) T45, length 200 mm
- blade, T-Star (for Torx) T50, length 200 mm



| |
|--------|
| Item # |
| 90 |



Screwdriver Bit Set | 13 pcs.

- ergonomic screwdriver handle with 12 bits
- in practical folding box, which is easily clamped to the screwdriver
- always handy and perfect for all drawers
- slot SL 3 - 4 - 5 - 6 mm
- cross slot pozidrive PZ 0 - 1 - 2 - 3
- T-Star T 10 - 15 - 20 - 25



| |
|--------|
| Item # |
| 35820 |





Screwdriver Set with interchangeable Blades | 11 pcs.

- with interchangeable blades
- rubber handle
- double blade slot SL 4 x 6 mm
- double blade slot SL 5 x 7 mm
- double blade cross slot PH1 x PH2
- double blade cross slot PZ1 x PZ2
- double blade internal hexagon/internal hexagon ball point 4 mm
- double blade internal hexagon/internal hexagon ball point 5 mm
- double blade internal hexagon/internal hexagon ball point 6 mm
- double blade, T-Star (for Torx) T10 x T15
- double blade, T-Star (for Torx) T20 x T25
- double blade, T-Star (for Torx) T30 x T40
- surface finish: satin chrome plated



| Item # | Description |
|--------|---|
| 7988 | Screwdriver Set with interchangeable Blades 11 pcs. |
| 7988-1 | 2-way Screwdriver handle |

Manual Impact Wrench Set incl. Bits | internal Hexagon 12.5 mm (1/2") Drive

- manual impact wrench
- for releasing tight screws such as at car door hinges and locks
- anti-slip handle
- bits, 8 mm hex shank, slot SL 5 - 6 - 8 - 9 mm
- bits, 8 mm hex shank, cross slot PH1 - PH2 - PH3 - PH4
- bits, 8 mm hex shank, internal hexagon 4 - 5 - 6 - 8
- 1 bit holder, 12.5 mm (1/2") drive
- weight: 0.9 kg



| Item # | |
|--------|--|
| 712 | |

Magnetiser / Demagnetiser

- for magnetising and demagnetising screwdriver tips, tools and small ferruginous parts
- screws and other small ferruginous parts stick to on the tool smoothly after magnetizing
- uncomplicated recovery of magnetic effect with multiple moves

| Item # | |
|--------|--|
| 9561 | |





Combination Spanner Set | 6 - 32 mm | 25 pcs.

- hot forged
- chrome plated, mirror-polished heads
- ring side 15° angled
- profile ring side: 12-point
- in a tetron roll-up pouch
- combination spanner 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 30 - 32 mm



CV

| Item # | Description |
|-----------|---|
| 1198 | Combination Spanner Set 6 - 32 mm 25 pcs. |
| 1198-LEER | Empty Wallet for BGS 1198 |

Spanners

Combination Spanner Set | 6 - 22 mm | 12 pcs.

- hot forged
- chrome plated, mirror-polished heads
- ring side 15° angled
- profile ring side: 12-point
- in a tetron roll-up pouch
- combination spanner 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm



| Item # |
|--------|
| 1232 |

CV

Combination Spanner Set | 6 - 17 mm | 7 pcs.

- hot forged
- satin chrome plated
- ring side 15° angled
- profile ring side: 12-point
- in plastic holder with handle
- combination spanner 6 - 8 - 10 - 11 - 13 - 14 - 17 mm



| Item # |
|--------|
| 30035 |

CV





Combination Spanner Set | XXL | 34 - 50 mm | 6 pcs.

- hot forged
- chrome plated, mirror-polished heads
- ring head 15° angled
- profile ring side: 12-point
- in a tetron roll-up pouch
- combination spanner 34 mm, length 445 mm
- combination spanner 36 mm, length 450 mm
- combination spanner 38 mm, length 470 mm
- combination spanner 41 mm, length 500 mm
- combination spanner 46 mm, length 540 mm
- combination spanner 50 mm, length 600 mm



| |
|--------|
| Item # |
| 1185 |

Combination Spanners | XXL

- hot forged
- chrome plated, mirror-polished heads
- ring head 15° angled
- profile ring side: 12-point

| Item # | Description |
|---------|-----------------------------|
| 1185-34 | Combination Spanner 34 mm |
| 1185-36 | Combination Spanner 36 mm |
| 1185-38 | Combination Spanner 38 mm |
| 1185-41 | Combination Spanner 41 mm |
| 1185-46 | Combination Spanner 46 mm |
| 1185-50 | Combination Spanner 50 mm |
| 1185-55 | Combination Spanner 55 mm |
| 1185-57 | Combination Spanner 57 mm |
| 1185-60 | Combination Spanner 60 mm |
| 1185-65 | Combination Spanner 65 mm |
| 1185-70 | Combination Spanner 70 mm |
| 1185-75 | Combination Spanner 75 mm |
| 1185-80 | Combination Spanner 80 mm |



Double Open End Spanner Set | mini version | 3 - 5.5 mm | 7 pcs.

- hot forged
- chrome plated
- double open end spanner 3 - 3,2 - 3,5 - 4 - 4,5 - 5 - 5,5 mm

| |
|--------|
| Item # |
| 1239 |





Double Open End Spanner Set | 6 x 7 - 30 x 32 mm | 12 pcs.

- hot forged
- satin chrome plated
- in tetron wallet
- double open end spanner 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm



| |
|--------|
| Item # |
| 1233 |

Double Open End Spanner Set | 6 x 7 - 19 x 22 mm | 7 pcs.

- hot forged
- chrome plated, mirror-polished heads
- in plastic holder with handle
- double open end spanner 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 19x22 mm



| |
|--------|
| Item # |
| 30030 |



Double Open End Spanner Set | 6 x 7 - 18 x 19 mm | 6 pcs.

- hot forged
- satin chrome plated
- in tetron wallet
- double open end spanner 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 18x19 mm



| |
|--------|
| Item # |
| 1234 |

Adjustable Wrenches

- surface finished: chrome plated, polished



| Item # | Description | | |
|--------|-------------------|--------|-------|
| 1470 | Adjustable Wrench | 150 mm | 19 mm |
| 1471 | Adjustable Wrench | 200 mm | 25 mm |
| 1472 | Adjustable Wrench | 250 mm | 29 mm |
| 1473 | Adjustable Wrench | 300 mm | 39 mm |
| 1474 | Adjustable Wrench | 380 mm | 48 mm |
| 1476 | Adjustable Wrench | 600 mm | 62 mm |





Ratchet Wrench Set | 8 - 32 mm | 13 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- ratcheting combination wrench 8 - 10 - 12 - 13 - 14 - 17 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm
- surface finish: polished chromed metal



Item #
30006



Ratchet Wrench Set | 8 - 19 mm | 12 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- ratcheting combination wrench 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- surface finish: polished chromed metal



Item #
30001



Ratchet Wrench Set | flexible Heads | 8 - 19 mm | 12 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- 180° flexible ratchet ring head
- ratcheting combination wrench 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- surface finish: polished chromed metal



Item #
30002






Ratchet Wrench Set | flexible Heads | Inch Sizes | 1/4" - 9/16" | 6 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- 180° flexible ratchet ring head
- ratcheting combination wrench 1/4"
- ratcheting combination wrench 5/16"
- ratcheting combination wrench 3/8"
- ratcheting combination wrench 7/16"
- ratcheting combination wrench 1/2"
- ratcheting combination wrench 9/16"
- surface finish: polished chromed metal



| |
|--------|
| Item # |
| 30005 |



Ratchet Wrench Set | 8 - 19 mm | 7 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- 12-point combination spanner
- ratcheting combination wrench 8 mm
- ratcheting combination wrench 10 mm
- ratcheting combination wrench 12 mm
- ratcheting combination wrench 13 mm
- ratcheting combination wrench 14 mm
- ratcheting combination wrench 17 mm
- ratcheting combination wrench 19 mm
- profile: 12-point
- surface finish: chrome plated, polished



| |
|--------|
| Item # |
| 30000 |



Ratchet Wrench Set | flexible Heads | 8-19 mm | 6 pcs.

- ratchet function with 72 teeth
- smallest adjustment angle 5°
- 180° flexible ratchet ring head
- ratcheting combination wrench 8 mm
- ratcheting combination wrench 10 mm
- ratcheting combination wrench 13 mm
- ratcheting combination wrench 14 mm
- ratcheting combination wrench 17 mm
- ratcheting combination wrench 19 mm
- surface finish: polished chromed metal



| |
|--------|
| Item # |
| 30004 |



Spanners



Ratchet Wrench Set, extra short | 8 - 19 mm | 12 pcs.

- ratchet function with 72 teeth
- extra small adjustment angle 5°
- 180° flexible ratchet ring head
- ratcheting combination wrench 8 mm, length 89 mm
- ratcheting combination wrench 9 mm, length 95 mm
- ratcheting combination wrench 10 mm, length 97 mm
- ratcheting combination wrench 11 mm, length 100 mm
- ratcheting combination wrench 12 mm, length 102 mm
- ratcheting combination wrench 13 mm, length 109 mm
- ratcheting combination wrench 14 mm, length 115 mm
- ratcheting combination wrench 15 mm, length 119 mm
- ratcheting combination wrench 16 mm, length 123 mm
- ratcheting combination wrench 17 mm, length 129 mm
- ratcheting combination wrench 18 mm, length 132 mm
- ratcheting combination wrench 19 mm, length 141 mm
- surface finish: polished chromed metal



| |
|--------|
| Item # |
| 30003 |



Double Ended Ratchet Wrench | 4-in-1 | 10 x 13-17 x 19 mm

- reversible



| |
|--------|
| Item # |
| 30007 |





Double Ended Ratchet Wrench Set, straight, reversible | Inch Sizes | 1/4"- 7/8" | 5 pcs.

- reversible
- flat
- ratchet wrench 1/4" x 5/16"
- ratchet wrench 3/8" x 7/16"
- ratchet wrench 1/2" x 9/16"
- ratchet wrench 5/8" x 11/16"
- ratchet wrench 3/4" x 7/8"
- material: carbon steel
- surface finish: chrome plated



| |
|--------|
| Item # |
| 1449 |





Double Ended Ratchet Wrench Set, straight, reversible | 6 x 8-19 x 22 mm | 5 pcs.

- reversible
- flat
- ratchet wrench 6 x 8 mm
- ratchet wrench 9 x 10 mm
- ratchet wrench 12 x 13 mm
- ratchet wrench 15 x 17 mm
- ratchet wrench 19 x 22 mm
- material: carbon steel
- surface finish: chrome plated

| Item # | Description |
|-----------|---|
| 1450 | Double Ended Ratchet Wrench Set, straight, reversible 6 x 8-19 x 22 mm 5 pcs. |
| 1450-LEER | Empty Case for BGS 1450 |



Ratchet Wrench Set, offset, reversible | 6 x 8 - 19 x 21 mm | 5 pcs.

- reversible
- offset
- ratchet wrench 6 x 8 mm
- ratchet wrench 10 x 12 mm
- ratchet wrench 11 x 13 mm
- ratchet wrench 14 x 17 mm
- ratchet wrench 19 x 21 mm
- material: carbon steel
- surface finish: chrome plated

| Item # |
|--------|
| 1448 |



L-Type Socket Wrench Set | 6 - 22 mm | 11 pcs.

- both ends with hexagon sockets
- each size with a straight and an offset end
- L-type socket wrench 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm
- profile: hexagon

| Item # |
|--------|
| 1178 |





Pipe Wrench Set | 8 - 17 mm | 6 pcs.

- chrome plated
- includes toggle
- pipe wrench 8 x 9 mm
- pipe wrench 10 x 11 mm
- pipe wrench 12 x 13 mm
- pipe wrench 14 x 15 mm
- pipe wrench 16 x 17 mm
- surface finish: chrome plated

| |
|--------|
| Item # |
| 85814 |



Special Wrench | 8-in-1 | hexagon 12 - 19 mm

- sizes: 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

| |
|--------|
| Item # |
| 7075 |



Triangular Wrench for Barricade Posts with Triangular Lock | M12

- M12 triangular wrench with rivet hooks
- leg width 19 mm
- suitable for almost all shut-off points, barriers, etc. with triangular lock
- length: 250 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 50500 |



F-Clamps

- with protective caps
- wooden handle

| Item # | Description |
|--------|-------------------------|
| 1829 | F-Clamp 200 x 50 mm |
| 1830 | F-Clamp 300 x 80 mm |
| 1841 | F-Clamp 300 x 120 mm |
| 1843 | F-Clamp 500 x 120 mm |
| 1844 | F-Clamp 800 x 120 mm |
| 1845 | F-Clamp 1000 x 120 mm |





F-Clamp Set | 150 x 50 mm | 2 pcs.

- DIY version
- with protective caps
- wooden handle



| |
|--------|
| Item # |
| 1842 |

Quick Action Clamping and Spreading Clamp Set | 105 mm | 2 pcs.

- suitable for e.g. when working on construction models or wood constructions such as gluing, adjusting, etc.
- pistol form handle
- max. spread 185 mm
- max. clamping dimension 100 mm



| |
|--------|
| Item # |
| 59812 |



Quick Action Clamping and Spreading Clamp

- suitable for e.g. when working on wood constructions such as gluing, adjusting, etc.
- pistol form handle



| Item # | Description |
|--------|--|
| 59815 | Quick Action Clamping and Spreading Clamp 400 mm |
| 59816 | Quick Action Clamping and Spreading Clamp 650 mm |

Miter Clamp

- needed e.g. for gluing a frame, etc.
- ensures easy handling and a perfect fit
- side length: 75 mm

| |
|--------|
| Item # |
| 59810 |





PP Clamps

- black
- with moveable jaws
- steel spring

| Item # | Description |
|--------|-------------------|
| 1837 | PP Clamp 100 mm |
| 1838 | PP Clamp 150 mm |
| 1840 | PP Clamp 230 mm |



Metal Clamps

- blue painted
- handles and clamping jaws dip-coated and have rubber protection
- extra strong spring

| Item # | Description |
|--------|----------------------|
| 1835 | Metal Clamp 100 mm |
| 1836 | Metal Clamp 150 mm |



Sheet Steel Metal Clamps

- sheet steel, light
- handles and clamping jaws dip-coated with rubber protection

| Item # | Description |
|--------|----------------------------------|
| 59811 | Sheet Steel Metal Clamp 100 mm |
| 59813 | Sheet Steel Metal Clamp 150 mm |



Mini Metal Clamp Set | 50 mm | 4 pcs.

- handles and clamping jaws dip-coated with rubber protection
- suitable for a wide range of applications: for hobbies, model construction, office

| Item # | |
|--------|---|
| 59804 |  |



Mini Clamp Set | ABS | 22 pcs.

- with adjustable jaws
- steel spring
- mixed colors
- in a round can
- 18 clamps
 - length: 65 mm
 - clamping range: 0 - 20 mm
- 4 clamps
 - length: 90 mm
 - clamping range: 0 - 30 mm

| Item # |
|--------|
| 9789 |





Table Vice | with anvil | Jaw 60 mm

- rotatable 360°
- for table thickness up to 45 mm
- jaw width 60 mm



| |
|--------|
| Item # |
| 3056 |

Diamond Disc Set | Drill Hole Ø 20 mm | Ø 115 mm | 3 pcs.

- MPA certified
- mounting hole without adapter ring: 22.2 mm
- with removable reducing ring: 20 mm
- turbo cutting disc blue, suitable for dry and water-cooled cutting
- segmented dry cutting disc, gold-coloured
- full-rim cutting disc silver, suitable for water-cooled cutting
- diameter: 115 mm
- segment height: 7 mm



| |
|--------|
| Item # |
| 50840 |



Diamond Cutting Disc | Wet cut | Drill hole Ø 22.2 mm | Ø 115 mm

- for building materials
- for dry cutting
- MPA certified
- diameter: 115 mm
- bore diameter: 22.2 mm
- segment height: 5 mm
- cutting width: 1.9 mm



| |
|--------|
| Item # |
| 3921 |





Segment Cutting Discs

- for building materials
- for dry cutting
- MPA certified

BGS 3931: 115 x 1,9 x 5,0 x 22,2 mm
 BGS 3932: 125 x 1,9 x 7,0 x 22,2 mm
 BGS 3934: 230 x 2,4 x 7,0 x 22,2 mm



| Item # | Description |
|--------|---------------------------------|
| 3931 | Segment Cutting Disc Ø 115 mm |
| 3932 | Segment Cutting Disc Ø 125 mm |
| 3934 | Segment Cutting Disc Ø 230 mm |

Turbo Cutting Discs

- for building materials
- for dry cutting
- MPA certified

BGS 3941: 115 x 2,4 x 7,0 x 22,2 mm
 BGS 3944: 230 x 2,4 x 7,0 x 22,2 mm



| Item # | Description |
|--------|-------------------------------|
| 3941 | Turbo Cutting Disc Ø 115 mm |
| 3944 | Turbo Cutting Disc Ø 230 mm |

Wire Stripping Pliers | 150 mm

- with strong 2 component hand protection insulation
- red/black
- length: 150 mm
- surface finish: nickel plated, matt



| Item # | |
|--------|--|
| 339 | |

Automatic Wire Stripper | 0.5 - 8 mm² | 175 mm

- self-adjusting
- length: 175 mm
- for cable diameter: 0.5 - 8 mm²



| Item # | |
|--------|--|
| 441 | |



Automatic Wire Stripper | 0.2 - 6 mm² | 175 mm

- with pressure regulation for hard and soft insulation
- length: 175 mm
- for cable diameter: 0.2 - 6 mm²

| |
|--------|
| Item # |
| 443 |



Crimping Pliers Set with cable lug Assortment | 200 mm | 61 pcs.

- with 60 insulated connectors
- length: 200 mm

| |
|--------|
| Item # |
| 1423 |



Crimping Pliers with 5 Pairs of Jaws | 7 pcs.

- 5 jaws pairs for following cable lugs:
 - non-insulated cable lugs with open retaining ring 0.5 - 0.75 - 1.0 - 1.5 - 2.5 - 4.0 - 6.0 mm² (AWG 20 - 10)
 - non-insulated cable lugs 1.5 - 2.5 - 4.0 - 6 mm² (AWG 16 - 10)
 - insulated cable lugs 0.5 - 0.75 - 1.0 - 1.5 - 2.5 - 4.0 - 6.0 mm² (AWG 20 - 10)
 - insulated and non-insulated ferrules 0.5 - 0.75 - 1.0 - 1.5 - 2.5 - 4.0 - 6.0 mm² (AWG 20 - 10)
 - non-insulated ferrules 10 - 16 - 20 - 25 - 35 mm² (AWG 7 - 2)
- screwdriver for exchanging the pressing jaws

| |
|--------|
| Item # |
| 9070 |



Spring loaded Wire Spinning Pliers | with spring | 200 mm

- black lacquered
- polished head
- for professional screw locking
- wire diameters up to 0.8 mm
- length: 200 mm

| |
|--------|
| Item # |
| 1480 |





Automatic Wire Twister | 310 mm

- for twisting wires and ropes
- specifically suitable for twisting of concrete reinforcement
- length: 310 mm

| |
|--------|
| Item # |
| 1482 |



Riveter | 2.4 - 4.8 mm | 250 mm

- with 4 interchangeable nozzles
- for Ø 2.4 / 3.2 / 4.0 / 4.8 mm rivets
- loose blind rivets available as BGS 75847, 75848, 75849, 88142

| |
|--------|
| Item # |
| 75845 |



Riveter | 2.4 - 4.8 mm | 250 mm

- heavy duty finish
- with 4 interchangeable nozzles
- for Ø 2.4 / 3.2 / 4.0 / 4.8 mm rivets
- loose blind rivets available as BGS 75847, 75848, 75849, 88142

| |
|--------|
| Item # |
| 400 |



Riveter | 2.4 / 3.2 / 4.0 / 4.8 mm | 285 mm

- with adjustable/rotatable head (rotatable 360°)
- for Ø 2.4 / 3.2 / 4.0 / 4.8 mm rivets
- loose blind rivets available as BGS 75847, 75848, 75849, 88142

| |
|--------|
| Item # |
| 403 |



Rivet Set | 2.4 / 3.2 / 4.0 / 4.8 mm | 250 mm

- heavy duty finish
- incl. 60 assorted rivets
- with 4 interchangeable nozzles for Ø 2.4 / 3.2 / 4.0 / 4.8 mm
- loose blind rivets available as BGS 75847, 75848, 75849, 88142
- in case

| Item # | Description |
|----------|---|
| 401 | Rivet Set 2.4 / 3.2 / 4.0 / 4.8 mm 250 mm |
| 401-LEER | Empty Case for BGS 401 |





Professional Riveter | 3.2 - 6.4 mm | 300 - 730 mm

- high riveting forces with low force effort
- suitable for following blind rivets: Ø 3.2 / 4.0 / 4.8 / 6.0 / 6.4 mm
- length: 300 - 730 mm
- width: 185 mm
- weight: 1.7 kg



| |
|--------|
| Item # |
| 398 |

Blind Rivets

- aluminium with steel pin
- suitable for BGS riveters BGS 75845, 400, 403, 401



| Item # | Description |
|--------|--|
| 75847 | Blind Rivets Assortment Ø 3.2 mm 50 pcs. |
| 75848 | Blind Rivets Assortment Ø 4.0 mm 50 pcs. |
| 75849 | Blind Rivets Assortment Ø 4.8 mm 50 pcs. |

Blind Rivets Assortment | Ø 2.4 - 4.8 mm | 70 pcs.

- in assortment box
- 15 blind rivets Ø 2.4 x 6 mm
- 15 blind rivets Ø 2.4 x 10 mm
- 10 blind rivets Ø 3.2 x 6 mm
- 10 blind rivets Ø 3.2 x 10mm
- 10 blind rivets Ø 4.0 x 10 mm
- 10 blind rivets Ø 4.8 x 6 mm

| |
|--------|
| Item # |
| 88142 |



Eyelet Pliers with 100 Round Eyelets | 4.5 mm

- for punching holes in paper, leather, textiles etc.
- incl. 100 eyelets
- round eyelet internal diameter: 4.5 mm

| |
|--------|
| Item # |
| 75830 |






Eyelet Pliers with 100 Round Eyelets | 180 mm

- solid construction
- with 100 eyelets




| Item # | Description |
|--------|--|
| 570 | Eyelet Pliers with 100 Round Eyelets 4.5 mm 180 mm |
| 570-1 | Eyelet Assortment 4.5 x 5.0 mm 100 pcs. |
| 569 | Eyelet Pliers with 100 Round Eyelets 5 mm 180 mm |
| 569-1 | Eyelet Assortment 5.0 x 5.5 mm 100 pcs. |



Eyelet Assortment | 4.5-6 mm | 99 pcs.

- suitable for eyelet pliers BGS 569 and 570
- 33 eyelets Ø 4.5 mm
- 33 eyelets Ø 5 mm
- 33 eyelets Ø 6 mm

| |
|--------|
| Item # |
| 568 |



Swedish Diagonal Side Cutter | 165 mm

- with solid 2-component soft grip handles
- red/black
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 331 |



Diagonal Side Cutters | Stripper function | 165 mm

- with solid 2-component soft grip handles
- red/black
- stripping function 1.5 mm² and 2.5 mm²
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 332 |





Heavy Duty Diagonal Side Cutter | 180 mm

- with solid 2-component soft grip handles
- red/black
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 335 |



Heavy Duty Diagonal Side Cutter | 240 mm

- with solid 2-component soft grip handles
- red/black
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 334 |



End Cutting Pliers | 165 mm

- with solid 2-component soft grip handles
- red/black
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 333 |



Cable Cutter | 240 mm

- for cable dimension up to 25 mm²
- with solid 2-component soft grip handles
- red/black

| |
|--------|
| Item # |
| 329 |





Bolt Cutter with Hardened Jaws

- black rubber handles, heads polished
- stop setting
- for steel bolts in following sizes:
 - BGS 1908 up to 4 mm
 - BGS 1907 up to 6 mm
 - BGS 1909 up to 8 mm
 - BGS 1914 up to 10 mm
 - BGS 1915 up to 12 mm

| Item # | Description |
|--------|---|
| 1908 | Bolt Cutter with Hardened Jaws 300 mm |
| 1907 | Bolt Cutter with Hardened Jaws 450 mm |
| 1909 | Bolt Cutter with Hardened Jaws 600 mm |
| 1914 | Bolt Cutter with Hardened Jaws 760 mm |
| 1915 | Bolt Cutter with Hardened Jaws 900 mm |



Circlip Pliers with exchangeable Heads | 160 mm | 5 pcs.

- with 4 exchangeable heads
- for internal and external circlips
- 1 pliers 160 mm
- 2 heads, straight (outside and inside)
- 1 head angled, 45°
- 1 head angled, 90°

| |
|--------|
| Item # |
| 454 |



Axle Boot Clamp Pliers Set | 2 pcs.

- CV Boot Clamp Pliers Set contains pliers for Oetiker and endless type hose clamps

| |
|--------|
| Item # |
| 508 |



Revolving Punch Pliers and Eyelet Pliers Set | 102 pcs.

- two-piece pliers set

revolving punch pliers

- suitable for textile, leather, plastic, paper, cardboard, etc.
- 2 / 2.5 / 3 / 3.5 / 4 / 4.5 mm perforations

eyelet pliers

- suitable for round eyelets
- for reinforced holes in paper, leather, textiles etc.
- incl. 100 round eyelets
- eyelets: external diameter 7.5 mm, internal diameter 4 mm

| |
|--------|
| Item # |
| 75840 |





Revolving Punch Pliers | 2-4.5 mm

- suitable for textile, leather, plastic, paper, cardboard, etc.
- 2 / 2.5 / 3 / 3.5 / 4 / 4.5 mm perforations

| |
|--------|
| Item # |
| 75835 |



Combination Pliers

- with slip guard/ soft grip handles
- red/black
- surface finish: nickel plated, matt



| Item # | Description |
|--------|-----------------------------|
| 325 | Combination Pliers 165 mm |
| 326 | Combination Pliers 175 mm |
| 327 | Combination Pliers 200 mm |



Long Nose Pliers | straight

- with slip guard/ soft grip handles
- red/black
- surface finish: nickel plated, matt



| Item # | Description |
|--------|--------------------------------------|
| 336 | Long Nose Pliers straight 160 mm |
| 337 | Long Nose Pliers straight 200 mm |



Bent Nose Pliers | 200 mm

- with solid 2-component soft grip handles
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 338 |





Flat Nose Pliers | 160 mm

- with solid 2-component soft grip handles
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 340 |



Pliers Set | 3 pcs.

- all pliers with solid 2-component soft grip handles
- combination pliers, 175 mm (BGS 326)
- swedish diagonal side cutter, 165 mm (BGS 331)
- long nose pliers, straight, 160 mm (BGS 336)
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 90330 |



Pliers Set | 5 pcs.

- all pliers with solid 2-component soft grip handles
- 1 combination pliers 175 mm
- 1 diagonal side cutter, 165 mm
- 1 long-nose pliers, straight, 200 mm
- 1 bent nose pliers, bent, 200 mm
- 1 water pump pliers, 240 mm, box joint
- in plastic case

| |
|--------|
| Item # |
| 330 |



Telephone Pliers | extra long | 280 mm

- dip-coated handles
- straight with burner hole and integrated diagonal side cutter

| |
|--------|
| Item # |
| 410 |





Telephone Pliers | extra long | bent 45° | 280 mm

- dip-coated handles

| |
|--------|
| Item # |
| 411 |



Telephone Pliers | extra long | bent 90° | 280 mm

- dip-coated handles

| |
|--------|
| Item # |
| 412 |



Long Nose Spark Plug Pliers | with ring Tip | 280 mm

- dip-coated handles
- ideal for spark plug assembly

| |
|--------|
| Item # |
| 413 |



Long Lever Pliers Set | 3 pcs.

- higher force through greater lever
- with solid 2-component soft grip handles
- in practical storage pouch
- diagonal side cutters, 235 mm
- long-nose pliers, 245 mm
- combination pliers, 240 mm

| |
|--------|
| Item # |
| 423 |



Telephone Pliers | 0° / 35° / 70° | 260 - 285 mm | 3 pcs.

- length: 285 - 275 - 260 mm
- material: carbon steel
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 415 |





Double Joint Pliers Set | 3 pcs.

- due to the double joint, a large forceps mouth opening with small handle opening is possible
- especially suitable for working in confined areas
- dip-coated handles, black
- packed in wallet
- long-nose pliers, straight, 340 mm long
- long-nose pliers, slightly angled, 335 mm long
- flat-nose pliers, straight, 340 mm long

| |
|--------|
| Item # |
| 416 |



Self-Grip Pliers

- with forged jaw, curved
- material: special steel
- surface finish: nickel plated



| Item # | Description |
|--------|---------------------------|
| 489 | Self-Grip Pliers 175 mm |
| 490 | Self-Grip Pliers 225 mm |



End Cutting Pliers | DIN ISO 9243A | 180 mm

- polished jaws
- dip-coated handles
- length: 180 mm
- surface finish: lacquered, matt
- paint: black
- DIN ISO: 9243A

| |
|--------|
| Item # |
| 75820 |



Mechanic's Pliers | DIN ISO 9242A | 220 mm

- polished jaws
- PVC dipped handles
- length: 220 mm
- surface finish: lacquered, matt
- paint: black
- DIN ISO: 9242A

| |
|--------|
| Item # |
| 75825 |





Multi-Purpose Tool with Pliers | 12 - IN - 1 | 160 mm

- stainless steel
- foldable
- includes belt pouch
- length: 160 mm

| |
|--------|
| Item # |
| 1477 |



Multi-function Tool | 8-in-1

- multi-function tool in pocket size

scope of delivery:

- knife
- cross slot screwdriver
- bottle opener
- mini saw
- middle size screwdriver
- emery board / nail cleaner
- slot screwdriver
- combination pliers, 100 mm

- stainless steel
- foldable
- includes belt pouch

| |
|--------|
| Item # |
| 50630 |



Precision Tool Set | 5 pcs.

- 1 precision screwdriver, cross slot PH1 x 145 mm
- 1 precision screwdriver, slot SL 3.0 mm x 145 mm
- 1 precision diagonal cutter 115 mm
- 1 precision long-nose pliers 125 mm
- 1 precision long-nose pliers, angled 125 mm

| |
|--------|
| Item # |
| 20806 |



Electronic Diagonal Side Cutter | Spring Loaded | 110 mm

- material: carbon steel (C45)
- handle type: PVC dipped handles

| |
|--------|
| Item # |
| 90381 |





Electronic Combination Pliers | spring loaded | 120 mm

- material: carbon steel (C45)
- handle type: PVC dipped handles

| |
|--------|
| Item # |
| 90380 |



Needle Pliers | straight | spring loaded | 150 mm

- material: carbon steel (C45)
- handle type: PVC dipped handles

| |
|--------|
| Item # |
| 90382 |



Electronic Long Nose Pliers | straight | spring loaded | 120 mm

- material: carbon steel (C45)
- handle type: PVC dipped handles

| |
|--------|
| Item # |
| 90383 |



Water Pump Pliers | 240 mm

- box-joint head
- security clamp
- lacquered red
- max. clamping width: 38 mm
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 461 |



Water Pump Pliers | 240 mm

- box-joint head
- anti-squeeze security
- with solid 2-component soft grip handles
- max. clamping width: 38 mm
- surface finish: nickel plated, matt

| |
|--------|
| Item # |
| 342 |





Waterpump Pliers | Locking Type

- the opening width can be unlocked for adjustments by a push button, making it very safe to handle



| Item # | Description |
|--------|---|
| 75206 | Water Pump Pliers Locking Type 175 mm |
| 75207 | Water Pump Pliers Locking Type 240 mm |
| 75208 | Water Pump Pliers Locking Type 300 mm |
| 75210 | Water Pump Pliers Locking Type 400 mm |



Water Pump Pliers Set | 175 / 250 / 300 mm | 3 pcs.


- safety handles
- forged
- hardened
- black painted
- polished jaws and joint
- red PVC dipped handles
- box-joint type
- packed in a tetron wallet

- waterpump pliers 175 mm, aperture max. width: 27 mm
- waterpump pliers 250 mm, aperture max. width: 38 mm
- waterpump pliers 300 mm, aperture max. width: 44 mm



Water Pump Pliers Set | 175 / 240 / 300 mm | 3 pcs.

- the opening width is locked and can be unlocked for adjustments by a push button, making it very safe to handle
- water pump pliers, 175 mm
- water pump pliers, 240 mm
- water pump pliers, 300 mm





Air Impact Wrench with Tool Set | 12.5 mm (1/2") | 312 Nm | 16 pcs.

12.5 1/2

- for hobby use
- impact wrench, external square 12.5 mm (1/2"), reversible right/left
- snap connection for quick coupling
- oil pot
- power extension external/internal square 12.5 mm (1/2") x 125 mm
- impact sockets, 12.5 mm (1/2") drive, hexagon 9 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 mm
- profile: external square
- profile size, metric: 12.5 mm
- profile size, inch: 1/2"
- max. torque: 312 Nm
- working pressure: 6 bar



| |
|--------|
| Item # |
| 3211 |



Air Impact Wrench | 12.5 mm (1/2") | 630 Nm

12.5 1/2

- short type, particularly suitable for low space areas
- twin hammer mechanism
- compressed air inlet: 6.3 mm (1/4")
- vibration level: ahd = 5,99 m/s² / K = 1,1 m/s²
- min. working speed 450 Nm
- sound pressure level 94. dB(A)
- sound power level 105.6 dB(A)
- air consumption 142 l/min
- weight 1.45 kg
- max. loosening torque 630 Nm
- max. working speed 610 Nm
- length 92 mm
- operating pressure 6.3 bar
- recommended hose diameter 10 mm
- max. drive speed 8500 rpm



| |
|--------|
| Item # |
| 9667 |



Air impact Wrench | 12.5 mm (1/2") | 786 Nm

12.5 1/2

- impact mechanism: twin hammer
- profile: external square
- profile size, metric: 12.5 mm
- max. torque: 786 Nm
- working pressure: 6.2 bar
- idle speed: 7000 rpm
- sound pressure level: 84.4 dB (A)
- sound power level: 95.4 dB (A)
- recommended hose diameter: 10 mm
- air consumption (average): 198 l/min
- vibration: 2.6 / K=1.5 m/s²
- connection port compressed air system: 1/4"
- profile size, inch: 1/2"



| |
|--------|
| Item # |
| 3279 |





Air Impact Wrench | 12.5 mm (1/2") | 940 Nm

12.5 1/2

- twin hammer mechanism
- compressed air inlet: 6.3 mm (1/4")
- vibration level: ahd = 5.778 m/s² / K = 1.067 m/s²
- sound pressure level 95,16 dB(A)
- sound power level 106,16 dB(A)
- air consumption 184 l/min
- weight 2.1 kg
- max. loosening torque 940 Nm
- max. working speed 610 Nm
- length 182.5 mm
- operating pressure 6.3 bar
- recommended hose diameter 10 mm
- max. drive speed 7500 rpm



| |
|--------|
| Item # |
| 9668 |



Air impact Wrench | 25 mm (1") | 2200 Nm

25 1

- min. hose inner-Ø 12,5 mm (1/2")
- profile: external square
- profile size, metric: 25 mm
- max. torque: 2200 Nm
- max. drive speed: 3900 rpm
- working pressure: 7.9 bar
- sound pressure level: 91 (+/- 3) dB (A)
- sound power level: 102 (+/- 3) dB (A)
- air consumption (average): 1134 l/min
- vibration: 7.029 / K = 1.5 m/s²
- 12.5 mm (1/2") air adapter
- profile size, inch: 1"



| |
|--------|
| Item # |
| 3288 |



Air Eccentric Angle Sander / Burnisher

- 50 mm grinding disc holder with M6 x 1.0 shaft
- free speed: 10,000 RPM
- working pressure: 6.3 bar (90 PSI)
- air consumption: 113 l/min (4 CFM)
- air inlet: 6.3 mm (1/4")
- recommended air hose size: 10 mm (3/8")
- noise level: LpA= 87 dB(A), sound power level LwA= 98 dB(A)
- vibration level: ahd= 8.5 m/s² | K= 1.5 m/s²
- length: 170 mm
- weight: 630 g



| |
|--------|
| Item # |
| 9781 |





Air Hammer Chisel Set | 8 pcs.

- with 4-piece chisel set
- output profile: drive 10 mm
- quick air coupler
- operating pressure: 6.3 bar
- air consumption: 113 l/min
- blow count: 4500 1/min
- vibration level: $a_{hd} = 9.4 \text{ m/s}^2 / K = 1.5 \text{ m/s}^2$
- sound pressure level: 84 dB (A)
- sound power level: 95 dB (A)



| Item # | Description |
|--------|--|
| 3213 | Air Hammer Chisel Set 8 pcs. |
| 3213-1 | Retaining Spring for Air Hammer for BGS 3213 |

Air Sander Set

- ideal for many applications in the body area and for all metallic surfaces
- used for removing rust, heavy soiling, varnish, etc.
- suitable for use with standard corundum grain sizes of 46 to 100
- easy handling
- low consumption due to the reuse of the blasting material

includes the following accessories:

- jet cap for surfaces
- jet caps for inside corners
- jet cap for outside corners
- spot jet cap
- 2 containers with 850 g blasting material each, corundum #60

- operating pressure: 6 - 8 bar
- max. operating pressure: 8 bar
- recommended hose diameter: 9 mm



| Item # |
|--------|
| 3650 |





Air Blow Gun Set | 110 / 300 / 500 mm | 3 pcs.

- length: 110 - 300 - 500 mm
- pipe made of metal
- plastic handles



| |
|--------|
| Item # |
| 3294 |



Air Tire Inflator | 0 - 15 bar

- inflating adapter is separated from inflating handle
- offset inflating nozzle
- flexible hose between the inflating connection and housing
- pressure gauge scale 0-15 bar / 0-1500 kPa / 0-15 kg/cm² / 0-220 PSI
- pressure gauge: rubber coated
- scale diameter 49 mm
- length of hose: approx. 340 mm



| |
|--------|
| Item # |
| 55412 |





Cordless Impact Wrench | 420 Nm | max. 2000 rpm | 18 V

12.5 1/2

- for loosening and tightening
- 18V li-ion battery for long operation time and high power
- rated voltage: 18V DC
- rated speed: 0 - 2200 rpm
- rated impact: 0 - 4400 bpm
- output profile: external square
- drive profile size, metric: 12.5 mm
- drive profile size, imperial: 1/2"
- max. loosening torque: 420 Nm
- max. working torque: 380 Nm
- sound pressure level: 83 dB(A)
- sound power level: 94 dB(A)
- vibration level: ahd: 4.72 m/s² / K: 1.5 m/s²
- battery pack: 18V DC / 3.0 Ah li-ion
- battery charger input: 100-240V AC / 50Hz / 75W
- battery charger output: 18V DC / 2500 mA
- charging time: 90 min.
- class: IP20
- weight: 2.8 KG



| Item # | Description |
|--------|---|
| 9260 | Cordless Impact Wrench 420 Nm max. 2000 rpm 18 V |
| 9260-1 | Replacement Battery Li-Ion 18 V DC / 3.0 Ah for Cordless Impact Wrench 9260 |
| 9260-2 | Quick Charger for Cordless Impact Wrench 9260 |

Soldering Iron | 40 W

- VDE-plug
- bent tip
- power supply voltage (AC): 220 V



| Item # |
|--------|
| 9940 |



Burning and Soldering Iron incl. Accessories | 7 pcs.

- for wood, leather and cork
- VDE-plug
- 1 firing and soldering iron 30 W
- 1 workstand
- 1 chisel tip
- 1 short tip
- 1 long tip
- 1 knife tip
- soldering iron tip
- operating temperature: 180°C
- max. operating temperature: 250 - 260°C
- power supply voltage (AC): 220 V



| Item # |
|--------|
| 9941 |



Soldering Gun | 100 W

- with light
- 220 Volt
- VDE connector, double insulated



| Item # | Description |
|--------|---|
| 9920 | Soldering Gun 100 W |
| 9921 | Replacement Soldering Tips Ø 2 mm for BGS 9920 2 pcs. |

Stubby Hot Glue Gun | Glue stick Ø 7.5 mm | 7 W

- with stand
- with trigger function for exact dosage
- power 7 W / nominal 10 W
- incl. two glue sticks Ø 7.5 x 50 mm
- power: 7 W
- power supply frequency: 50 Hz
- power supply voltage (AC) 220 - 240 V (AC)
- diameter of adhesive stick: 7.5 mm
- max. power: 10 W



| Item # |
|--------|
| 80845 |

Hot Glue gun | Glue stick Ø 11 mm | 15 W

- solid construction
- with trigger function for exact dosage
- incl. 2 hot melt glue sticks
- power supply frequency: 50 Hz
- power supply voltage (AC) 220 - 240 V (AC)
- diameter of adhesive stick: 11 mm
- melting temperature: 170°C
- power: 15 W
- max. power: 40 W



| Item # |
|--------|
| 8050 |



Sales Display | 1/4 Palett | Handicraft Work | 233 pcs.

- fully equipped with several "Handicraft Work" items
- directly sellable
- delivery on 1/4 plastic pallet incl. 4 colour printed sales display
- unpack - tag - sell

scope of Delivery:

- 15 hot glue guns | glue stick Ø 11 mm | 15 W (item 8050)
- 35 glue sticks | clear, white | 11 x 100 mm | 6 pcs. (item 8051)
- 10 burning and Soldering Iron incl. accessories | 7 pcs. (item 9941)
- 12 Stubby Hot Glue Gun | Glue stick Ø 7.5 mm | 7 W (item 80845)
- 30 Glue Sticks | coloured | Ø 11 mm, 150 mm | 12 pcs. (item 80847)
- 32 Glue Sticks | gold/silver metallic | Ø 11 mm, 150 mm | 8 pcs. (item 80848)
- 40 Glue Sticks | coloured | Ø 7.5 mm, 50 mm | 12 pcs. (item 80849)
- 40 Glue Sticks | transparent | Ø 7.5 mm, 50 mm | 12 pcs. (item 80851)
- 20 Glue Sticks | clear, white | 11 x 200 mm | 16 pcs. (item 80852)
- 1 POS sales display, 4 colour, incl. 1/4 plastic pallet



| |
|--------|
| Item # |
| 89961 |



Glue Sticks | transparent | Ø 7.5 mm, 50 mm | 12 pcs.

- suitable for hot glue gun BGS 80845
- 12 glue sticks Ø 7.5 x 50 mm
- colour: transparent

| |
|--------|
| Item # |
| 80851 |



Glue Sticks | colored | Ø 7.5 mm, 50 mm | 12 pcs.

- suitable for hot glue gun BGS 80845
- 2 glue sticks Ø 7.5 x 50 mm, red
- 2 glue sticks Ø 7.5 x 50 mm, orange
- 2 glue sticks Ø 7.5 x 50 mm, green
- 2 glue sticks Ø 7.5 x 50 mm, yellow
- 2 glue sticks Ø 7.5 x 50 mm, black
- 2 glue sticks Ø 7.5 x 50 mm, blue


| |
|--------|
| Item # |
| 80849 |



Glue Sticks | transparent | Ø 11 mm, 100 mm | 6 pcs.

- suitable for glue gun BGS 8050
- 6 glue sticks Ø 11 x 100 mm
- colour: transparent

| |
|--------|
| Item # |
| 8051 |



Glue Sticks | transparent | Ø 11 mm, 200 mm | 16 pcs.

- suitable for glue gun BGS 8050
- 16 glue sticks Ø 11 x 100 mm
- colour: transparent

| |
|--------|
| Item # |
| 80852 |





Glue Sticks | gold/silver metallic | Ø 11 mm, 150 mm | 8 pcs.

- suitable for glue gun BGS 8050
- 4 glue sticks Ø 11 x 150 mm, gold-metallic
- 4 glue sticks Ø 11 x 150 mm, silver-metallic



| |
|--------|
| Item # |
| 80848 |



Glue Sticks | colored | Ø 11 mm, 150 mm | 12 pcs.

- suitable for glue gun BGS 8050
- 2 glue sticks Ø 11 x 150 mm, red
- 2 glue sticks Ø 11 x 150 mm, orange
- 2 glue sticks Ø 11 x 150 mm, green
- 2 glue sticks Ø 11 x 150 mm, yellow
- 2 glue sticks Ø 11 x 150 mm, black
- 2 glue sticks Ø 11 x 150 mm, blue



| |
|--------|
| Item # |
| 80847 |



Industrial Plug (male) | 16 A/250 V

- with rubber protection sleeve

| |
|--------|
| Item # |
| 80761 |



Industrial Plug (female) | 16 A/250 V

- with rubber protection sleeve
- contact protection cover

| |
|--------|
| Item # |
| 80762 |





Separating and Riveting Tool for Motorbike Chains | Division 35-525

- for separating and riveting chains
- suitable for hollow rivet chain locks, for chain sizes with division 35 - 525
- 3 separating tips 2.2 - 2.9 - 3.8 mm included

| Item # | Description |
|-----------|---|
| 1749 | Separating and Riveting Tool for Motorbike Chains Division 35-525 |
| 1749-LEER | Empty Case for BGS 1749 |
| 1749-4 | Rivet Bolt for BGS 1749 |
| 1749-3 | Separating Tip for BGS 1749 3.8 mm |
| 1749-2 | Separating Tip for BGS 1749 2.9 mm |
| 1749-1 | Separating Tip for BGS 1749 2.2 mm |



Torque Multiplier Set | 25 mm (1") Drive | 3200 Nm

25 1

- for loosening stuck wheel nut sockets on trucks and vans
- conversion 1:56
- including 7 sockets made from chrome vanadium steel
- sockets, 25 mm (1") drive, hexagon 24 - 27 - 30 - 32 - 33 - 36 - 38 mm
- max. torque: 3200 Nm



| |
|--------|
| Item # |
| 1231 |

Hydraulic Drive Shaft Puller Set | 98 - 125 mm

- for extracting drive shafts from wheel hubs
- especially for glued and rusty drive shafts
- fits on 4- and 5-hole hubs with hole circle diameter of 98 to 125 mm
- for wheel bolt sizes up to M14
- applicable for VW, Audi, Seat, Skoda, Opel / Vauxhall, Volvo, Fiat, Renault, Peugeot, Citroen, etc.
- capacity of hydraulic ram: 10 t.
- puller feet, internal thread 1-1/2"x16-UN
- hydraulic spindle, 10 t, internal thread 1-1/2"x16-UN
- extractor spindle, manual, external hexagon 19 mm, internal thread 11/16"x10-UN
- thread reducer, internal thread 1-1/2"x16-UN to 11/16"x10-UN



| |
|--------|
| Item # |
| 7775 |



Brake Piston Reset Tool Set | 35 pcs.

- for manually resetting the brake pistons e. g. when replacing the brake pads
- suitable for brake callipers at rear & front axle, with & without handbrake function (not suitable for models with electric handbrake)
- right threaded and left threaded wind back tool
- empty holder for spindle grease, for smooth working with the brake piston reset spindles
- retainer plate, closed, half-round
- retainer plate, closed, round with recess
- retainer plate, open, rectangular
- retainer plate, open, half-round
- punch Ø 3 & 5 mm
- internal hexagon key wrenches 6 & 8 mm
- 24 brake piston reset adapters suitable for most vehicle models, e. g.:
Alfa Romeo, Audi, BMW, Citroen, Fiat, Ford Australia, Europa, USA, General Motors (GM), Honda, Isuzu, Jaguar, Lancia, Mazda, Mercedes-Benz, MINI, Mitsubishi, Nissan, Opel, Peugeot, Proton, Renault, Rover, Saab, Seat, Subaru, Toyota, Volkswagen, Volvo



| |
|--------|
| Item # |
| 91115 |

Brake Piston Reset Tool Set | 18 pcs.

- basic set for setting back the brake pistons
- right-threaded spindle
- left-threaded spindle
- suitable for many models
- includes list of matching models



| |
|--------|
| Item # |
| 1110 |

Brake Piston Reset Tool Set | 13 pcs.

- basic set for setting back the brake pistons
- right-threaded spindle
- suitable for many models
- includes list of matching models



| |
|--------|
| Item # |
| 1109 |

Brake Piston Reset Tool

- is used to reset the brake piston when changing the brake pad
- with universal adaptor
- to be operated with T-handle or external hexagon 19 mm

suitable for the following models

- Audi: 80, 90, V8S, 100, A2, A3, A4, A6, A8, TT, Quattro
 - Ford: Ford Sierra (ABS), Granada, Galaxy, Scorpio
 - Honda: Prelude
 - Jaguar: XJ4D
 - MAZDA: 323, 326
 - Mitsubishi: Galant GLSi
 - Nissan: Silvia 1 B Turbo
 - Rover: 800-series
 - Saab: 9000
 - Seat: Ibiza, Toledo, Leon, Arosa, Alhambra
 - Skoda: Fabia, Octavia, Superb
 - Subaru: L & Series 2
 - Toyota: Celica, Corolla GT MR2
 - Volvo: 440, 460, 480, S40, V40
 - VW: Golf 3, Golf 4, Golf 5, Lupo, New Beetle, Passat, Polo, Sharan, Touareg, Touran, T4, T5, Quattro
- pressure plate
 - combination adaptor
 - right-handed thread



| |
|--------|
| Item # |
| 6251 |



Brake Piston Reset Tool | universal | 0-66 mm

- suitable for brake callipers without adjuster, as in the case of front axle and rear axle brake systems, in which the handbrake does not act on the brake calliper
- opening: 0 - 66 mm
- 12.5 mm (1/2") drive and external hexagon 21



| |
|--------|
| Item # |
| 91126 |



Double Flaring Tool Kit | 9 pcs.

- special tool for making
 - single D-type flares
 - double E-type flares (SAE)
 - double F-type flares
- suitable for pipes with wall thickness up to 1 mm
- 1 basic device
- 1 clamping jaw
- 7 pressure pieces Ø 4.75 - 5 - 6 - 8 - 10 mm, 1/4" - 1/2"



| |
|--------|
| Item # |
| 3060 |

Vacuum Pump/ Brake Bleeder Tool | max. 0.7 bar

- for checking components of the vacuum system, e. g. MAP sensors, valves, hoses, etc.
- also suitable for bleeding brake and clutch systems
- incl. connecting hoses, bleeding containers, hose connectors/adaptors
- max. negative pressure 0.7 bar



| Item # | Description |
|--------|--|
| 8999 | Vacuum Pump/ Brake Bleeder Tool max. 0.7 bar |
| 1799-Z | Replacement Cup Incl. Seal for BGS 8999 |

Air Brake Bleeder - Set | 7 pcs.

- for replacing brake fluid and for bleeding brake and clutch systems
- for fast and efficient work due to simple, one-person operation
- container capacity: 1 l
- hose connection: 6.3 mm (1/4") quick coupler
- bleeding unit with pistol grip
- 4 adaptors for expansion tank
- 1 compressed air connection nipple
- 2 bleeding adaptors
- 1 hose (transparent)
- 1 refill bottle to be placed on the expansion tank, facilitates the bleeding process
- working pressure: 6 - 12 bar



| |
|--------|
| Item # |
| 18087 |



Voltage Tester | 120-250 V | 140/190 mm | 2 pcs.

- 120 - 250 V
- with lens and metal clip



| Item # |
|--------|
| 721 |



Voltage Tester

- double insulated tip
- multiple applications
- BGS 2172: AC / DC: 6 - 12 - 24 V
- BGS 726: AC: 110 - 370 V, DC: 6-380 V



| Item # | Description |
|--------|----------------------------|
| 2172 | Voltage Tester 6-24 V |
| 726 | Voltage Tester 6 - 380 V |



Digital Multimeter

- 7-segment display, 12.5 mm, 3.5 numbers
- suitable for measurements in CAT II ranges such as household appliances with connectors, car electronics, etc.
- DC voltage: 200 mV, 2000 mV, 20 V, 200 V, 600 V
- AC voltage: 200 V, 600 V
- current: 200 μ A, 2000 μ A, 20 mA, 200 mA, 10 A
- resistance: 200 ohm, 2000 ohm, 20 kiloohm, 200 kiloohm, 2000 kiloohm
- diode test
- transistor test (hfe) via adaptor
- battery info display shows if the battery should be replaced
- operating temperature: 10°C~40°C / 0~75% relative air humidity
- storage temperature: -10°C~50°C / 0~75% relative air humidity
- batteries
- measuring cable
- adaptor for transistor test
- length: 126 mm
- width: 70 mm
- height: 24 mm
- battery type: 2 AAA | 1.5 V
- weight incl. batteries: 0.14 kg



| Item # |
|--------|
| 2182 |





Cable Access Kit

- facilitates the laying / drawing in of cables, e. g. in cable ducts, empty ducts, etc.
- 10x 1 metre fibreglass rods (Ø 4 mm), can be connected to each other via threads, for a max. length of 10 metres
- 1 flexible extension made of reinforced polyester, 115 mm long
- 1 tow hook
- 1 pressure ring
- in plastic tube



| |
|--------|
| Item # |
| 1989 |

Wheel Nut Wrench | 12.5 mm (1/2") Drive | 17 x 19 mm

- incl. exchangeable socket 17 x 19 mm
- rubber coated handle
- length: 330 - 500 mm



| |
|--------|
| Item # |
| 1510 |



Tyre Levers

- surface finish: chrome plated



| Item # | Description |
|--------|---------------------|
| 91530 | Tyre Lever 250 mm |
| 91531 | Tyre Lever 400 mm |
| 91532 | Tyre Lever 500 mm |
| 91533 | Tyre Lever 600 mm |
| 91534 | Tyre Lever 750 mm |

Pull and Press Sleeve Kit | with 4 Spindles | 24 pcs.


- universal type for all car models
- also for assembly or disassembly of silent, bearings rubber- and ball bearings
- also suitable for rubber bushes and rotary shaft seals
- smooth running because of grooved ball bearing on spindle screw nut
- pressure pads are slotted for visual control
- spindle M10, 350 mm
- spindle M12, 350 mm
- spindle M14, 350 mm
- spindle M16, 350 mm
- pressure piece outside Ø 44 mm x inside Ø 34 mm
- pressure piece outside Ø 46 mm x inside Ø 36 mm
- pressure piece outside Ø 48 mm x inside Ø 38 mm
- pressure piece outside Ø 50 mm x inside Ø 40 mm
- pressure piece outside Ø 52 mm x inside Ø 42 mm
- pressure piece outside Ø 54 mm x inside Ø 44 mm
- pressure piece outside Ø 56 mm x inside Ø 46 mm
- pressure piece outside Ø 58 mm x inside Ø 48 mm
- pressure piece outside Ø 60 mm x inside Ø 50 mm
- pressure piece outside Ø 62 mm x inside Ø 52 mm
- pressure piece outside Ø 64 mm x inside Ø 54 mm
- pressure piece outside Ø 66 mm x inside Ø 56 mm
- pressure piece outside Ø 68 mm x inside Ø 58 mm
- pressure piece outside Ø 70 mm x inside Ø 60 mm
- pressure piece outside Ø 72 mm x inside Ø 62 mm
- pressure piece outside Ø 74 mm x inside Ø 64 mm
- pressure piece outside Ø 76 mm x inside Ø 66 mm
- pressure piece outside Ø 78 mm x inside Ø 68 mm
- pressure piece outside Ø 80 mm x inside Ø 70 mm
- pressure piece outside Ø 82 mm x inside Ø 72 mm



| |
|--------|
| Item # |
| 67305 |

Wheel Bearing Tool Set | universal | 21 pcs.

- forged and hardened carbon steel
- for assembly and disassembly of wheel nuts and with built in suspension strut
- 9 pressure pieces with external diameters of 55.5 - 59 - 62 - 65 - 66 - 71.5 - 73 - 78 - 84 mm
- pressure sleeves with counter plate (non-locking), inner diameter 75.5 - 82.9 mm
- pressure sleeve (open on both sides), inner diameter 69.9 mm
- 3 wheel hub puller screws M12 x 1.5
- 3 wheel hub puller screws M14 x 1.5
- ball bearing spindle, hexagon 32, Ø 22 x 280 mm



| Item # | Description |
|---------|---|
| 67310 | Wheel Bearing Tool Set universal 21 pcs. |
| 170 | Loose Ball Bearing capsuled for BGS 67300 |
| 67300-2 | Wheel Hub Puller Screw M12 |
| 67300-3 | Wheel Hub Puller Screw M14 |
| 67300-9 | Ball Bearing Spindle incl. Nut 280 mm for BGS 67300 |



Ball Joint Assembly Set | 21 pcs.

- heavy duty version with 152 mm pressure fork opening
- the set includes all the necessary sleeves and pressure pieces for changing the ball joints on most US vehicles, e. g. GM, Ford and Dodge 2WD and 4WD pick-ups up to 1997
- can also be used on many European SUV cars and vans
- pressure spindle, 230 mm
- pressure spindle arm
- pressure bolt for pressure spindle, length 6.4 / 19 mm
- collection sleeve 44.5 x 50.8 mm
- collection sleeve 57.2 x 63.5 mm
- collection sleeve 69.9 x 76.2 mm
- holding sleeve 57.2 mm
- holding sleeve 44.5 mm
- holding sleeve 36.5 mm
- holding sleeve 69.9 mm
- adaptor for reception bushes 50.8 mm
- receptacle cup 50.8 mm
- receptacle cup 66.7 mm
- receptacle cup 31.8 mm
- receptacle cup 44.5 mm
- assembly cup 44.5 mm



| Item # | Description |
|-----------|-----------------------------------|
| 1834 | Ball Joint Assembly Set 21 pcs. |
| 1834-LEER | Empty Case for BGS 1834 |

Universal Puller Set with Sliding Hammer | 16 pcs.

- can be used as an internal or external extractor with 2 or 3 claws
- for disassembly of 4- and 5-hole wheel hubs and as pulling or impact hammer for body repair
- slide hammer: 2.3 kg
- 2 wheel hub adaptors
- 1 puller holder with 2 extension arms
- 1 puller holder with 3 extension arms
- 3 puller claws
- 1 locking pliers adaptor
- 1 dent adaptor



| |
|--------|
| Item # |
| 7683 |



Brake Drum Extractor / Drive Shaft Push Out Tool, 5-legs | universal

- for easy pressing out of drive shafts and for pulling out of brake drums
- 5 puller feet with oval mounting holes, satin chrome plated, chrome vanadium steel, forged
- 2 pressure pieces, flat and pointed
- hardened puller spindle, Ø 10 x 185 mm with 190 mm sliding handle, 12.5 mm (1/2") drive and external hexagon 21 mm drive
- 2 discs for holding the puller feet, satin chrome plated Ø 62 and 100 mm
- suitable for 3-, 4-, 5- and 6-hole wheel hubs and brake drums with hole circle up to 200 mm
- surface finish: satin chrome plated



| |
|--------|
| Item # |
| 7682 |

Ball Joint Ejector Set | 23 - 28 - 34 mm | 3 pcs.

- for easy and quick removal of tie rods and carrier joints
- narrow profile, suitable for most vehicles
- three pull-out feet sizes for use on most passenger cars, and light industrial vehicles
- puller foot, opening 23 mm, puller width 55 mm
- puller foot, opening 28 mm, puller width 55 mm
- puller foot, opening 34 mm, puller width 63 mm



| |
|--------|
| Item # |
| 6249 |

Silent Block Tool Set | for VW Polo 9N

- for easy and safe removal and replacement of silent blocks on the vehicle
- no removal necessary, minimising the workload
- contains spindle, spindle extension, shoulder nut spindle adaptor M10x1.25 made of S45C carbon steel
- spacer, pressure piece, centering ring made from aluminium alloy



| |
|--------|
| Item # |
| 98253 |



Wheel Bearing Mounting Disc Set | 52 pcs.

- suitable for the assembly of bearing shells, sealing rings and rubber bands
- particularly helpful when used with hydraulic presses
- includes pressure washers with \varnothing 18 - 65 mm (1 mm steps) and \varnothing 74 mm
- 180 mm x \varnothing 12 mm metal handle, for use with hammer
- material: carbon steel



| |
|--------|
| Item # |
| 98467 |

Wheel Bearing Mounting Disc Set | XXL | 21 pcs.

- suitable for the assembly of radial shells and radial seal rings
- particularly helpful when used with hydraulic presses
- includes 17 pressure washers \varnothing 70 - 150 mm (5 mm steps)
- 273 mm metal handle including screw, for use with hammer
- material: carbon steel



| |
|--------|
| Item # |
| 98736 |

Dent Repair Set | 22 pcs.

- suitable for repairing minor dents
- painting and smoothing work are not necessary
- no color differences
- reduces time and cost
- 9 dent repair pads of various sizes and shapes
- hot glue gun, 11 mm
- special glue sticks with very good adhesive performance
- sliding hammer for hard-to-pull dents
- pulling unit with rubberised support feet for dent repair work on large, even surfaces
- plastic scraper for the gentle removal of adhesive pads



| |
|--------|
| Item # |
| 90865 |



Dent Repair Kit

- for inexpensive dent repairing
- hot melt glue gun with 2 glue sticks
- 1 plastic scraper for removing glue
- 1 soft panel beating pen
- 1 soft dent removal pen
- solvent



| |
|--------|
| Item # |
| 8057 |



Body Repair Set | 7 pcs.

- 3 hammers with fibreglass shafts
- 4 panel irons



| Item # | Description |
|-----------|--------------------------|
| 1670 | Body Repair Set 7 pcs. |
| 1670-LEER | Empty Case for BGS 1670 |

Dent Repair Kit with Sliding Hammer | 9 pcs.

- sliding hammer 2 kg
- shaft manufactured from solid metal
- with soft plastic handle
- incl. various adaptors
- sliding hammer thread: 5/8" x 18 UNF



| |
|--------|
| Item # |
| 1677 |

Dent Repair Kit with Sliding Hammer | 11 pcs.

- universal sliding hammer 3 kg
- for dent pulling
- 9 different hooks and accessories
- sliding hammer thread: 7/8" x 14 UNF



| Item # | Description |
|-----------|---|
| 1674 | Dent Repair Kit with Sliding Hammer 11 pcs. |
| 1674-LEER | Empty Case for BGS 1674 |



Panel Beating Hammer

- plastic / nylon heads
- exchangeable heads
- wooden shaft



| Item # | Description |
|--------|--|
| 1864 | Panel Beating Hammer Head Ø 35 mm |
| 1869 | Plastic Replacement Head yellow Ø 35 mm for BGS 1864 |

Windscreen Removal Set | 7 pcs.

- for bonded windscreens
- panel-removal tool with handle 275 mm
- piercing awl 350 mm
- 2 handles for cutting wire
- cutting wire 1.8 m
- double hook handle 240 mm
- pull blade with handle and pull rope



| Item # |  |
|--------|--|
| 60300 | |

Trim Strip Set | various Shapes | with Rivet Removal Pliers | 6 pcs.

- 5 trim strips, made from special plastic (length 160-200 mm)
- various shapes for working on trim strips, rubber gaskets, interior linings, door trims, switches, etc.
- with plastic rivet loosening pliers, angled (length: 100 mm)
- jaw opening: 0 - 28 mm
- for the removal of two piece plastic rivets, self-opening
- in plastic case




| Item # |
|--------|
| 1325 |

Japan Scraper Set | Plastic | 50 / 80 / 100 / 120 mm | 4 pcs.

- material: plastic



| Item # |  |
|--------|---|
| 1634 | |



Japan Scraper Set | Spring Steel | 50 / 80 / 100 / 120 mm | 4 pcs.

- shiny blades
- material: spring steel



| |
|--------|
| Item # |
| 1636 |



Emergency Car Opening Set

- universally applicable
- packed in wallet



| |
|--------|
| Item # |
| 3541 |



Hose Clamp Pliers Set | 10 pcs.

- for loosening/tightening hose clamps
- suitable for most European, US and Asian vehicles
- 1 hose clip pliers
- 1 swivel clamp plier for spring steel clamps
- 1 swivel jaw band clamp pliers
- 1 flat belt clamp plier, angled
- 1 hose disconnecting pliers
- 1 flat belt hose clamp pliers
- 1 screwdriver
- 1 hose loosening tool
- 1 loosening pliers for fuel lines



| |
|--------|
| Item # |
| 421 |



Hose Clamp Pliers | with Bowden cable | 630 mm

- for mounting and removal of all flexible, self-locking belt clamps from 18 - 54 mm
- bowden cable control also makes it usable in hard-to-reach areas
- length: 630 mm



| |
|--------|
| Item # |
| 467 |



Automotive Air Condition Clutch Tool Kit | 20 pcs.

- for disassembly and assembly of air conditioning clutches

suitable for the following air conditioning compressor clutches:

- Saden SD5, SD7, SD 505, 507, 510, 575, 708, 709
- Zexel (Mitsubishi)
- Nippon Denso 6P, 10P
- Chrysler C171
- Ford FS6
- Hitachi MJ
- Tecumseh HR 980
- Delphi / Harrison (GM) R4, A6, HR-6, V5, DA6
- adjustable locking pin wrench
- clutch friction plate puller
- puller plate (2/3 holes), with spindle and mounting screws
- disassembly / assembly tool, SAE thread, ball bearings
- disassembly / assembly tool, ISO thread, ball bearings



| |
|--------|
| Item # |
| 8825 |

Coolant/Antifreeze Tester

- easy handling
- very effective at a low price

| |
|--------|
| Item # |
| 1820 |



Antifreeze Tester for Ethylene and Glycol Solutions

- suitable for all ethylene and glycol dilutions
- works with hot and cold fluids
- for visual control of rust and dirt in the tested liquids

| |
|--------|
| Item # |
| 1822 |





Antifreeze Tester Areotemp

- pipette shape
- integrated floater
- for cooling liquid
- accurate measuring in all cooling liquid temperature ranges
- robust and break-proof execution
- for cooling circuits based on ethylene-glycol-(ethandiol)
- measuring range -10°C up to -40°C



| |
|--------|
| Item # |
| 9672 |



Spark Plug Hexagon Socket | 12.5 mm (1/2") Drive | 18 mm

12.5 1/2

- wrench size
- profile: hexagon
- surface finish: chrome plated

| |
|--------|
| Item # |
| 2465 |



Spark Plug Wrench with T-Handle, Joint Spring | Hexagon 16 mm / 21 mm

- spring-loaded joint
- chrome plated
- for 16 and 21 mm spark plugs
- T-handle
- dip-insulated handles
- surface finish: chrome plated

| |
|--------|
| Item # |
| 142 |



Spark Plug Tool Set | 10 mm (3/8") Drive | 6 pcs.

10 3/8

- suitable for cars and motorcycles
- ratchet, 180° swivel head
- spark plug socket, 19 mm
- spark plug socket, 21 mm
- spark plug socket, 22 mm
- extension bar, 70 mm
- extension bar, 145 mm

| |
|--------|
| Item # |
| 137 |



Sump Plug Key | 8 Sizes | Square, Hexagon 10 - 17 mm

- 6 sizes for internal square head screws: 10 - 11 - 12 - 13 - 14 - 15 mm
- 2 sizes for internal hexagon head screws: 14 - 17 mm
- length: 150 mm

| |
|--------|
| Item # |
| 1000 |





Universal Oil Filter Chain Wrench | 12.5 mm (1/2") Drive | Ø 100 mm

12.5 1/2

- for all sorts of cars
- with 30 chain links
- with external hexagon
- suitable for diameters up to 100 mm

| |
|--------|
| Item # |
| 1020 |



Oil Filter Chain Wrench | 400 mm

- soft handle

| |
|--------|
| Item # |
| 1022 |



Oil Filter Wrench | 460 mm

- rubber coated strap
- length of strap: 460 mm

| |
|--------|
| Item # |
| 1021 |



Pipe Wrench | Ø 130 mm

- made of high-quality nylon
- various applications possible
- suitable for diameters up to 130 mm
- double reinforced belt fabric
- non-slip, rubberised, self-locking
- max. diameter: 130 mm

| |
|--------|
| Item # |
| 1023 |



Universal Oil Filter Wrench | Ø 80 - 100 mm

- with joint
- suitable for car oil filters from Ø 80 - 100 mm

| |
|--------|
| Item # |
| 1034 |





Oil Filter Pliers | 250 mm

- for cars and small utility vehicles
- avoids slipping when changing oil filters
- heavy duty construction with non-slip coating
- length: 250 mm
- clamping range: 50 - 90 mm

| |
|--------|
| Item # |
| 1050 |



Oil Filter Pliers | 400 mm

- for cars and small utility vehicles
- avoids slipping when changing oil filters
- heavy duty construction with non-slip coating
- length: 400 mm
- clamping range: 85 - 130 mm

| |
|--------|
| Item # |
| 1051 |



Oil Filter Wrench Set | Aluminium Die Cast | 12.5 mm (1/2") Drive | 23 pcs.

12.5 1/2

- reversible ratchet
- ring spanner 27 mm
- oil filter cap 14-point Ø 65 mm
- oil filter cap 14-point Ø 67 mm
- oil filter cap 14-point Ø 74 mm
- oil filter cap 15-point Ø 75 mm
- oil filter cap 8-point Ø 74 mm
- oil filter cap 15-point Ø 74 mm
- oil filter cap 14-point Ø 73 mm
- oil filter cap 12-point Ø 75 mm
- oil filter cap 15-point Ø 74 mm
- oil filter cap 15-point Ø 79 mm
- oil filter cap 15-point Ø 73 mm
- oil filter cap 14-point Ø 74 mm
- oil filter cap 18-point Ø 84 mm
- oil filter cap 15-point Ø 89 mm
- oil filter cap 15-point Ø 91 mm
- oil filter cap 15-point Ø 90 mm
- oil filter cap 15-point Ø 95 mm
- oil filter cap 12-point Ø 76 mm
- oil filter cap 15-point Ø 80 mm
- oil filter cap 15-point Ø 101 mm
- oil filter cap 15-point Ø 92 mm
- material: die-cast aluminium

| Item # | Description |
|------------|---|
| 1035 | Oil Filter Wrench Set Aluminium Die Cast 12.5 mm (1/2") Drive 23 pcs. |
| 1035-75X12 | Oil Filter Wrench 12-point 75 mm |





Oil Filter Cap Wrench Set | 10 mm (3/8") Drive | 14 pcs.

10 3/8

- 1-level end cap oil filter wrenches:
 - end cap oil filter wrench 65 mm (2-9/16") x 14-point
 - end cap oil filter wrench 68 mm (2-11/16") x 14-point
 - end cap oil filter wrench 73 mm (2-7/8") x 14-point
 - end cap oil filter wrench 76 mm (3") x 14-point
 - end cap oil filter wrench 80 mm (3-9/64") x 15-point
 - end cap oil filter wrench 93 mm (3-21/32") x 15-point
 - end cap oil filter wrench 93 mm (3-21/32") x 36-point:
 - end cap oil filter wrench 90 mm (3-17/32") x 15-point:
 - end cap oil filter wrench 76 mm (3") x 30-point
 - end cap oil filter wrench 100 mm (4") x 15-point
- 2-level end cap oil filter wrenches:
 - end cap oil filter wrench 65 /67 mm (2-9/16" / 1-21/32") x 14-point
 - end cap oil filter wrench 74 /76 mm (2-29/32" /3") x 15-point
 - end cap oil filter wrench 75 /77 mm (2-15/16" / 3-1/32") x 15-point
 - end cap oil filter wrench 80 /82 mm (3-9/64" / 3-7/32") x 15-point
- drive: internal square 10 mm (3/8")



| |
|--------|
| Item # |
| 91036 |

Waste Oil Drain Receiver | 30 l

- for clean oil changes
- funnel Ø 420 mm for collecting used oil
- adjustable height from 1220 to 1520 mm
- funnel and container made of plastic
- steel drainage pipe



| |
|--------|
| Item # |
| 8640 |



Exhaust Pipe Expander Set | 3 pcs.

- allows the installation of new exhaust pipes on old exhaust parts
- expander for Ø 28 - 44 mm
- expander for Ø 38 - 64 mm
- expander for Ø 54 - 89 mm



| |
|--------|
| Item # |
| 124 |

Piston Ring Compressor Set

- is required when repairing engines
- contains important tools for cleaning piston ring grooves, assembly of piston rings, pre-stressing piston rings when mounting the pistons
- piston ring tension band 53 - 125 mm, height 75 mm
- piston ring tension band 90 - 175 mm, height 100 mm
- piston ring tension band 90 - 175 mm, height 150 mm
- ring groove cleaner from 1.2 to 5.5 mm
- cleaning attachments for different ring groove widths
- piston ring assembly pliers 50 - 100 mm
- angled screwdriver



| |
|--------|
| Item # |
| 1890 |

Common Rail Diagnosis Kit | Includes 24 adaptors

- flow back volume can be determined via glass tubes or measuring cups
- includes 6 glass tubes, 6 measurement cups with 0.70 m connecting hose, mounted on aluminium bar with hooks
- for common rail engines, up to 6 injectors
- suitable for various injector manufacturers
- includes 24 adaptors for Denso C3, C1, Siemens C3, Delphi, Bosch



| |
|--------|
| Item # |
| 8106 |

Speciality Tools Car




Engine Timing Tool Set | for VAG 1.4 / 1.6 / 1.9 / 2.0 SDI/TDI

- for adjusting and checking the engine timing during tooth belt and camshaft replacement, etc.

suitable for the following models:

- Audi
 - A2 1.4 TDI (manufactured 2002 - 2006)
 - A3 1.9 / 2.0 TDI (manufactured 2002 - 2008)
 - A4 1.6 TDI (manufactured 2002 - 2005)
 - A4 1.9 / 2,0 TDI (manufactured 2004 - 2008)
 - engine codes: AMF, ASZ, ATD, AVB, AVF, AWX, AXR, AZV, BHC, BKC, BKD, BKE, BLB, BMN, BNA, BPW, BRB, BRC, BRD, BRE, BUY, BVA, BVF, BVG
- Seat
 - Altea 1.9 SDI / TDI (manufactured 2005 - 2008)
 - Leon 1.9 / 2.0 TDI (manufactured 2005 - 2008)
 - Toledo 1.9 SDI / TDI (Bj. 2005 - 2008)
 - engine codes: BJB, BKC, BLS, BMM, BXE
- Skoda
 - Fabia 1.4 TDI (Bj. 2003 - 2006)
 - Octaviall 2.0 TDI (Bj. 2003 - 2006)
 - engine codes: AMF, AZV, BKD
- VW
 - Beetle 1.9 TDI (Bj. 2002 - 2008)
 - Bora 1.9 TDI (Bj. 2002 - 2008)
 - Fox 1.4 TDI (Bj. 2002 - 2008)
 - Golf 1.9 / 2.0 TDI (manufactured 2002 - 2008)
 - Lupo 1.4 TDI (Bj. 2002 - 2008)
 - Polo 1.4 / 1.9 TDI (manufactured 2002 - 2008)
 - Sharan 1.9 TDI (Bj. 2002 - 2008)
 - engine codes: AJM, AMF, ANU, ARL, ASZ, ATD, AUY, AVB, AVF, AWX, AXR, BAY, BMS, BNM, BNV, BWV



- crankshaft locking tool, to be used as OEM T10100
- pump wheel / camshaft locking tool, to be used as OEM 3359, T20102, 9882, MB995206
- crankshaft locking tool, to be used as OEM T10050, 9883, 310-085, 23-059, MB995209
- 4 mm locking pin, to be used as OEM T10115, 303-1054, MB995208
- locking pin for V-belts, to be used as OEM T10060A, T40098

Item #

62644



Engine Timing Tool Set | for VAG

- to be used as OEM 2064 - 3242 - 3359 - 3366 - 3369 - 3418 - 3458 - 2065A - T10008 - T10016 - T10020 - T10050 - T10060A - T10098 - T10100 - T10120 - T10121 - T10123 - T10264 - T10265 - T40011

suitable for the following VAG engines:

- 1.9 L / 2.0 L TDI pump/nozzle
- 1.9 L TDI (conventional diesel)
- 2.5 L V6 TDI (not petrol)
- 3.3 L V8 TDI (not petrol)
- 1.2 L 3-cylinder and 1.4 / 1.6 L petrol engines

contains important adjustment tools such as:

- camshaft locking tools
- injection locking tools
- crankshaft locking tools
- injection nozzle wrench 22 mm



| |
|--------|
| Item # |
| 8140 |

Engine Timing Tool Set | for VAG 2.5 / 4.9D / TDI Pump Nozzle Unit

suitable for the following models:

- VW T5 as of 2004, Touareg as of 2003, VW Phaeton as of 2003 with 5 and 10-cylinder engines
- camshaft locking tool for testing and setting control times on 5 and 10-cylinder engines, to be used as OEM T10193
- camshaft locking tool for testing and setting control times on 10-cylinder engines, to be used as OEM T10194
- clamping device for removing and installing the camshaft guide of 5 and 10-cylinder engines, to be used as OEM T10199
- special insert, enables turning of the crankshaft on 5-cylinder engines, to be used as OEM T10225
- crankshaft locking key for 5-cylinder engines, to be used as OEM T10226
- tensioner wrench



| |
|--------|
| Item # |
| 98443 |



Engine Timing Tool Set | for PSA

- for adjusting and checking the engine timing on Citroen / Peugeot engines
- petrol 1.0 / 1.1 / 1.4 / 1.5 / 1.6 / 1.6 16V / 1.8 / 1.8 16V / 1.9 / 2.0 / 2.0 16V / 2.0 Turbo
- diesel 1.4D / 1.4HDI / 1.5D / 1.7D / 1.7TD / 1.9D / 1.9TD / 2.0Hdi / 2.1TD 2.1TD / 2.2D / 2.5TD / 2.2Hdi
- tensioning tool, to be used as OEM 4507-TJ, 9767.89, 0188Q1, 0132X1Z, 0188Q1, 0132X1Z, 0132X
- crankshaft timing pin 6 mm, to be used as OEM 4507-TA, 0132Z, 0132QZ
- 2 camshaft / crankshaft timing pins, to be used as OEM 0153ZY, 4507-TB, 0153AB, 9041-TZ, 0132R, 9767.27
- 2 camshaft timing pins, to be used as OEM 7014-TM
- flywheel locking pin, to be used as OEM 4507-TL, 0189C
- cranked setting pin 8 mm, to be used as OEM 0188D, 7004TG, 9767-34, 0153G, 7014-TJ. 1 860 863 000, 0153N
- screws M8 x 35 mm / M8 x 40 mm / M8 x 70 mm
- flywheel timing pin 7 mm, to be used as OEM 7017-TR
- flywheel timing pin 8 mm, to be used as OEM 1 860 863 000, OUT0000127, 0153N, 0288D, 7099-TM, 0188Y, 0188D
- flywheel timing pin with spring, to be used as OEM 0188X, 0189X
- camshaft timing pin, to be used as OEM 18G 1580, 11 9 790, 5711-TD, 21-260, 07744-1110400, 303-732, 4527-T.S2, 07744-00104-00, 1 860 617 000, 0132AB, 999 7169, 0178D
- injection pump timing pin, to be used as OEM 0188H
- camshaft / crankshaft timing pin, to be used as OEM 0188M, 0187B, 0194B, 303-1277, MOT1430, 0189B, 303-735, 49JE01 061, 21-263
- injection pump timing pin, to be used as OEM 4527-T.S1
- camshaft timing pin (CA1), to be used as OEM 4533-TAC1, 0132AJ1
- camshaft timing pin (CA2), to be used as OEM 0132AJ2, 2 000 023 000, 0188M, 4533-TAC2
- camshaft timing pins (2), to be used as OEM 9041-TZ, 5711-TC
- camshaft timing pin, to be used as OEM 0189A, 1 871 008 100
- camshaft timing pin, to be used as OEM 0189AZ
- inlet camshaft timing pin (VTC), to be used as OEM 0189L
- tensioning lever, to be used as OEM 5711-TE, 0178E, 0188J/J1
- flywheel locking tool, to be used as OEM 0188F, 0134Q, 1 870 765 001, 1 870 827 000, 0134AF, 9044-T, 1 871 000 400
- tensioning lever Hdi, to be used as OEM 0188J2
- tensioning wrench 8 mm, to be used as OEM 7017-TW
- timing belt retaining clip, to be used as OEM 0189K, MOT1436, 4533-TAX, 0188K, 0187J, 0132AK, 0153AK, 1 870 00 100
- flywheel locking tool, to be used as OEM 1 867 030 000, 0153A, 9765.54, 6012T, 1 860 161 000
- pulley puller, to be used as OEM 0174, 0188P, 018892, 7015-T



Item #

98152

Mounting Kit for Valve Stem Seals

- is used for replacing valve stem seals
- suitable for all standard vehicles
- disconnecting pliers
- assembly pin
- adaptor 5 mm
- adaptor 5.5 mm
- adaptor 6 mm
- adaptor 6.5 mm
- adaptor 7 mm
- adaptor 8 mm
- adaptor 10 mm (3/8")



| |
|--------|
| Item # |
| 1783 |

Valve Spring Assembly / Disassembly Set | universal | 21 pcs.

- for disassembling and assembling valve springs
- allows changing of the valve stem seals without removing the cylinder head
- pressure hose for filling compressed air into the cylinder
- suitable for M14 and M18 ignition plug threads
- including valve collet mounting tool



| |
|--------|
| Item # |
| 8595 |

Ignition Timing Light | 12 V

- for ignition timing adjustment and checking
- suitable for all 12-V petrol engines, where ignition time adjustment is technically possible
- ignition signal output via terminal for 1st cylinder
- bright stroboscope lamp provides good readability of the ignition time marking



| |
|--------|
| Item # |
| 40108 |





Carburetor Tester | with 4 Manometers | 26 pcs.

- for synchronising 2-, 3- and 4-carburetor systems
- suitable cars and motorcycles
- 4 pressure gauges Ø 92.5 mm, fitted on the plate
- 4 rubber hoses 8 x 5 x 750 mm
- 4 hose clamp replacement gaskets
- 4 connectors 53 mm (M6 x 0.75)
- 4 connectors 60 mm (M6 x 1.00)
- 6 extensions 3.9 x 52 mm
- 4 extensions 3.9 x 122 mm
- negative pressure measuring range: 0 to -70 cm Hg (0 to -30 In Hg)
- pressure measuring range: 0 to 14 PSI (0 to 1 kg/cm²)

| |
|--------|
| Item # |
| 962670 |



Oil Pressure Test Kit

- for the diagnosis of leaks in the oil system
- with many adaptors:
 - R 1/8" din standard 2999, 1/8" x 27 NPT,
 - 1/4" x 18 NPT - 3/8" x 20 UNF - 1/2" x 20 UNF
 - M10 x 1.0 - M12 x 1.5 - M14 x 1.5
 - M16 x 1.5 - M18 x 1.5 - 90°
- measuring scale 0-10 bar (tolerance +/-5%)

| |
|--------|
| Item # |
| 98007 |



Radiator Pressure and Cooling System Tester | 27 pcs.

- for pressurizing out and filling cooling systems
- facilitates the detection of leaks and allows for light, bubble-free filling, also of difficult-to-fill cooling systems
- 1 pressure pump
- 1 thermometer
- 1 filling hose
- 1 filling unit with vacuum gauge
- 2 radiator cover adaptors, for checking radiator cap for leaks and opening pressure
- 3 radiator adaptors, for printing & filling, suitable for many vehicles with radiator covers
- 15 adaptors for expansion tank, for pressurizing out & filling, suitable for almost all vehicles with expansion tanks
- 1 ring spanner for tightening/loosening the adaptors

| |
|--------|
| Item # |
| 98098 |



Engine Pressure Loss Test Set

- for fast and easy diagnosis of combustion chamber leakages, e. g. leaks in inlet and outlet valves, cylinder head gasket and piston rings
- shows the pressure drop as a percentage and enables an acoustic test
- suitable for petrol engines with spark plug thread M12 x 1.25 and M14 x 1.25
- adaptor M12 x 1.25, metric
- adaptor M14 x 1.25, metric
- hose extension with quick coupling
- measuring unit with compressed air regulator, leakage and pressure indicator
- hose adaptor



| |
|--------|
| Item # |
| 62646 |

Compression Tester for Diesel Engines

- for testing the compression on diesel engines
- allows professional examination and assessment of the engine condition
- includes test tools for many vehicle models
- pressure gauge 70 bar, with 500 mm hose
- glow plug adaptor, M8 x 1.0, length: 104 mm
- glow plug adaptor, M10 x 1.0, length: 84 mm
- glow plug adaptor, M10 x 1.0, length: 92 mm
- glow plug adaptor, M10 x 1.0, length: 113 mm
- glow plug adaptor, M10 x 1.0, length: 120 mm
- glow plug adaptor, M10 x 1.25, length: 65 mm
- glow plug adaptor, M10 x 1.25, length: 137 mm
- glow plug adaptor, M12 x 1.25, length: 48 mm
- injector adaptor, M22 x 1.5, length: 117 mm
- injector adaptor, M20 x 1.5, length: 77 mm
- injector adaptor, M22 x 1.5, length: 74 mm
- injector adaptor, M24 x 1.5, length: 88 mm
- injector adaptor, M24 x 2.0, length: 66 mm
- injector adaptor pipe, M18 x 1.5, length: 160 mm
- bracket for injector adaptor pipe
- sealing cone & sleeve for injector adaptor pipe



| |
|--------|
| Item # |
| 62660 |



CDI Injector/Extractor Set | 14 pcs.

- ball joint also allows sliding hammer to be used in confirmed areas
- allows easy and quick removal of the injector
- sliding hammer with shaft and handle, 4400 g
- ball joint adaptors
- adaptor (internal thread): M14 x M14
- adaptor (internal thread): M17 x M14
- adaptor (internal thread): M25 x M14
- adaptor (internal thread): M27 x M14
- adaptor (external screw thread): M27 x M14
- adaptor (external screw thread): M20 x M14
- sockets (slotted, hexagon) for electrical unit: 25 - 27 - 29 - 30 mm
- bit socket, 12.5 mm (1/2") drive, internal hexagon 10 mm



| |
|--------|
| Item # |
| 67307 |

CDI Injector Extractor Set | 8 pcs.

- extra short: only 225 mm
- suitable for e. g. Bosch injectors built in BMW, Mercedes-Benz CDI engines OM 611, 612, 613, etc.
- total length 350 mm
- injector pulling claw, 13 mm pulling claw opening with internal thread M12 x 1.75
- injector tension bolt with external thread M17 x 1.0 & external thread M14 x 1.5 for ball joint adapter
- injector sleeve with internal thread M27 x 1.0 & male thread M14 x 1.5 for ball joint adapter
- adapter with external thread M12 x 1.75 for pull claw & external thread M10 x 1.5 for slide hammer
- adapter with external thread M12 x 1.75 for pull claw & external thread M14 x 1.5 for ball joint adapter
- ball joint adapter with internal thread M14 x 1.5 for pulling claw / tension bolt / tension sleeve & external thread M10 x 1.5 for slide hammer
- sliding hammer sliding bolt, Ø 14 mm with internal thread M10 x 1.5 for adapter / ball joint adapter & external thread M14 x 1.5 for handle
- handle length 74 mm, Ø 26 mm with internal thread M14 x 1.5
- sliding hammer weight 1730g with 14 mm bore

| |
|--------|
| Item # |
| 62636 |



Glow Plug Removal and Thread Repair Set

- for assembling and disassembling of glow plugs and the professional repair of glow plug threads
- extractor for very firmly seated glow plugs
- step drill for disassembly of glow plugs 7 x 5.5 mm and 9 x 5.5 mm
- thread cutters M8 x 1.0, M10 x 1.0 and 6.3 mm (1/4") - 28 UNF for re-cutting the glow plug threads
- holder for thread tap with ratchet function
- insert E10

| |
|--------|
| Item # |
| 98297 |



HDI Injector Puller | 8 pcs.

- enables extraction of Bosch and Siemens HDI injectors
- disassembly of cylinder heads is not necessary
- suitable for most vehicles with PSA 2.0, HDI DW10, DW12 engines, also installed in models from Toyota, Mazda, Hyundai

| |
|--------|
| Item # |
| 98349 |



Injector Extractor Tool Kit

- for assembly and removal of diesel injectors
- various adaptors make the kit suitable for most diesel injectors

includes also the following components:

- 3 different sliding hammers
 - 1.6 kg, length: 160 mm
 - 2.7 kg, length: 460 mm
 - 5.1 kg, length: 600 mm
- pulling claws with fork opening:
 - 13.7 x 18 mm, length: 105 mm
 - 12.7 x 19 mm, length: 130 mm
- slotted hexagon sockets, length: 100 mm, 12.5 mm (1/2") drive: 25 - 27 - 28 - 29 - 30 mm
- injector extractor, sleeve design with shells: external Ø 35 mm, internal Ø 29 mm
- spindle with M17 x 1.0 external screw thread
- pulling adaptor with external screw thread M27 x 1.0 (3 pcs) and M25 x 1.0
- pulling adaptor with internal thread M27 x 1.0 (3 pcs.)
- sliding hammer adaptor for inner, outer and claw extractor



| Item # | Description |
|-----------|-----------------------------|
| 8676 | Injector Extractor Tool Kit |
| 8676-LEER | Empty Case for BGS 8676 |



Miniature Hook Set | 4 pcs.

- hook with straight tip
- hook with 90° tip for O-rings
- hook with hook tip
- hook with combination tip
- length: 135 mm
- material: steel, stainless

| |
|--------|
| Item # |
| 8016 |



Scraper and Hook Set | 5 pcs.

- black finish, oxidised and hardened
- blue square handles
- 1 scraper, 265 mm
- 1 scraper, 225 mm
- 2 hook grippers, 225 and 150 mm
- 1 straight tip hook, 205 mm

| |
|--------|
| Item # |
| 9132 |



Needle and Hook Set | 9 pcs.

- ergonomic 2-component plastic handles
- hook, bent, 165 mm
- hook, bent, 260 mm
- hook, 45°, 165 mm
- hook, 45°, 260 mm
- hook, 90°, 165 mm
- hook, 90°, 260 mm
- nail, straight, 165 mm
- nail, straight, 260 mm
- scraper, 23 mm x 260 mm

| |
|--------|
| Item # |
| 798 |



Hook Wrench | 75 mm

- for operating grooved nuts
- length: 280 mm
- clamping width: 75 mm

| |
|--------|
| Item # |
| 1225 |





Pulley Block | 180 kg

- 6 fold deflection
- maximum height: 3 m
- rope diameter: 4 mm
- max. load bearing capacity: 180 kg
- rope length: 20 m



| |
|--------|
| Item # |
| 59505 |



Gearbox Lifter | 500 kg

- for assembling and disassembling of engines, gearboxes, rear axles ect.
- height approx. 140 - 195 cm
- 4 ball bearing caster wheels
- compact construction, lightweight
- extra long lifting height
- fast lifting due to hydraulic foot pedal



| Item # | Description |
|--------|--------------------------------|
| 9232 | Gearbox Lifter 500 kg |
| 9232-1 | Replacement Wheel for BGS 9232 |



Caulking Gun | 300 mm long

- steel skeleton frame
- orange lacquered finish
- for standard cartridges (220 mm)



| |
|--------|
| Item # |
| 3507 |

Lever Type Grease Gun | 400 g

- can be filled with 400 g grease cartridges (DIN 1284), bulk grease and filling device



| |
|--------|
| Item # |
| 3144 |

LED-Worklight

- magnetic base Ø 23 mm
- many different types of application possible
- 200 mm flexible swan neck
- incl. batteries



| |
|--------|
| Item # |
| 9300 |



LED-Headlight | 12 LED

- adjustable light
- batteries included



| |
|--------|
| Item # |
| 9711 |



COB-LED Handheld Work Lamp

- 180 degree adjustable lamp stand with strong magnet, suitable for most metallic surfaces
- 1 revolving hanging hook
- 3W COB LED (main light) & 3W LED (head light)
- accumulator type: Li-Ion
- 3.7 V, 1200 mAh
- charging time: 2.5 h
- autonomy: 2.5 - 3 h
- charger input: micro USB incl. charging cable
- material: TPR
- dimensions: 155 x 40 x 20 mm
- weight: 132 g



| |
|--------|
| Item # |
| 9651 |



Magnetic Pick-Up Tool / Inspection Mirror Set | 4 pcs.

- handles ergonomically shaped and insulated
- 1 telescope magnetic lifter, 175 - 660 mm extendable, head Ø 16 mm
- 1 telescope mirror, 250 - 925 mm extendable, head Ø 58 mm
- 1 magnetic head, small, Ø 13 mm
- 1 magnetic head with joint, Ø 16 mm
- in plastic cassette



| |
|--------|
| Item # |
| 9197 |



Magnetic Pick-Up Tool / Inspection Mirror Set | 2 pcs.

- magnetic lifter 315 mm - 510 mm extendable
- inspection mirror 340 mm - 560 mm extendable
- mirror Ø 50mm



| |
|--------|
| Item # |
| 3086 |



Inspection Mirror | Ø 30 mm

- with double universal joint and clip
- extendable up to 476 mm
- mirror Ø 30 mm



| |
|--------|
| Item # |
| 3087 |





Magnetic Lifter | 500 mm | Capacity 0.5 kg

- extendable up to 500 mm overall length
- head diameter 7 mm
- with nozzle cleaner
- incl. clip holder

Item #
3105



Magnetic Pick-Up Tool | flexible | 560 mm | Traction 1.5 kg

- flexible with plastic handle
- bendable
- capacity up to 1500 g
- head insulated
- length: 560 mm

Item #
3090



Flexible Pick-Up Tool | 600 mm

- spring-loaded claw for picking up screws, nuts etc. in hard to reach places
- length: 600 mm

Item #
3093



LED Telescope Inspection Mirror | 290 - 876 mm

- non-slip telescopic grip
- rotating and folding mirrors
- mirror size: 41 x 64 mm
- 2 LED
- incl. 2 batteries
- length: 290 - 876 mm

Item #
99302





Magnetic Shell | Stainless Steel | Ø 100 mm

- stainless steel
- very strong magnet
- rubber coated
- for various applications

| |
|--------|
| Item # |
| 67801 |



Pry Bar Set | 4 pcs.

- plastic handles
- black finished carbon steel
- 1 pry bar 200 x 12 mm
- 1 pry bar 300 x 18 mm
- 1 pry bar 450 x 20 mm
- 1 pry bar 600 x 20 mm

| |
|--------|
| Item # |
| 99135 |



Ripping Bar/ Nail Puller | flat | 380 mm

- with 2 nail slots and flat claws
- forged steel

| |
|--------|
| Item # |
| 52138 |



Nail Puller | 300 mm

- with anti-slip, plastic handle
- forged steel

| |
|--------|
| Item # |
| 52830 |



Wrecking Bar | 600 mm

- forged steel

| |
|--------|
| Item # |
| 9136 |





Wrecking Bar

- heavy duty finish
- forged steel and hardened
- with claw and splitter
- wide footprint - no lateral adjustment
- oval profile



| Item # | Description |
|--------|---------------------------------|
| 52104 | Wrecking Bar 400 x 22 x 12 mm |
| 52106 | Wrecking Bar 600 x 30 x 17 mm |
| 52109 | Wrecking Bar 910 x 30 x 17 mm |

Borescope with TFT Colour Monitor

- colour display 6.7 cm
- visibility depth > 30 cm
- CMOS colour sensor
- camera head Ø 8.0 mm +/- 0.1 mm
- LED lights
- gooseneck 880 mm +/- 2 mm, Ø 6.5 mm
- battery type: 4 AA | 1.5 V
- operating temperature: 0 - 45°C
- storage temperature: -10 - 50°C
- min. bending radius: 45 mm
- camera angle: 54°
- white balance: automatic
- relative humidity storage: 15 - 85%
- relative humidity use: 15 - 85%
- camera resolution: 640 x 480 pixels
- number of LEDs: 4
- display resolution: 960 x 240 pixels
- weight approx.: 315 g



| |
|--------|
| Item # |
| 63215 |



Oil Suction Pump | 12 V

- max. flow rate for engine oil approx. 0,2 l/min. (at 40 °C oil temperature)
- ideal equipment for quick and clean oil-changes
- works by connecting the crocodile clips to the 12V car battery
- can remove up to 100% if the oil extraction probe with 6 mm diameter is inserted through the dipstick opening
- complete with all the necessary accessories and instructions
- not suitable for fuel and other easy flammable fluids
- max. suction height 70 mm



| |
|--------|
| Item # |
| 99910 |





Multipurpose Pump

- for filling air mattresses, balls, children's swimming pools, toys for swimming pools, etc.
- also suitable for draining/filling water
- including nozzle adaptor, football filling needle and 3 hoses for draining/transferring
- housing material: plastic



| |
|--------|
| Item # |
| 8558 |



Siphon Hand Pump | 540 mm | 2 pcs.

- for pumping liquids
- incl. suction tube especially for small ports
- material: plastic
- weight: 0.097 kg
- max. temperature resistance: 60 °C
- flow rate: 6.5 l/min



| |
|--------|
| Item # |
| 75812 |

Floor Jack | hydraulic | 2 t

- hydraulic
- mobile with 2 castors and carry handle
- length: 454 mm
- width: 202 mm
- height: 131 mm
- max. lifting height: 340 mm
- min. lifting height: 140 mm
- rated load capacity: 2000 kg



| |
|--------|
| Item # |
| 1880 |



Axle Stands | Load capacity 3000 kg / pair | stroke 335 - 500 mm | 1 pair

- black lacquered
- height adjustment: 335 - 500 mm
- only sold in pairs



| |
|--------|
| Item # |
| 3002 |



Trailer Plug | 7- Pin

- plastic housing with grommet
- with screwed cable connections
- horizontally split

| |
|--------|
| Item # |
| 80751 |



Trailer Socket | 7- Pin

- 3 fixing holes
- screwed cable connections
- with protective cover

| |
|--------|
| Item # |
| 80752 |



Adaptor for Trailer Socket 12 V | 7- Pin to 13- Pin

- plastic housing

| |
|--------|
| Item # |
| 80753 |



Adaptor for Trailer Socket | 13- Pin to 7- Pin

- plastic housing
- with protective cover

| |
|--------|
| Item # |
| 80754 |



Trailer Plug | 13- Pin

- screwed cable connectors

| |
|--------|
| Item # |
| 80962 |



Trailer Socket | 13- Pin

- screwed cable connectors
- with protective cover



| |
|--------|
| Item # |
| 80964 |



Trailer Theft Protection

- for mounting on drawbar
- heavy-duty version
- to be secured with padlock, e.g. disc lock BGS 85806
- surface finish: galvanized



| |
|--------|
| Item # |
| 80760 |

Trailer Reflector | 135 x 135 mm

- for mounting on trailers
- 2 mounting holes
- with E certification mark
- length: 135 mm
- width: 135 mm



| |
|--------|
| Item # |
| 80958 |

Trailer Reflector Set | 12 pcs.

- including nuts and screws
- with E4 certification mark
- 4 triangle reflectors, red, 160 mm
- 2 round reflectors, red, Ø 80 mm
- 6 round reflectors, yellow, Ø 60 mm



| |
|--------|
| Item # |
| 8635 |





Trailer Lamps with Magnetic Holder | 2 pcs.

- for mounting on trailers
- left and right rear light unit 10 x 10.5 cm
- rear, brake, license plate light and turn signals
- lighting unit connected with 2.2 m cable
- 7.5 metre, 5-core cable
- incl. 7-pin connector
- with E certification mark



| |
|--------|
| Item # |
| 80960 |

Tyre Pressure Gauge

- made of ABS
- scale 10-75 PSI / 0-5.5 bar



| |
|--------|
| Item # |
| 2104 |



Air Foot Pump | 0-7 bar

- for inflating e.g. footballs, inflatable mattresses
- also suitable for car and bicycle tyres with Dunlop and Schrader valves
- manometer with double display, 0 - 7 bar (0 - 100 PSI)
- flexible hose approx. 0.5 m
- with clamp lever
- cylinder: Ø 55 x length 120 mm



| |
|--------|
| Item # |
| 2105 |

Emergency Hammer with Seat Belt Cutter | 170 mm

- emergency hammer for crashing car windows and cutting the safety belts
- can be of inestimable value, should be in every vehicle

| |
|--------|
| Item # |
| 50615 |





Ratchet Tie Down Strap with Quick Lock

- strap width: 25 mm
- max. traction: 120 kg
- material: polypropylene (PP)



| Item # | Description |
|--------|--|
| 3598 | Ratchet Tie Down Strap with Quick Lock 2.5 m x 25 mm |
| 3597 | Ratchet Tie Down Strap with Quick Lock 3.5 m x 25 mm |

Tie Down Strap Set with Quick Lock | 2.5 m x 25 mm | 2 pcs.

- bandwidth: 25 mm
- length: 2.5 m
- max. traction: 120 kg
- material: polypropylene (PP)



| Item # |
|--------|
| 3599 |



Retaining Strap Kit | 2 m x 25 mm | 2 pcs.

- bandwidth: 25 mm
- length: 2 m
- max. traction: 122 kg
- 2-piece retaining strap kit
- quick release possible by pressing on unlock
- material: polyester (PES)



| Item # |
|--------|
| 3600 |



Ratchet Tie Down Strap | 5 m x 25 mm

- bandwidth: 25 mm
- length: 5 m
- max. traction: 120 kg
- material: polypropylene (PP)



| Item # |
|--------|
| 3550 |





Ratchet Tie Down Strap | with 2 solid Hooks | 5 m x 24 mm

- bandwidth: 25 mm
- length: 5 m
- max. traction: 120 kg
- with two solid hooks
- material: polypropylene (PP)



| |
|--------|
| Item # |
| 3553 |



Ratchet Tie Down Strap | with 4 protective Jaws | 5 m x 25 mm

- bandwidth: 25 mm
- length: 5 m
- max. traction: 120 kg
- suitable for fixing loads and for pre-tensioning gluing work, etc.
- the 4 protective jaws ensure a safe feeding of the belt around edges and prevent wear
- material: polypropylene (PP)



| |
|--------|
| Item # |
| 3554 |



Ratchet Tie Down Strap | 6 m x 38 mm

- bandwidth: 38 mm
- length: 6 m
- max. traction: 210 kg
- incl. two S-type hooks
- material: polyester (PES)



| |
|--------|
| Item # |
| 3495 |





Ratchet Tie Down Strap | 8 m x 50 mm

- bandwidth: 50 mm
- length: 8 m
- max. load bearing capacity: 2549 kg
- with fastening hooks
- material: polyester (PES)



| |
|--------|
| Item # |
| 3494 |

Carabiner Earhooks | JUMBO | 160 mm | 30 kg

- for suspension, transporting bags, etc.
- carry handle covered with foam
- length: 160 mm
- material: aluminium
- max. load bearing capacity: 30 kg



| |
|--------|
| Item # |
| 8077 |



Luggage Spanner Set | 600-800 mm | 2 pcs.

- length non-tensioned 60 cm / tensioned max. 80 cm
- diameter: 15 mm
- with plastic hooks
- max. traction: 6 kg



| |
|--------|
| Item # |
| 85502 |



Luggage Spanner | 800 - 1400 mm

- length non-tensioned 80 cm / tensioned max. 140 cm
- diameter: 10 mm
- with 2 aluminium hooks
- max. traction: 12 kg



| |
|--------|
| Item # |
| 85505 |





Luggage Spanner | 1000 - 1600 mm

- length tensioned max. 160 cm
- hook Ø 3 mm, with protective caps
- diameter: 7 mm
- max. traction: 6 kg



| |
|--------|
| Item # |
| 85510 |



Luggage Spanner Set | 300 / 450 / 600 mm | 6 pcs.

- hook Ø 3 mm, with protective caps
- diameter: 7 mm
- max. traction: 6 kg



| |
|--------|
| Item # |
| 85516 |



Luggage Tie Down Strap | 8-arm

- 750 x 750 mm
- hook Ø 3 mm, with protective caps
- diameter: 7 mm
- max. traction: 6 kg



| |
|--------|
| Item # |
| 85518 |



Luggage Spanner Set | 300 - 800 mm | 10 pcs.

- includes the following baggage strap sizes:
- 300 mm, 3 pcs.
- 400 mm, 3 pcs.
- 600 mm, 2 pcs.
- 800 mm, 2 pcs.
- diameter: 7 mm
- max. traction: 7 kg
- in round box



| |
|--------|
| Item # |
| 85512 |



Hygiene Masks | 10 pcs.

- one size fits all
- with flexible rubber band

| |
|--------|
| Item # |
| 3624 |



Criss Cross Gloves | Anti slip | Size 10

- non-slip
- high accuracy of fit
- comfortable to wear
- DIN EN 388
- size: 10

| |
|--------|
| Item # |
| 9959 |



Nitrile Gloves | Size 10

- non-slip
- high accuracy of fit
- comfortable to wear
- DIN EN 388
- size: 10

| |
|--------|
| Item # |
| 9961 |



Goggles with Adjustable Temples | transparent

- extremely large field of view
- optimal seat and good fit
- adjustable, flexible clamp
- optimised eye cover, made of impact-resistant polycarbonate
- provides comfort and protection during gardening and drilling/grinding work on metal, stone, concrete and wood

| |
|--------|
| Item # |
| 80887 |



Industrial Safety Set | 3 pcs.

- ear defenders (EN 352)
- dust mask (EN 149)
- full view safety goggles (EN 166)
- application areas: workshop, home, garage, garden

| |
|--------|
| Item # |
| 93625 |





Slip Slider Set | grey | 25 pcs.

- self-adhesive
- thickness: 4 mm
- easy sliding due to special coating
- 10 slip sliders, round, Ø 16 mm
- 7 slip sliders, round, Ø 22 mm
- 4 slip sliders, square, 38 x 38 mm
- 4 slip sliders, square, 22 x 22 mm
- colour: grey



| |
|--------|
| Item # |
| 80861 |



Felt Pads Set | white | 32 pcs.

- self-adhesive
- thickness: 3 mm
- 16 felt pads, square, 22 x 22 mm
- 16 felt pads, round, Ø 22 mm
- colour: white



| |
|--------|
| Item # |
| 80860 |



Felt Pad Set | brown | 32 pcs.

- self-adhesive
- thickness: 3 mm
- 16 felt pads, square, 22 x 22 mm
- 16 felt pads, round, Ø 22 mm
- colour: brown



| |
|--------|
| Item # |
| 80863 |



Felt Pad Set | self-adhesive | 131 pcs.

- 48 felt pads, round, Ø 20 mm, thickness: 3 mm, white
- 36 felt pads, round, Ø 15 mm, thickness: 3 mm, black
- 36 felt pads, round, Ø 10 mm, thickness: 1 mm, black
- 10 felt pads, round, Ø 38 mm, thickness: 4 mm, white
- 1 felt plate, square, 200 x 200 mm, thickness: 3 mm, white, can be cut to size



| |
|--------|
| Item # |
| 80865 |





Felt Pad Set | self-adhesive | 131 pcs.

- in plastic storage case
- to protect sensitive floors
- 10 felt pads, mat 90 x 40 mm, thickness: 1 mm, white
- 10 felt pads, mat 90 x 40 mm, thickness: 1 mm, black
- 24 felt pads, Ø 15 mm, thickness: 2 mm, white
- 24 felt pads, Ø 15 mm, thickness: 2 mm, tinged with gray
- 48 felt pads, Ø 20 mm, thickness: 2 mm, white
- 16 sliding stoppers, round, Ø 25 mm, thickness: 3 mm, white
- 12 sliding stoppers, round, Ø 38 mm, thickness: 3 mm, white
- 40 sliding stoppers, round, Ø 15 mm, thickness: 3 mm, black
- 18 sliding stoppers, hexagonal, Ø 25 mm, thickness: 3 mm, white
- 20 sliding stoppers, square, 20 x 20 mm, thickness: 1 mm, white
- 50 sliding stoppers, rectangular, 9 x 21 mm, thickness: 3 mm, white




| |
|--------|
| Item # |
| 80550 |



Felt Pads Set | white | 64 pcs.

- self-adhesive
- thickness: 3 mm
- 16 felt pads, square, 22 x 22 mm
- 8 felt pads, round, Ø 28 mm
- 24 felt pads, round, Ø 22 mm
- 16 felt pads, round, Ø 16 mm
- colour: white




| |
|--------|
| Item # |
| 80701 |



Felt Pads Set | tinged with gray | 64 pcs.

- self-adhesive
- thickness: 3 mm
- 16 felt pads, square, 22 x 22 mm
- 8 felt pads, round, Ø 28 mm
- 24 felt pads, round, Ø 22 mm
- 16 felt pads, round, Ø 16 mm
- colour: tinged with gray



| |
|--------|
| Item # |
| 80703 |






Felt Pad | Mats | white | 100 x 200 mm | 3 pcs.

- self-adhesive
- thickness: 3 mm
- rectangular version
- sliding help and sound insulation for chairs and other small pieces of furniture
- to protect smooth surfaces like laminate, parquett floor, synthetic material or stone floor
- to be used on clear, dry and greaseless surfaces
- dimensions: 100 x 200 mm
- colour: white



| |
|--------|
| Item # |
| 80711 |



Felt Pad | Mats | brown | 100 x 200 mm | 3 pcs.

- self-adhesive
- thickness: 3 mm
- rectangular version
- sliding help and sound insulation for chairs and other small pieces of furniture
- to protect smooth surfaces like laminate, parquett floor, synthetic material or stone floor
- to be used on clear, dry and greaseless surfaces
- dimensions: 100 x 200 mm
- colour: brown



| |
|--------|
| Item # |
| 80713 |



Felt Pads Set | with Pin | Ø 24 mm | 20 pcs.

- with nail pins
- 20 felt pads, with pin, Ø 24 mm



| |
|--------|
| Item # |
| 80868 |




Felt Pads Set | with Pin | Ø 24 mm | 20 pcs.

- screw gives the pad a secure hold
- cross slot PZ2
- pads for chairs, tables and furniture on a solid surface
- 20 felt pads, Ø 24 mm, can be screwed



| |
|--------|
| Item # |
| 80862 |





Elastic Stopper Set | transparent | 46 pcs.

- for using as a bump stop on cabinet doors and as furniture protection on equipment bases
- self-adhesive
- transparent
- 8 pcs. Ø 19.0 mm x 4.0 mm
- 14 pcs. Ø 12.7 mm x 3.5 mm
- 24 pcs. Ø 7.9 mm x 2.2 mm



| |
|--------|
| Item # |
| 80866 |



Elastic Stopper Set | 33 pcs.

- for using as a bump stop on cabinet doors and as furniture protection on equipment bases
- self-adhesive
- 25 elastic stoppers Ø 8 mm x 2.5 mm
- 8 elastic stoppers 15 x 15 mm



| |
|--------|
| Item # |
| 80869 |



Wall / Door Buffer | Ø 40 / 60 mm | 2 pcs.

- protects against damage to lacquered, coated and wooden surfaces
- 1 wall / door buffer Ø 40 mm
- 1 wall / door buffer Ø 60 mm



| |
|--------|
| Item # |
| 80867 |



Pruning Shears | 210 mm

- hardened blades



| |
|--------|
| Item # |
| 9111 |





Pump for Drilling Machine | 1/2" | 1000 l/h

- suitable for watering, draining or filling garden ponds, pools, etc.
- max. electric drill speed 4000 rpm
- not suitable for fuel, corrosive and other flammable fluids
- max. delivery capacity: 1000 l/h
- hose connection: 1/2"



| |
|--------|
| Item # |
| 50830 |



Mousetrap | 2 pcs.

- length: 100 mm
- width: 48 mm



| |
|--------|
| Item # |
| 80782 |



Planter Carrying Strap | 2 pcs.

- for easy and comfortable transport of heavy flower buckets, planters or bulky pots
- 2 carrying straps
- 4 supporting loops (2 pcs. for each carrying strap) for perfect wearing comfort
- adjustable size, suitable for planters or planter bowls with 40 cm outer diameter
- easy handling with quick-release fasteners
- usable up to 80 kg
- width of carrying strap: 25 mm
- material: polyethylen (PE)



| |
|--------|
| Item # |
| 80824 |



Furniture Carrying Strap | adjustable | 100 kg

- perfect, heavy-duty relocation aid
- suitable for transportation of big and heavy objects
- belt length adjustable
- length: 3 m
- material: polyester (PES)
- max. capacity: 100 kg



| |
|--------|
| Item # |
| 80823 |





Meat Hooks | Stainless Steel

- stainless
- one side ground (very sharp)

| Item # | Description |
|--------|--------------------------------------|
| 80908 | Meat Hook 80 mm Stainless Steel |
| 80910 | Meat Hook 100 mm Stainless Steel |
| 80912 | Meat Hook 120 mm Stainless Steel |
| 80916 | Meat Hook 160 mm Stainless Steel |



Stainless Steel Adhesive Hooks

- self-adhesive



| Item # | Description |
|--------|---|
| 88230 | Stainless Steel Adhesive Hooks 35 x 50 mm 1.0 kg 2 pcs. |
| 88232 | Stainless Steel Adhesive Hooks 45 x 70 mm 1.5 kg 2 pcs. |



Magnet Set | "Smile" | Ø 40 mm | 4 pcs.

- sticks to workbenches, information boards and music stands
- multi-purpose: use for work, hobbies, school etc.
- assorted colours

| Item # |
|--------|
| 85812 |



Magnet Set | Ø 30 mm | 10 pcs.

- sticks to workbenches, information boards and music stands
- multi-purpose: use for work, hobbies, school etc.
- assorted colours

| Item # |
|--------|
| 85810 |



Magnet Set | ceramic | 2 pcs.

- strong rectangular magnet
- to be used on workbenches, information boards and music stands
- multi-purpose: use for work, hobbies, school etc.
- dimensions: 48 x 22 x 10 mm

| Item # |
|--------|
| 79901 |





Magnet Set | ceramic | Ø 18 mm | 8 pcs.

- strong round magnet
- to be used on workbenches, information boards and music stands
- multi-purpose: use for work, hobbies, school etc.
- outside diameter: 18 mm



| |
|--------|
| Item # |
| 79903 |



Magnet Set | ceramic | Ø 25 mm | 6 pcs.

- strong round magnet
- to be used on workbenches, information boards and music stands
- multi-purpose: use for work, hobbies, school etc.
- outside diameter: 25 mm



| |
|--------|
| Item # |
| 79905 |



Magnet Set | extra strong | Ø 8 mm | 6 pcs.

- compact & strong
- much adhesive force on small area
- wheel shape
- universal purpose
- outside diameter: 8 mm
- thickness: 3 mm



| |
|--------|
| Item # |
| 79907 |



Magnet Set | extra strong | Ø 12 mm | 4 pcs.

- compact & strong
- much adhesive force on small area
- wheel shape
- universal purpose
- outside diameter: 12 mm
- thickness: 3 mm



| |
|--------|
| Item # |
| 79909 |



Magnet Set | extra strong | Ø 18 mm | 2 pcs.

- compact & strong
- much adhesive force on small area
- wheel shape
- universal purpose
- outside diameter: 18 mm
- thickness: 3 mm



| |
|--------|
| Item # |
| 79911 |





Magnet Set | extra strong | Ø 9.5 mm | 6 pcs.

- compact & strong
- much adhesive force on small area
- even on all sides, avoids scratching of surface
- universal purpose
- cylindric shape: 9,5 x 10 mm

| |
|--------|
| Item # |
| 79919 |



Magnetic Hook Set | round | Ø 35 mm | 2 pcs.

- with inserted magnet in steel pot
- metal housing avoids damages to the magnet and strengthens the holding power
- hook is screwed in existing thread on the backside of magnet plate
- dimensions hook: 30 x 20 mm
- material strength: 3.4 mm
- material strength ground plate with inserted magnet: 6 mm
- surface finish: nickel plated

| |
|--------|
| Item # |
| 79913 |



Magnetic Hook | round | Ø 60 mm

- with inserted magnet in steel pot
- metal housing avoids damages to the magnet and strengthens the holding power
- hook is screwed in existing thread on the backside of magnet plate
- dimensions hook: 35 x 20 mm
- material strength: 4 mm
- material strength ground plate with inserted magnet: 7 mm
- surface finish: nickel plated

| |
|--------|
| Item # |
| 79915 |



Swivel and fixed Castors Set | 40 mm | 4 pcs.

- includes 2 swivel and 2 fixed castors
- fixed castor plate: 35 x 45 mm
- swivel castor plate: 40 x 45 mm
- castor diameter: 40 mm
- max. load bearing capacity: 25 kg
- hole distance: 35 x 45 / 40 x 45 mm

| |
|--------|
| Item # |
| 80330 |





Double Swivel Castors Set | Ø 40 mm | 4 pcs.

- includes 4 double castors 360° steering range
- castor plate 38 x 38 mm
- castor diameter: 40 mm
- max. load bearing capacity: 25 kg



| |
|--------|
| Item # |
| 80332 |



Double Castor Wheels | red/black | Ø 50 mm

- max. capacity: 30 kg
- castor diameter: 50 mm
- mounting hole distance: 38 x 38 mm
- height: 61mm
- roll material: polyurethane (PU)



| Item # | Description |
|--------|--|
| 80336 | Double Castor Wheel red/black 50 mm |
| 80338 | Double Castor Wheel with Brake red/black 50 mm |

Solid Rubber Wheel | steel rim | Ø 100 mm

- with ball bearing
- steel rim
- for 12 mm axle
- max. load bearing capacity: 70 kg
- wheel diameter: 100 mm



| |
|--------|
| Item # |
| 80959 |

Castors | with Base

- with ball bearing



| Item # | Description |
|--------|-------------------------------|
| 80951 | Castor with Base Ø 100 mm |
| 80953 | Castor with Base Ø 125 mm |

Swivel Castors | with Base

- with ball bearing



| Item # | Description |
|--------|--------------------------------------|
| 80955 | Swivel Castor with Base Ø 100 mm |
| 80957 | Swivel Castor with Base Ø 125 mm |

Castors | red/black | Ø 100 mm

- diameter: 100 mm
- max. capacity: 100 kg
- height: 126 mm
- mounting hole distance: 95 x 67 mm
- roll material: polyurethane (PU)



| Item # | Description |
|--------|--|
| 80663 | Castor red/black Ø 100 mm |
| 80664 | Castor with Brake red/black Ø 100 mm |

Wheel | 260 mm

- 2PR tyres on plastic rim
- shaft diameter: 20 mm, hub width: 75 mm
- max. load bearing capacity: 150 kg
- wheel width: 85 mm
- wheel diameter: 260 mm
- max. tyre pressure: 2.1 bar (30 psi)



| Item # |
|--------|
| 80950 |

Pushcart Wheel | with Hose

- with air hose
- shaft diameter: Ø 20 mm x width 69 mm
- steel rim, ball bearing
- max. load bearing capacity: 150 kg
- max. tyre pressure: 2.1 bar (30psi)



| Item # | Description |
|--------|-------------------------------------|
| 81970 | Pushcart Wheel with Hose 350 mm |
| 80954 | Pushcart Wheel with Hose 400 mm |



Wheel for Pushcarts/Handcarts | PU

- tubeless and airless
- puncture-resistant: no inflation, no air loss, no flat tyres
- with ball bearings
- axle diameter: 20 mm
- axle width: 75 mm
- BGS 80650 & BGS 80652, max. capacity: 100 kg
- BGS 80655 & BGS 80657, max. capacity: 150 kg




| Item # | Description |
|--------|--|
| 80650 | Wheel for Pushcarts/Handcarts PU red/black 260 mm |
| 80652 | Wheel for Pushcarts/Handcarts PU yellow/black 260 mm |
| 80655 | Pushcart Wheel PU, red/black 400 mm |
| 80657 | Pushcart Wheel PU, yellow/black 400 mm |

Axle Set for Pushcart Wheel | Ø 20 mm

- axle diameter 20 mm
- total width of the axle cylinder 150 mm
- tolerance between axle brackets 100 mm
- for hubs with a width of 100 mm
- wheel width: max. 120 mm
- screwed with 2 hexagonal nuts, 19 mm with washer



| Item # |
|--------|
| 80949 |



Pipe Expander Kit | 9 pcs.

- suitable for copper, aluminium and other soft metals
- includes spreading pieces Ø 9.5 mm (3/8") - 12.5 mm (1/2") - 15.9 mm (5/8") - 19.3 mm (3/4") - 25.4 mm (1") - 28.0 mm
- incl. deburring tool
- in plastic case



| Item # |
|--------|
| 3048 |

Tube Cutter | Ø 3 - 22 mm

- for copper, brass, light metal and thin steel tubes
- for pipes from Ø 3 to 22 mm

| Item # |
|--------|
| 1905 |






Tube Cutter | Ø 3 - 28 mm

- for copper, brass, light metal and thin steel tubes
- incl. deburring knife (stored in the handle)
- for pipes from Ø 3 to 28 mm

| |
|--------|
| Item # |
| 1906 |



Hose/Pipe Cutter | 5 - 40 mm

- cuts hoses and plastic pipes made of polypropylene and polyethylene
- improved impact due to lever transmission
- suitable for pipe Ø from 5 - 40 mm

| |
|--------|
| Item # |
| 1902 |



Hose Cutting Pliers | Hose Ø 4 - 16 mm,

- material: plastic
- blade material: steel, stainless

| |
|--------|
| Item # |
| 1912 |



Hose cutting Pliers | Hose Ø max. 25 mm

- for hose diameters up to 25 mm
- for plastic tubes
- length: 185 mm
- material: aluminium
- blade material: manganese steel (65)

| |
|--------|
| Item # |
| 1910 |



Pipe Cleaning Spirals

- with handle
- claw



| Item # | Description |
|--------|-----------------------------|
| 1991 | Pipe Cleaning Spiral 3 m |
| 1992 | Pipe Cleaning Spiral 5 m |
| 1993 | Pipe Cleaning Spiral 10 m |





Drain Pipe Cleaner | Ø 60 mm | 380 mm

- length: 380 mm
- diameter: 60 mm

| |
|--------|
| Item # |
| 8040 |



Valve Seat Cutter | 3/8" - 1/2"

- with 3/8" and 1/2" exchangeable cutter
- safe sealing of running taps


| |
|--------|
| Item # |
| 8041 |



Sanitary Pliers | 230 mm

- 4-step adjustable
- with transparent, protective jaws
- length: 230 mm

| |
|--------|
| Item # |
| 75810 |



Radiator Bleeding Key Set | 3 pcs.

- zinc alloy keys for bleeding and draining of most radiators
- compact type
- suitable for working in small areas
- internal square 5 mm

| |
|--------|
| Item # |
| 50505 |



Basin Wrench | 180°

- perfect for right and left hand threads
- adjustable T-handle
- 180° swivel head

| |
|--------|
| Item # |
| 433 |





Silicone Trowel and Scraper Set | 8 pcs.

- to fill, clean, cut and smoothen
- suitable for silicone-filled seam
- with various, interchangeable profile smoothers in different radii
- rust-proof
- the perfect tool for flexible fill



| Item # | Description |
|---------|--|
| 85200 | Silicone Trowel and Scraper Set 8 pcs. |
| 85200-1 | Replacement Heads white for BGS 85200 5 pcs. |

Silicone Scraper

- suitable for cutting silicone in corner joints
- enables easy reworking of the joints after the silicone is hardened



| Item # |
|--------|
| 85201 |



Silicone Trowel and Scraper Set | 3 pcs.

- two-sided applicator, with narrow or wide side, for smoothing sealant
- joint remover, for removing old sealant, with joint hook
- applicator with tip, for cartridges, for applying and smoothing in one step



| Item # |
|--------|
| 85213 |



Silicon Smoother Set | 4 pcs.

- for smoothing silicone, e. g. during grouting and sealing
- for perfect joints and seamless connections
- for work areas that are difficult to reach
- contains 3 smoothers and 1 joint cleaner



| Item # |
|--------|
| 85205 |





Tweezers | 105-120 mm | 4 pcs.

- straight, bent, flat
- surface finish: chrome plated

| |
|--------|
| Item # |
| 2044 |



Carpenter's Pencils | 250 mm | 6 pcs.

- 6 carpenter's pencils 250 mm
- not only for the carpenter, can be used wherever needed to be measured and drawn on

| |
|--------|
| Item # |
| 2071 |



Carpenter's Pencils | 175 mm | with sharpener | 7 pcs.

- 6 carpenter's pencils 175 mm
- special sharpener
- not only for the carpenter, can be used wherever needed to be measured and drawn on

| |
|--------|
| Item # |
| 85853 |



Tool Holder with 18 Loops | 500 mm

- for up to 17 tools
- incl. screws and dowels (2 pcs.) for fixing to the wall
- length: 500 mm
- material: plastic

| |
|--------|
| Item # |
| 3005 |



Tool Holder Set | 3 pcs.

- three tool holders with flexible opening
- incl. fixing screws

| |
|--------|
| Item # |
| 85801 |





Magnetic Tool bar | 500 mm

- with screws for fixing on wall
- lacquered finish
- length: 500 mm
- max. load bearing capacity: 3 kg

| |
|--------|
| Item # |
| 3006 |



Staple Gun | for staples | 4-14 mm

- heavy duty metal finish
- staples are type 53

| |
|--------|
| Item # |
| 3012 |



Staples | Type 53 | 1000 pcs.

- suitable for staple gun BGS 3012



| Item # | Description |
|--------|--|
| 3020 | Staples Type 53 6 x 11.4 mm 1000 pcs. |
| 3021 | Staples Type 53 8 x 11.4 mm 1000 pcs. |
| 3022 | Staples Type 53 10 x 11.4 mm 1000 pcs. |
| 3023 | Staples Type 53 12 x 11.4 mm 1000 pcs. |
| 3011 | Staples Type 53 14 x 11.4 mm 1000 pcs. |



Funnel Set | Ø 50 - 125 mm | 4 pcs.

- Ø 50 - 75 - 100 - 125 mm
- material: plastic

| |
|--------|
| Item # |
| 8029 |





Multi Purpose Funnel | Plastic | Ø 140 mm | 2 pcs.

- Ø 140 mm
- with sieve
- flexible detachable filler, 290 mm long



| |
|--------|
| Item # |
| 8031 |

Funnel | 45 x 45 mm

- very helpful for filling oil, wishwash, coolant, fuel etc.
- suitable for almost all liquids
- length: 45 mm
- width: 45 mm
- height: 100 mm



| |
|--------|
| Item # |
| 67850 |



Luggage Scale with Measuring Tape | max. 32 kg

- important tool for business and leisure travel: avoid airlines high overweight fees by checking your luggage weight wherever you travel
- scale with handle and hook for luggage
- kg & lb scale, up to 32 kg / 80 lb
- 1 m measuring tape for checking luggage size
- weight: 150 g



| |
|--------|
| Item # |
| 50861 |



Scraper Set | 40 mm | 2 pcs.

- replaceable blades
- universally applicable
- may also be used in hard to reach area due to special short construction
- blade width: 40 mm



| |
|--------|
| Item # |
| 53801 |





Universal Scraper | 38 mm | with 5 Blades

- for removing plaques, adhesive residues on glass, sealing residues during engine repairs, in the kitchen area ceramic hob, etc.
- with safety cap
- blade width: 38 mm

| |
|--------|
| Item # |
| 85816 |



Scraper Blades | for BGS 85816 | 5 pcs.

- spare blades for item 85816

| |
|--------|
| Item # |
| 9505 |



Plastic Chock Set | 24 pcs.

- is used when aligning e.g. furniture, flooring, etc.
- colour marks the height of the chocks
- 4 chocks 1 mm
- 4 chocks 2 mm
- 4 chocks 3 mm
- 4 chocks 4 mm
- 4 chocks 5 mm
- 4 chocks 6 mm
- material: plastic

| |
|--------|
| Item # |
| 80724 |



Package Cord | 2 mm x 50 mm

- length: 50 m
- material: polypropylene (PP)
- diameter: 2 mm

| |
|--------|
| Item # |
| 80802 |





All-Purpose Rope | 4 mm x 20 m

- length: 20 m
- material: polyethylene (PE)
- diameter: 4 mm
- max. load bearing capacity 45 kg



| |
|--------|
| Item # |
| 80804 |

All-Purpose Rope | 6 mm x 20 m

- length: 20 m
- material: polyethylene (PE)
- diameter: 6 mm
- max. load bearing capacity: 65 kg



| |
|--------|
| Item # |
| 80805 |

Caution Tape | 80 mm x 50 m

- obliquely hatched
- practical winder
- length: 50 m
- width: 80 mm
- colour: red / white



| |
|--------|
| Item # |
| 80807 |



Lubricating Oil | 100 ml

- for oiling of door hinges, locks and sewing machines
- prevents and corrects squeaking and stiffness



| |
|--------|
| Item # |
| 80880 |



Superglue | low viscosity | bottle 20 g

- for extremely quickly glueing of smooth surfaces made of plastic or rubber, readjustment is no longer possible
- low viscosity (runny)
- wide range of applications
- delivered in sales display for each 25 bottles ordered
- bottle with new cap and PE-needle (capillary)
- no running
- valve gate
- no clogging of the grommets
- easy application of the adhesive
- precise dosing
- basis: Ethyl cyanoacrylate
- colour: transparent
- viscosity 20°C: approx. 35 - 70 mPa.s
- density: approx. 1.05 g / cm³
- filling capacity: max. 0.07 mm
- temperature resistance: from -50 to + 80 °C
- hand-tight aluminium: approx. 5 - 15 seconds
- hand-tight rubber: approx. 5 - 10 seconds
- final strength: 24 hours
- made in the EU



| |
|--------|
| Item # |
| 80853 |

UV Adhesive incl. UV lamp | bottle 3 g

- suitable for gluing jewellery glass, lead crystal glass, also laminated glass (for example, car window panes and car rear-view mirrors)
- not suitable for aquariums
- the adhesive automatically hardens under UV exposure by the included UV lamp, or by direct sunlight.
- suitable for gluing, fixing, sealing, repairing, securing, filling, modelling, insulating
- can be reliably used with a high degree of strength for clear glass, plastics, metals, wood and stone
- at the press of a button, you yourself decide:
 - when the adhesive reacts and sets
 - how fast the adhesive reacts
 - how high the stiffness is to be
 - how hard the adhesive is to become
 - how elastic the adhesion will stay
- ideal for modelling, glass, acrylic, wood, porcelain, jewellery, metals, rubber, auto glass, insulation, waterproofing
- adhesion: < 3 sec.
- hardening < 30 sec.
- temperature resistance: max. -40°C to 120 °C
- shore hardness D: max. 55
- tensile strength: max. 200 kg/cm²
- viscosity 20°C: 2,500 - 5,000 mPa.s
- superglue bottle 3g
- UV lamp
- made in the EU



| |
|--------|
| Item # |
| 80854 |





Glue Remover | 20 g

- removes adhesive residues from the hands, upholstery, plastics and many other materials. Before using, a material test is recommended
- contains acetone and ethyl acetate
- applications: electrical and electrical industry, lighting industry, metal processing, automotive, model making, furniture industry and more
- with the purchase of 25 bottles the delivery takes place in the promotional display box
- color: colorless
- density: 0.82 g / cm³
- viscosity at 20 ° C: 0.98 mPa.s
- contains acetone and ethyl acetate
- made in the EU



| |
|--------|
| Item # |
| 80864 |

Repair putty METAL

- two-component adhesive (plasticine), for filling, sealing and bonding cracks, joints, gaps, scratches and holes
- for bridging, mending, shaping, fixing, repairing and strengthening
- ideal adhesion to metal, steel, copper, solid brass, cast, aluminium
- after hardening the putty can be easily mechanically machined, by drilling, grinding, sawing, milling, thread cutting



| |
|--------|
| Item # |
| 80896 |



Repair putty WOOD

- two-component adhesive (plasticine), for filling, sealing and bonding cracks, joints, gaps, scratches and holes in wood
- for bridging, mending, shaping, fixing, repairing and strengthening
- ideal adhesion to wood
- after hardening the putty can be easily worked, by drilling, grinding, sawing



| |
|--------|
| Item # |
| 80897 |





Repair putty SANITARY

- two-component adhesive (plasticine), for filling, sealing and bonding cracks, joints, gaps, scratches and holes in sanitary facilities
- for bridging, mending, shaping, fixing, repairing and strengthening
- after hardening the putty can be easily worked, by drilling, grinding, sawing
- prevents fungal growth

| |
|--------|
| Item # |
| 80898 |



Key Accessory Set | 25 pcs.

- 3 black, 2 red, 2 yellow, 2 blue and 2 green key flags with writing windows
- 1 yellow, 1 blue and 1 red carabiner
- 3 black, 2 purple, 2 yellow, 2 blue and 2 green keyrings for colour-coded identification

| |
|--------|
| Item # |
| 80870 |



Patches Box | 50 pcs.

- four different sizes
- irritation free
- does not stick to the wound
- permeable to air
- waterproof

| |
|--------|
| Item # |
| 80885 |



Vibration Absorber Kit | Ø 65 x 20 mm | 4 pcs.

- diminishes transfer of vibrations to the ground
- suitable for all standard washing machines and dryers
- anti-slip stand
- grey
- height: 20 mm
- diameter: 65 mm
- colour: grey

| |
|--------|
| Item # |
| 85803 |





Magnifier | LED

- four times magnification
- handy size and lightweight
- perfect to read small rating labels e.g. inside baking oven, refrigerator or in small dark cavities or if the labels are dirty

illumination:

- 5 white light-LED
- 1 UV-LED

power supply:

- 4 button cells LR1130

magnifying glass size & lens diameter:

- lense diameter: 60 mm (diagonal axis)
- total length: 195 mm
- biconvex lense
- visual field is easy to see trough



| |
|--------|
| Item # |
| 85865 |



Magnifying Glass | Ø 100 mm

- real glass
- 3x magnification



| |
|--------|
| Item # |
| 85860 |



Magnifier with LED Light

- LED lamp for use in the dark
- with pouch
- magnification range 3x and 6x



| |
|--------|
| Item # |
| 85862 |





Transport Roller | 80 x 105 x 30 mm | 150 kg

- for transporting heavy loads
- for furniture, garden and home
- turntable for easy manoeuvring
- 4 double castors mounted on steel axles
- with towing eye
- made of unbreakable plastic
- length: 105 mm
- width: 80 mm
- height: 30 mm
- material: plastic
- max. load bearing capacity: 150 kg

| |
|--------|
| Item # |
| 80340 |



Rain Poncho | one size fits all

- one size fits all
- with hood
- mixed colours (red - blue - yellow - transparent)
- colour selection not possible

| |
|--------|
| Item # |
| 80895 |



Paint Drop Cloth | rolled | 25 x 1 m

- length: 25 m (wound-up)
- width: 1 m
- suitable as protection cover for paint and dirt
- for indoor and outdoor use
- upper surface made of strong suction cotton and synthetic streak
- bottom surface is slip resistant

| |
|--------|
| Item # |
| 9794 |



Mastic Trowel | with a Flat Neck | Stainless | 180 x 10 mm

- conical ground
- stainless steel blade
- with wooden handle

| |
|--------|
| Item # |
| 81669 |





Mason's trowel, German Type | with Swan's Neck | Stainless | 160 mm

- dimension 160 x 85/115 mm
- material thickness: 1.0 mm
- stainless steel blade, hardened
- with wooden handle

| |
|--------|
| Item # |
| 81665 |



Plasterer's trowel, Bern-type | Stainless | 140 mm

- dimension: 140 x 60/85 mm
- material thickness: 0.7 mm
- sheet of hardened steel
- stainless steel blade, hardened
- with wooden handle

| |
|--------|
| Item # |
| 81662 |



Plastering tool | Stainless | 280 x 30 mm

- dimension: 280 x 130 mm
- material thickness: 0.7 mm
- with zinc die-cast support
- stainless steel blade, hardened
- with wooden handle

| |
|--------|
| Item # |
| 81660 |



Spyhole | polished Brass | Ø 14 mm

- viewing angle 200° - no blind spot
- adjustable for door leaves with 35 - 57 mm thickness
- material: brass
- surface finish: polished
- diameter: 14 mm

| |
|--------|
| Item # |
| 8090 |





Brass Cylinder Lock | 60 mm

- 5 pin mechanism
- 3 nickel plated keys
- material: brass



| |
|--------|
| Item # |
| 8088 |



Brass Cylinder Lock

- brass
- 5 security keys
- heavy version



| Item # | Description |
|--------|-----------------------------|
| 8091 | Brass Cylinder Lock 60 mm |
| 8093 | Brass Cylinder Lock 70 mm |
| 8094 | Brass Cylinder Lock 80 mm |



Brass Cylinder Lock | simultaneous locking | 15 pcs.

- "the little master key system"
- heavy duty version
- 2 cylinders - 60 mm
- 1 cylinder - 70 mm
- 9 simultaneously locking keys
- 3 screws
- material: brass



| |
|--------|
| Item # |
| 8092 |



Garage door closing cylinders | 40 mm

- stable safety cylinder 30/10
- incl. 5 borehole keys
- incl. fixing screw
- semi-cylinders for garage doors and key switches
- for interior and exterior doors



| |
|--------|
| Item # |
| 85818 |





Letterbox locking cylinder | 18 x 20 mm

- suitable for letterboxes, cabinets, drawers, furniture, etc.
- chrome plated zinc housing, robust quality
- thread diameter: 18 mm
- outer diameter: 22 mm
- total installation length: approx. 28 mm
- installation length up to latch: 19 mm
- latch dimensions: 42 x 13 x 2 mm
- use length: approx. 24 mm
- 2 keys



| |
|--------|
| Item # |
| 85819 |



Brass Padlocks

- with 3 keys
- hardened steel shackle



| Item # | Description |
|--------|-----------------------|
| 3096 | Brass Padlock 30 mm |
| 3098 | Brass Padlock 40 mm |
| 3099 | Brass Padlock 50 mm |
| 3100 | Brass Padlock 60 mm |

Brass Padlock Set | simultaneous locking | 40 mm | 4 pcs.

- each lock has 3 keys
- material: brass
- shackle thickness: 4 mm
- shackle width (inner): 22 mm
- shackle height (inner): 22 mm



| |
|--------|
| Item # |
| 3101 |



Brass Padlock | extra high Shackle | 40 mm

- material: brass
- shackle thickness: 4.5 mm
- shackle width (inner): 24 mm
- shackle height (inner): 100 mm



| |
|--------|
| Item # |
| 3103 |





Security Padlocks

- security padlocks, special multi-disc construction
- hardened steel shackle
- with 3 keys



| Item # | Description |
|--------|--------------------------|
| 85030 | Security Padlock 30 mm |
| 85040 | Security Padlock 40 mm |
| 85050 | Security Padlock 50 mm |



Padlocks

- hardened steel shackle
- only suitable for indoors



| Item # | Description |
|--------|----------------------------|
| 85130 | Padlock Type S 32 mm |
| 85140 | Padlock Type L 38 mm |
| 85150 | Padlock Type XL 46 mm |
| 85160 | Padlock Type XXL 60 mm |



Padlock Set | simultaneous locking | Type L | 35mm | 4 pcs.

- hardened shackle
- only suitable for indoors

| Item # |
|--------|
| 85164 |



Padlock | Type L | extra high Shackle

- hardened steel shackle
- only suitable for indoors

| Item # |
|--------|
| 85168 |





Padlock | 40 mm | water resistant

- especially suitable for outdoors
- incl. 2 keys

| |
|--------|
| Item # |
| 85817 |



Disc Padlock | 70 mm

- made from heavy duty steel
- ideal for trailer-theft protection caps

| |
|--------|
| Item # |
| 85806 |



Luggage Padlock Set | 15 mm | 2 pcs.

- brass housing
- steel shackle

| |
|--------|
| Item # |
| 85808 |



Combination Luggage Lock Set | 2 pcs.

- 2 practical combination locks for luggage

| |
|--------|
| Item # |
| 85809 |





Lock Bolts with Strap

- surface finish: galvanized
- incl. fastening screws



| Item # | Description |
|--------|------------------------------------|
| 8081 | Lock Bolt with Strap 125 x 50 mm |
| 8082 | Lock Bolt with Strap 150 x 50 mm |



Flat Steel Connector | 100 x 35 x 2.5 mm

- surface finish: galvanized

| Item # |
|--------|
| 80783 |



Flat Steel Connector | 100 x 35 x 2.5 mm | 4 pcs.

- surface finish: galvanized

| Item # |
|--------|
| 80784 |



Flat Steel Connector | 180 x 40 x 2.5 mm

- surface finish: galvanized

| Item # |
|--------|
| 80781 |



Steel Plates with Holes

- surface finish: galvanized


| Item # | Description |
|--------|---------------------------------------|
| 80785 | Steel Plate with Holes 200 x 60 mm |
| 80787 | Steel Plate with Holes 300 x 100 mm |





Joist Hangers

- surface finish: galvanized



| Item # | Description |
|--------|-----------------------------|
| 80902 | Joist Hanger 46 x 105 mm |
| 80904 | Joist Hanger 80 x 120 mm |
| 80906 | Joist Hanger 100 x 140 mm |

Hinge Set | 50 x 50 mm | 3 pcs.

- each with 4 holes
- surface finish: galvanized




| |
|--------|
| Item # |
| 80915 |



L-Plates


- with holes
- surface finish: galvanized



| Item # | Description |
|--------|--------------------------------------|
| 80921 | L-Plate 75 x 75 x 12 mm 4 pcs. |
| 80923 | L-Plate 100 x 100 x 15 mm 4 pcs. |
| 80925 | L-Plate 150 x 150 x 25 mm 2 pcs. |

T-Bracket | 70 x 50 x 16 mm | 4 pcs.

- with holes
- surface finish: galvanized



| |
|--------|
| Item # |
| 80927 |

Fence Fitting

- surface finish: galvanized



| |
|--------|
| Item # |
| 80930 |

Angle Joints

- surface finish: galvanized
- with drilling holes for fixing on both legs

| Item # | Description |
|--------|-------------------------------------|
| 80934 | Angle Joint 40 x 40 x 40 x 2 mm |
| 80935 | Angle Joint 50 x 50 x 40 x 2 mm |
| 80946 | Angle Joint 60 x 60 x 40 x 2.5 mm |
| 80947 | Angle Joint 60 x 60 x 60 x 2.5 mm |
| 80948 | Angle Joint 80 x 80 x 60 x 2.5 mm |



Angle Joint Set | 40 x 40 x 40 mm | 10 pcs.

- with drilling holes for fixing on both legs
- surface finish: galvanized

| Item # |
|--------|
| 80932 |



Angle Joints | with Bead

- with bead (reinforcement)
- with drilling holes for fixing on both legs
- surface finish: galvanized

| Item # | Description |
|--------|---|
| 80937 | Angle Joint with Bead 70 x 70 x 55 x 2.5 mm |
| 80939 | Angle Joint with Bead 90 x 90 x 65 x 2.5 mm |
| 80941 | Angle Joint with Bead 105 x 105 x 90 x 3 mm |



Angle Joint | 40 x 40 x 40 x 2 mm | economy pack | 50 pcs.

- with drilling holes for fixing on both legs
- surface finish: galvanized

| Item # |
|----------|
| 80934-50 |



Angle Joint | with Bead | 70 x 70 x 55 x 2.5 mm | economy pack | 25 pcs.

- with bead (reinforcement)
- with drilling holes for fixing on both legs
- surface finish: galvanized

| Item # |
|----------|
| 80937-25 |





Chair Brackets

- with holes
- surface finish: galvanized



| Item # | Description |
|--------|---|
| 80943 | Chair Bracket 25 x 25 x 15 mm 12 pcs. |
| 80944 | Chair Bracket 40 x 40 x 15 mm 12 pcs. |
| 80945 | Chair Bracket 60 x 60 x 20 mm 8 pcs. |



Corner Bracket Set | 180 pcs.

- includes 2 mm thick drilled plates
- 4 straight plates 40 x 15 mm
- 4 straight plates 80 x 15 mm
- 4 angled plates 25 x 25 x 16 mm
- 4 angled plates 40 x 40 x 16 mm
- 4 angled plates 60 x 60 x 16 mm
- 4 angled plates 75 x 75 x 16 mm
- 4 squares 40 x 40 x 12 mm
- 4 squares 60 x 60 x 12 mm
- 144 screws, cross slot PZ3 x 16 mm
- surface finish: galvanized



| |
|--------|
| Item # |
| 80920 |

Lock Gate Hook and Eye Set | 4.0 x 80 mm | 2 pcs.

- incl. support ring and lock ring
- for closing doors, gates, folding shutters, flaps, etc.
- with eyelets
- length: 80 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 80942 |





Storm Hook | 4.0 x 160 mm

- for closing doors, gates, folding shutters, flaps, etc.
- with eyelet
- length: 160 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 80940 |



Screw Hook Assortment | white | plastic-coated | 60 mm | 6 pcs.

- versatile use in workshop, home and garden
- 6 screw hooks, 60 mm

| |
|--------|
| Item # |
| 88181 |



Screw Hooks | 90 mm | 2 pcs.

- open screw hooks
- curved type
- suitable for screwing directly in wood or using a screw anchor in brickwork
- material strength: 6.2 mm
- thread length: 38 mm
- inner hook opening: 30.5 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 88183 |



Cable Tie Assortment | black | 100 x 200 mm | 75 pcs.

- 25 cable ties 2.4 x 100 mm
- 25 cable ties 2.4 x 120 mm
- 25 cable ties 3.6 x 200 mm
- material: nylon
- colour: black


| |
|--------|
| Item # |
| 1789 |





Cable Tie Assortment | black

- material: nylon
- colour: black



| Item # | Description |
|--------|---|
| 80877 | Cable Tie Assortment black 4.5 x 350 mm 50 pcs. |
| 80879 | Cable Tie Assortment black 7.6 x 500 mm 20 pcs. |
| 80773 | Cable Tie Assortment black 8.0 x 700 mm 10 pcs. |
| 80777 | Cable Tie Assortment black 8.0 x 900 mm 10 pcs. |

Cable Tie Assortment | white

- material: nylon
- colour: white



| Item # | Description |
|--------|--|
| 80770 | Cable Tie Assortment white 4.8 x 250 mm 50 pcs. |
| 80772 | Cable Tie Assortment white 4.8 x 300 mm 50 pcs. |
| 80774 | Cable Tie Assortment white 8.0 x 400 mm 30 pcs. |
| 80776 | Cable Tie Assortment white 8.0 x 600 mm 20 pcs. |
| 80775 | Cable Tie Assortment white 8.0 x 800 mm 10 pcs. |
| 80779 | Cable Tie Assortment white 8.0 x 1000 mm 10 pcs. |

Cable Tie Assortment | white | 100 x 300 mm | 250 pcs.

- 160 cable ties, 100 x 2.5 mm
- 40 cable ties, 200 x 4.6 mm
- 10 cable ties, 200 x 7.5 mm
- 30 cable ties, 300 x 4.7 mm
- 10 cable ties, 300 x 7.8 mm
- material: nylon
- colour: white

| |
|--------|
| Item # |
| 80778 |



Cable Tie Assortment | coloured | 2.4 x 100 mm | 200 pcs.

- material: nylon
- colours: black, yellow, red, green, blue
- length: 100 mm
- width: 2.4 mm

| |
|--------|
| Item # |
| 80875 |





Cable Tie Assortment | coloured | 100 x 200 mm | 450 pcs.

- in round box
- 50 cable ties 100 x 2.5 mm red
- 50 cable ties 100 x 2.5 mm yellow
- 50 cable ties 100 x 2.5 mm green
- 50 cable ties 100 x 2.5 mm blue
- 50 cable ties 100 x 2.5 mm black
- 50 cable ties 150 x 2.5 mm white
- 50 cable ties 150 x 2.5 mm black
- 50 cable ties 200 x 3.6 mm white
- 50 cable ties 200 x 3.6 mm black
- material: nylon



| |
|--------|
| Item # |
| 80873 |

Linch Pin

- galvanized, zinc coated
- 2 pieces on card



| Item # | Description |
|--------|-----------------------------------|
| 8083 | Linch Pin Set Ø 6 mm 2 pcs. |
| 8084 | Linch Pin Set Ø 8 mm 2 pcs. |
| 8085 | Linch Pin Set Ø 9.5 mm 2 pcs. |
| 8086 | Linch Pin Set Ø 11 mm 2 pcs. |

Linchpin Assortment | bolt Ø 4.5 - 11 mm | 32 pcs.

- in assortment box
- 10 linchpins, bolt Ø 4.5 mm
- 10 linchpins, bolt Ø 6 mm
- 5 linchpins, bolt Ø 8 mm
- 7 linchpins, bolt Ø 11 mm
- surface finish: galvanized, electroplated



| |
|--------|
| Item # |
| 88195 |

COLOR Tape Roll Set | 19 x 3.5 m | 6 pcs.

- different colours
- length: 3.5 m
- width: 19 mm



| |
|--------|
| Item # |
| 3024 |





Multi-Adhesive Tape | black | 19 mm x 10 m

- e.g. for fixing and wrapping
- length: 10 m
- width: 19 mm
- colour: black

| |
|--------|
| Item # |
| 3026 |



Duct Tape | 50 mm x 10 m

- very tear-resistant
- waterproof
- length: 10 m
- width: 50 mm

| |
|--------|
| Item # |
| 3018 |



Packing Tape Roll | brown | 50 mm x 50 m

- for dispenser, coil (Ø 75 mm)
- length: 50 m
- width: 50 mm
- colour: brown

| |
|--------|
| Item # |
| 3221 |



Stretch Film | black | 500 mm x 300 m, 23 µm

- for manual dispenser
- absolutely tearproof
- good privacy screen
- length: 300 m
- width: 500 mm
- colour: black
- thickness: 23

| |
|--------|
| Item # |
| 62 |



Key Snap Hooks | 100 x 10 mm

- length: 100 mm
- material: steel

| |
|--------|
| Item # |
| 8076 |





Spanner-Carabiner Set | 4 pcs.

- can be used as a keychain
- with key holding rings
- material: aluminium

not suitable for climbing / sports use!

| |
|--------|
| Item # |
| 80872 |



Shackle Set | D-Type | 2 pcs.

- straight D-shackles with eye bolts
- sizes: 8x31 mm (length 50 mm) and 10x37 mm (length 62mm)
- workload: max. 150 kg
- surface finish: galvanized

| |
|--------|
| Item # |
| 80871 |



Bonding Wire | 50 m x 0.7 mm

- supplied on reel
- length: 50 m
- surface finish: galvanized
- thickness: 0.7 mm

| |
|--------|
| Item # |
| 9120 |



Bonding Wire in Display | 30 m

- in dispenser, with cutter
- plastic-coated
- length: 30 m
- thickness: 2.2 mm

| |
|--------|
| Item # |
| 9127 |



Tool Hooks | 4 pcs.

- general purpose hooks for garden tools and tools
- e.g. pole holders, electric cables, etc.
- max. load: 10 kg per hook

| |
|--------|
| Item # |
| 80913 |





Painter's Pyramids | 10 pcs.

- dimensions: 50 x 60 mm
- max. load: 90 kg
- saves time and effort
- the free-height pyramids are a long-lasting and versatile help that can lift your workpiece and work surface from the ground for painting and crafting
- use the clamps to secure them together when working on small work pieces.
- the workpieces are touched minimally on the bottom only by the tips of the pyramids



| | |
|--------|--|
| Item # | |
| 85210 | |

Nails Brads Assortment | 750 pcs.

- in assortment box
- 70 special nails 11 / 14 mm
- 340 standard nails 19 / 25 / 32 mm
- 340 wire nails 19 / 25 / 32 mm



| | |
|--------|--|
| Item # | |
| 8074 | |

Nails Brads Assortment | 200 pcs.

- in assortment box
- wire pins 25 mm
- wire pins 30 mm
- nails 20 mm
- nails 30 mm
- nails 40 mm
- nails 50 mm



| | |
|--------|--|
| Item # | |
| 88130 | |

Nail Assortments

- each set in assortment box



| Item # | Description |
|--------|---------------------------------------|
| 88110 | Nail Assortment 200 g 1.4 x 25 mm |
| 88112 | Nail Assortment 200 g 1.8 x 35 mm |
| 88114 | Nail Assortment 200 g 2.5 x 40 mm |
| 88116 | Nail Assortment 200 g 2.5 x 50 mm |
| 88118 | Nail Assortment 250 g 2.8 x 60 mm |





Steel Nail Assortment | 85 pcs.

- in assortment box
- blued
- hardened
- 20 steel nails 1.6 x 30 mm
- 20 steel nails 2.0 x 40 mm
- 20 steel nails 2.0 x 45 mm
- 15 steel nails 2.5 x 50 mm
- 10 steel nails 3.0 x 65 mm

| |
|--------|
| Item # |
| 88148 |



Skirting Board / Baseboard Pin Set | 100 pcs.

- in assortment box
- hardened
- 20 skirting board / baseboard pins 1.4 x 25 mm
- 20 skirting board / baseboard pins 1.6 x 30 mm
- 20 skirting board / baseboard pins 1.8 x 35 mm
- 15 skirting board / baseboard pins 2.0 x 40 mm
- 15 skirting board / baseboard pins 2.0 x 45 mm
- 10 skirting board / baseboard pins 2.5 x 50 mm


| |
|--------|
| Item # |
| 88178 |



Steel Picture Hook Assortment | 48 pcs.

- in assortment box
- ideal for hanging pictures, cupboards, etc.
- 6 screw hooks, length 25 mm
- 8 screw hooks, length 35 mm
- 6 screw hooks, length 40 mm
- 6 hook nails, length 30 mm
- 6 hook nails, length 40 mm
- 6 hook nails, length 50 mm

| |
|--------|
| Item # |
| 88164 |



Nut and Screw Assortment | Metric | M4 / M5 | 125 pcs.

- in assortment box
- 45 nuts M4, galvanized
- 16 screws M4 x 10 mm
- 16 screws M4 x 12 mm
- 8 screws M4 x 20 mm
- 5 screws M4 x 25mm
- 18 nuts M5
- 10 screws M5 x 20 mm
- 8 screws M5 x 25 mm

| |
|--------|
| Item # |
| 8134 |





Sheet Metal Screw Assortment | 175 pcs.

- in assortment box
- with slot SL
- 50 sheet metal screws 3 x 13 mm
- 40 sheet metal screws 3.5 x 10 mm
- 30 sheet metal screws 3.5 x 13 mm
- 20 sheet metal screws 3.5 x 20 mm
- 15 sheet metal screws 4 x 20 mm
- 10 sheet metal screws 4 x 25 mm
- 10 sheet metal screws 5 x 30 mm
- material: steel
- surface finish: galvanized



| |
|--------|
| Item # |
| 8072 |

Multi-Purpose Screws | Cross Slot

- in polybag
- surface finish: galvanized, electroplated

| Item # | Description |
|--------|--|
| 80961 | Multi-Purpose Screws Cross Slot PZ2 3.5 x 30 mm 250 pcs. |
| 80963 | Multi-Purpose Screws Cross Slot PZ2 3.5 x 35 mm 200 pcs. |
| 80965 | Multi-Purpose Screws Cross Slot PZ2 4.0 x 40 mm 150 pcs. |
| 80967 | Multi-Purpose Screws Cross Slot PZ2 4.0 x 50 mm 125 pcs. |
| 80971 | Multi-Purpose Screws Cross Slot PZ2 4.0 x 60 mm 100 pcs. |
| 80973 | Multi-Purpose Screws Cross Slot PZ2 5.0 x 80 mm 50 pcs. |
| 80975 | Multi-Purpose Screws Cross Slot PZ3 6.0 x 100 mm 20 pcs. |



Multi-Purpose Screws | T-Star (for Torx)

- high power transmission by T-Star screw head
- in polybag
- surface finish: galvanized, electroplated

| Item # | Description |
|--------|---|
| 80990 | Multi-Purpose Screws T-Star (for Torx) T10 3.0 x 20 mm 260 pcs. |
| 80992 | Multi-Purpose Screws T-Star (for Torx) T10 3.5 x 30 mm 250 pcs. |
| 80993 | Multi-Purpose Screws T-Star (for Torx) T10 3.5 x 35 mm 200 pcs. |
| 80994 | Multi-Purpose Screws T-Star (for Torx) T20 4.0 x 40 mm 150 pcs. |
| 80995 | Multi-Purpose Screws T-Star (for Torx) T20 4.0 x 50 mm 125 pcs. |
| 80996 | Multi-Purpose Screws T-Star (for Torx) T20 4.0 x 60 mm 100 pcs. |
| 80997 | Multi-Purpose Screws T-Star (for Torx) T25 5.0 x 70 mm 50 pcs. |
| 80998 | Multi-Purpose Screws T-Star (for Torx) T25 5.0 x 80 mm 50 pcs. |
| 80999 | Multi-Purpose Screws T-Star (for Torx) T25 6.0 x 100 mm 20 pcs. |
| 81000 | Multi-Purpose Screws T-Star (for Torx) T30 6.0 x 120 mm 18 pcs. |





Hose Clamp Assortment | Ø 4 - 45 mm | 6 pcs.

- suitable for tube diameters from 4 to 45 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 80855 |



Hose Clip Set | "endless strap" | 3 m

- flexible applications due to a 3 m endless strap
- strap width 8 mm
- can be formed to hose clamps of any size
- incl. 8 clamping locks (slotted screws)

| |
|--------|
| Item # |
| 1794 |



Hose Clamp Assortment | 25 pcs.

- in assortment box
- 8 hose clamps Ø 16 mm
- 6 hose clamps Ø 22 mm
- 4 hose clamps Ø 25 mm
- 2 hose clamps Ø 28 mm
- 2 hose clamps Ø 35 mm
- 3 hose clamps Ø 40 mm

| |
|--------|
| Item # |
| 88182 |



O-Ring Assortment | 50 pcs.

- suitable for drinking water pipes
- 6 foam rubber discs, 36 x 28 x 2.2 / 45 x 28 x 2.2 / 45 x 21 x 2.2 mm
- 4 tapers, 14.5 x 9.5 x 5.5 / 17 x 10 x 7mm
- 6 rubber seals (for washing machine), 13 x 4 x 4 / 16 x 4 x 4 / 17 x 4 x 4 mm
- 8 fibre washers, 17 x 10 x 0.8 / 21 x 17 x 0.8 / 24 x 21 x 0.8 / 24 x 17 x 0.8 mm
- 3 plastic wear rings, 16 x 2.5 / 19 x 2.0 / 20 x 2.5 mm
- 8 rubber backing discs, 19 x 11 x 2.5 / 21 x 17.5 x 1.2 / 21 x 14 x 1.2 / 24 x 15 x 2.0 mm
- 14 O-ring, 9.5 x 6.4 x 1.55 / 16 x 11 x 1.55 / 18 x 13 x 1.55 / 17 x 12.7 x 1.55 / 19 x 15 x 1.55 / 20 x 16 x 1.55 / 21 x 16 x 1.55 mm
- 1 solid brass C-clip, 13 x 0.5 mm
- 1 aluminium washers, 21 x 18 x 0.5 mm

| |
|--------|
| Item # |
| 8128 |





O-Ring Assortment | Ø 5 - 20 mm | 50 pcs.

- acid, petrol, heat and oil resistant
- 3 O-rings internal diameter 20 mm, thickness 3.5 mm
- 3 O-rings internal diameter 18 mm, thickness 3.5 mm
- 3 O-rings internal diameter 19 mm, thickness 2.5 mm
- 3 O-rings internal diameter 18 mm, thickness 2.5 mm
- 3 O-rings internal diameter 16 mm, thickness 2.5 mm
- 3 O-rings internal diameter 14 mm, thickness 2.5 mm
- 3 O-rings internal diameter 13 mm, thickness 2.5 mm
- 3 O-rings internal diameter 11 mm, thickness 2.5 mm
- 3 O-rings internal diameter 10 mm, thickness 2.5 mm
- 7 O-rings internal diameter 5 mm, thickness 2.0 mm
- 8 O-rings internal diameter 13 mm, thickness 1.5 mm
- 8 O-rings internal diameter 10 mm, thickness 1.5 mm
- material: acrylic rubber (NBR)



| |
|--------|
| Item # |
| 8131 |



Luster Terminals | 2 pcs. | 12 pcs. block

- suitable for electrical installations on buildings



| Item # | Description |
|--------|--|
| 80725 | Luster Terminals 2.5 mm ² 3 Amp. 2 pcs. 12 pcs. block |
| 80727 | Luster Terminals 4.0 mm ² 6 Amp. 2 pcs. 12 pcs. block |

Hook and Loop Tape Assortment | 20 x 190 mm | 12 pcs.

- strong hook and loop fastening function
- especially suitable for installation or bundling of cables, hoses, etc.
- colour-coded in 6 different colours
- length: 190 mm
- width: 20 mm



| |
|--------|
| Item # |
| 80825 |



Hollow Wall Anchor Assortment | 50 pcs.

- with collar
- in polybag
- 30 dowels with 6 mm diameter
- 20 dowels with 8 mm diameter
- made in Germany



| |
|--------|
| Item # |
| 80841 |



Plasterboard Dowel Assortment | 25 pcs.

- drill hole: 10 mm
- max. opening of spreader: 35 mm
- in polybag
- made in Germany

| |
|--------|
| Item # |
| 80843 |



Plasterboard Dowel Assortment | 20 pcs.

- with drilling tip
- includes 20 dowels, length 30 mm
- for screw diameters 3.5 to 5.5 mm
- in polybag
- made in Germany

| |
|--------|
| Item # |
| 80844 |



Screw Anchor Set | 5/6/8 mm | 400 pcs.

- suitable for concrete, clay bricks, sand-lime bricks and other building materials
- 3 sizes packed separately
- 200 dowels, 5 mm
- 150 dowels, 6 mm
- 50 dowels, 8 mm
- made in Germany

| |
|--------|
| Item # |
| 80850 |



Screw Hook Assortment | 80 pcs.

- in assortment box
- 25 ring eyelets, 16 mm
- 10 ring eyelets, 20 mm
- 15 ring hooks 20 mm
- 7 ring hooks 30 mm
- 15 screw hooks, 20 mm
- 8 screw hooks, 30 mm
- surface finish: galvanized

| |
|--------|
| Item # |
| 88136 |





Screw Hook / Ring Hook Assortment | 142 pcs.

- in assortment box
- 60 closed ring hooks 2.2 x 25 mm
- 10 closed ring hooks 4.3 x 45 mm
- 8 closed ring hooks 4.8 x 50 mm
- 50 open screw hooks 2.5 x 40 mm
- 10 open screw hooks 4.0 x 60 mm
- 4 open screw hooks 4.8 x 75 mm
- surface finish: galvanized



| |
|--------|
| Item # |
| 88180 |



Washer Assortment | Ø 4 - 12 mm (inside size) | 130 pcs.

- in reusable, practical box
- 40 washers inside Ø 4 mm, outside Ø 9 mm
- 30 washers inside Ø 5 mm, outside Ø 10 mm
- 25 washers inside Ø 6 mm, outside Ø 12 mm
- 15 washers inside Ø 8 mm, outside Ø 16 mm
- 10 washers inside Ø 10 mm, outside Ø 20 mm
- 10 washers inside Ø 12 mm, outside Ø 24 mm
- surface finish: galvanized



| |
|--------|
| Item # |
| 88132 |



HSS Spring Washer Assortment | M4 - M12 | 145 pcs.

- in assortment box
- 40 spring washers for M4 screws
- 30 spring washers for M5 screws
- 30 spring washers for M6 screws
- 20 spring washers for M8 screws
- 15 spring washers for M10 screws
- 10 spring washers for M12 screws
- surface finish: galvanized



| |
|--------|
| Item # |
| 88140 |



Spring Washer Assortment | Ø 4 - 8 mm | 250 pcs.

- in assortment box
- 80 spring washers Ø 4 mm
- 35 spring washers Ø 5 mm
- 15 spring washers Ø 6 mm
- 15 spring washers Ø 8 mm
- 50 flat washers, Ø 4 mm
- 25 flat washers, Ø 5 mm
- 15 flat washers, Ø 6 mm
- 15 flat washers, Ø 8 mm
- material: steel
- surface finish: galvanized



| |
|--------|
| Item # |
| 8073 |



Nut Assortment | self-locking | Metric | M4 - M12 | 53 pcs.

- with metric standard thread
- nylon insert
- in assortment box
- 15 nuts, self-locking M4
- 15 nuts, self-locking M5
- 8 nuts, self-locking M6
- 8 nuts, self-locking M8
- 5 nuts, self-locking M10
- 2 nuts, self-locking M12
- surface finish: chrome plated

| |
|--------|
| Item # |
| 88144 |



Nut Assortment | M3 - M10 | 150 pcs.

- in assortment box
- 50 nuts, M3
- 30 nuts, M4
- 30 nuts, M5
- 18 nuts, M6
- 9 nuts, M8
- 3 nuts, M10
- surface finish: galvanized

| |
|--------|
| Item # |
| 8068 |



Splint Pin Assortment | Ø 1.6 - 3.2 mm | 135 pcs.

- in assortment box
- 30 spring pins Ø 1.6 x 25 mm
- 30 spring pins Ø 2.4 x 25 mm
- 25 spring pins Ø 3.2 x 25 mm
- 15 spring pins Ø 3.2 x 32 mm
- 25 spring pins Ø 2.4 x 38 mm
- 10 spring pins Ø 3.2 x 50 mm

| |
|--------|
| Item # |
| 88138 |



Spring Split Pin Assortment | Ø 1.2 - 3.0 mm | 48 pcs.

- in assortment box
- 15 spring split pins Ø 1.2 x 25 mm
- 5 spring split pins Ø 2.0 x 30 mm
- 10 spring split pins Ø 1.6 x 33 mm
- 10 spring split pins Ø 1.6 x 40 mm
- 5 spring split pins Ø 2.3 x 40 mm
- 3 spring split pins Ø 3.0 x 65 mm

| |
|--------|
| Item # |
| 88134 |





Shrink Tube Assortment | black | 90 pcs.

- in assortment box
- shrink rate: 2:1
- max. voltage: 600 V
- max. temperature resistance. 125°C
- 15 shrink tubes 2.0 x 40 mm
- 15 shrink tubes 2.5 x 40 mm
- 15 shrink tubes 3.5 x 40 mm
- 15 shrink tubes 5.0 x 40 mm
- 15 shrink tubes 7.0 x 40 mm
- 15 shrink tubes 7.0 x 75 mm

| |
|--------|
| Item # |
| 88152 |



Shrink Tube Assortment | black | 126 pcs.

- in assortment box
- shrink rate: 2:1
- max. voltage: 600 V
- max. temperature resistance. 125°C
- 30 shrink tubes 2.0 x 40 mm
- 24 shrink tubes 2.5 x 40 mm
- 20 shrink tubes 3.5 x 40 mm
- 20 shrink tubes 5.0 x 40 mm
- 16 shrink tubes 7.0 x 80 mm
- 8 shrink tubes 10.0 x 80 mm
- 8 shrink tubes 13.0 x 85 mm

| |
|--------|
| Item # |
| 88184 |



Shrink Tube Assortment | coloured | 90 pcs.

- in assortment box
- shrink rate: 2:1
- max. voltage: 600 V
- max. temperature resistance. 125°C
- 15 shrink tubes 1.5 x 40 mm
- 15 shrink tubes 2.5 x 40 mm
- 15 shrink tubes 4.0 x 40 mm
- 15 shrink tubes 6.0 x 40 mm
- 15 shrink tubes 10.0 x 40 mm
- 15 shrink tubes 4.0 x 75 mm

| |
|--------|
| Item # |
| 88150 |





Shrink Tube Assortment | coloured | 99 pcs.

- in assortment box
- shrink rate: 2:1
- max. voltage: 600 V
- max. temperature resistance: 125°C
- 30 shrink tubes 1.5 x 100 mm
- 30 shrink tubes 2.5 x 100 mm
- 20 shrink tubes 4.0 x 100 mm
- 10 shrink tubes 6.0 x 100 mm
- 6 shrink tubes 10.0 x 100 mm
- 3 shrink tubes 13.0 x 100 mm




| |
|--------|
| Item # |
| 88186 |



Shrink Tube Assortment | coloured | 171 pcs.

- for fast repair, protects cables from humidity and corrosion
- in plastic storage case
- shrink rate: 2:1
- max. voltage: 600 V
- max. temperature resistance: 125°C
- 25 shrink tubes Ø 2.0 mm, length 30 mm, red
- 25 shrink tubes Ø 2.0 mm, length 30 mm, black
- 25 shrink tubes Ø 2.0 mm, length 30 mm, white
- 25 shrink tubes Ø 2.0 mm, length 30 mm, green
- 10 shrink tubes Ø 4.0 mm, length 60 mm, blue
- 10 shrink tubes Ø 4.5 mm, length 60 mm, black
- 8 shrink tubes Ø 5.0 mm, length 60 mm, red
- 6 shrink tubes Ø 6.0 mm, length 60 mm, white
- 11 shrink tubes Ø 8.0 mm, length 90 mm, blue
- 11 shrink tubes Ø 9.0 mm, length 90 mm, blue
- 7 shrink tubes Ø 12.0 mm, length 90 mm, green
- 7 shrink tubes Ø 18.0 mm, length 90 mm, yellow
- 1 shrink tubes Ø 10.0 mm, length 1000 mm, black



| |
|--------|
| Item # |
| 88188 |



Car Fuse Assortment | 24 pcs.

- in assortment box
- 4 fuses 5 A (orange)
- 4 fuses 10 A (red)
- 4 fuses 15 A (blue)
- 4 fuses 20 A (yellow)
- 4 fuses 25 A (transparent)
- 4 fuses 30 A (green)



| |
|--------|
| Item # |
| 88154 |





Ferrules Assortment | insulated | 93 pcs.

- in assortment box
- with plastic collar
- 20 wire end sleeves for cable cross section 0.5 mm², white
- 20 wire end sleeves for cable cross section 1.0 mm², red
- 14 wire end sleeves for cable cross section 1.50 mm², black
- 21 wire end ferrules for cable cross section 2.50 mm², blue
- 10 wire end sleeves for cable cross section 4.00 mm², dark gray
- 8 wire end sleeves for cable cross section 6.00 mm², yellow



| |
|--------|
| Item # |
| 88176 |



Shelf Carrier/Wooden Dowel Assortment | 54 pcs.

- in assortment box
- 12 shelf support metal pins
- 12 shelf supports plastic nails
- 8 plastic angle brackets
- 10 wooden dowels Ø 6 mm x 30 mm
- 8 wooden dowels Ø 8 mm x 40 mm
- 4 wooden dowels Ø 10 mm x 40 mm



| |
|--------|
| Item # |
| 88158 |



Wooden Dowel Assortment | Ø 5-10 mm | 53 pcs.

- in assortment box
- 15 wooden dowels Ø 5 mm x 25 mm
- 12 wooden dowels Ø 6 mm x 30 mm
- 8 wooden dowels Ø 8 mm x 25 mm
- 8 wooden dowels Ø 8 mm x 40 mm
- 6 wooden dowels Ø 10 mm x 35 mm
- 4 wooden dowels Ø 10 mm x 40 mm



| |
|--------|
| Item # |
| 88162 |



Office Set with Paper Clips, Magnets, Pin Needles | 36 pcs.

- in assortment box
- 15 paper clips
- 6 magnets
- 3 foldback brackets
- 12 pin needles



| |
|--------|
| Item # |
| 88160 |





Cable Clamp Set | 71 pcs.

- 25 cable clamps for cable diameter 6 mm
- 25 cable clamps for cable diameter 8 mm
- 15 cable clamps for cable diameter 10 mm
- 6 cable clamps for cable diameter 12 mm

Item #
88166



Picture Hook Assortment | 97 pcs.

- in assortment box
- 1 wire Ø 0.75 mm x 1.8 m
- 8 nails 2.0 x 25 mm
- 20 nails 1.3 x 17 mm
- 6 frame clamps
- 12 eyebolts
- 10 frame claws
- 20 pinboard pins
- 20 drawing pins

Item #
88146



Grub Screw Assortment | 91 pcs.

- in assortment box
- made from steel according to din standard 913, flat
- 4 grub screws with standard thread M3 x 5 mm
- 20 grub screws with standard thread M4 x 5 mm
- 15 grub screws with standard thread M5 x 6 mm
- 30 grub screws with standard thread M6 x 10 mm
- 10 grub screws with standard thread M8 x 10 mm
- 12 grub screws with standard thread M8 x 12 mm

Item #
88156



External Circlip Assortment | Ø 3 - 19 mm | 78 pcs.

- in assortment box
- 20 circlips Ø 3 mm
- 20 circlips Ø 4 mm
- 16 circlips Ø 12 mm
- 10 circlips Ø 14 mm
- 6 circlips Ø 16 mm
- 6 circlips Ø 19 mm

Item #
88168





Internal Circlip Assortment | Ø 8 - 19 mm | 78 pcs.

- in assortment box
- 20 circlips Ø 8 mm
- 20 circlips Ø 10 mm
- 16 circlips Ø 12 mm
- 10 circlips Ø 14 mm
- 6 circlips Ø 16 mm
- 6 circlips Ø 19 mm

| |
|--------|
| Item # |
| 88170 |



E-Clip Assortment | 3 - 15 mm | 94 pcs.

- in assortment box
- made of spring steel
- black phosphated
- 25 E-ring circlips 3 mm
- 25 E-ring circlips 5 mm
- 20 E-ring circlips 6 mm
- 10 E-ring circlips 10 mm
- 8 E-ring circlips 12 mm
- 6 E-ring circlips 15 mm

| |
|--------|
| Item # |
| 88174 |





| Description | Page |
|-------------|------|
|-------------|------|

| | |
|-----------------------------|----|
| 4 Size Drill Chuck Wrenches | 43 |
|-----------------------------|----|

A

| | |
|---------------------------|---------|
| Adaptor Sets | 28 |
| Adhesive Hooks | 157 |
| Adhesive Tapes | 187-188 |
| Adhesives | 171 |
| Air Blow Guns | 102,103 |
| Air Conditioner Tool Sets | 122 |
| Air Eccentric Sanders | 101 |
| Air Foot Pumps | 146 |
| Air Hammer Chisels | 102 |
| Air Impact Wrenches | 100-101 |
| Air L-Keys | 101 |
| Air Polishers | 101 |
| Air Pump | 146 |
| Air Sanders | 102 |
| Air Tyre Inflators | 103 |
| Air Wheel | 161 |
| Angle Joints | 183 |
| Angle Post Levels | 57 |
| Angle Spirit Levels | 57 |
| Angled Bit Holders | 27 |
| Antifreeze Testers | 122-123 |
| Augers | 41 |
| Automatic Centre Punches | 52 |
| Automatic Wire Twisters | 88 |
| Axle Boot Pliers | 92 |
| Axle Stands | 143 |

B

| | |
|-------------------------------|------------|
| Ball Joint Tools | 34,116-117 |
| Bar Clamps | 82-83 |
| Baseboard Pin Sets | 191 |
| Basin Wrench | 164 |
| Battery Pole Terminal Pullers | 33 |
| Belt Pouches | 15 |
| Bench Vises | 85 |
| Bit / Drill Sets | 23-24 |
| Bit Sets | 19-27 |
| Bit Sets with Depth Stop | 26-27 |
| Bit Sockets | 17-27 |
| Blades | 54-55 |
| Blind Rivets | 89 |
| Blindhole Bearing Puller | 32-33 |
| Blow Guns (Air) | 103 |
| Body Repair Tool Sets | 118-119 |
| Bolt Cutter | 92 |
| Bonding Wires | 189 |
| Borescopes | 142 |
| Brake Bleeder Tools | 112 |
| Brake Drum Extractors | 117 |
| Brake Piston Reset Tools | 110-111 |
| Brass Brushes | 43-44 |
| Brushes | 43-44 |
| Buffers | 155 |
| Bumping Hammers | 119-120 |
| Burning Irons | 104 |
| Burnishers | 46-48 |

C

| | |
|------------------------------------|---------|
| Cable Access Kits | 114 |
| Cable Clamp Sets | 201 |
| Cable Cutter | 91 |
| Cable Ties | 185-187 |
| Car Opening Sets | 121 |
| Carabiner Earhooks | 149 |
| Carabiner Hooks | 188-189 |
| Carbide Tipped Circular Saw Blades | 61 |
| Carburetor Screwdrivers | 64-65 |

| Description | Page |
|-------------|------|
|-------------|------|

| | |
|---------------------------|-------------|
| Carburetor Testers | 132 |
| Cardboard Knives | 54 |
| Carpenter's Pencils | 166 |
| Carrying Straps | 156 |
| Caulking Guns | 138 |
| Caution Tapes | 170 |
| Center Drill Bits | 41 |
| Center Punches | 52 |
| Chair Brackets | 184 |
| Chisels | 35 |
| Chocks | 169 |
| Circlip Assortment | 201-202 |
| Circlip Pliers | 92 |
| Circular Saw Blades | 61 |
| Claw Tools | 140 |
| Claw Wedges | 51 |
| Clip Rivet Pliers | 120 |
| Combination Drills | 35-42 |
| Combination Pliers | 93-94 |
| Combination Spanners | 75-77 |
| Common Rail Diagnosis Kit | 127 |
| Compression Tester | 133 |
| Concrete Drill | 35-42 |
| Cordless Tools | 104 |
| Cords | 169 |
| Cotter Pin Assortment | 197 |
| Craftsman's Toolboxes | 13-15 |
| Crimping Tools | 87 |
| Criss Cross Gloves | 151 |
| Crowbar | 141-142 |
| Cutters | 49,55 |
| Cutting Discs | 46-47,85-86 |
| Cylinder Locks | 177-178 |

D

| | |
|-------------------------------|---------|
| Demagnetisers | 74 |
| Dent Repair Kits | 118-119 |
| Dent Repair Sets | 118-119 |
| Diagonal Side Cutters | 90-91 |
| Diamond Discs | 85 |
| Diamond Tool Sharpeners | 56 |
| Diesel Injector Tools | 134-135 |
| Door Buffers | 155 |
| Door Openers | 121 |
| Double Ended Ratchet Wrenches | 78-81 |
| Double Flaring Tool Kits | 112 |
| Double Open End Spanner | 75-77 |
| Double-Joint Pliers | 96 |
| Drain Pipe Cleaners | 163-164 |
| Drill Bit Sets | 35-36 |
| Drill Chuck | 43 |
| Drilling Depth Limiters | 40 |
| Drilling Machine Inserts | 20 |
| Drills | 35-42 |
| Drive Shaft Puller | 109,117 |
| Duct Tape | 188 |
| Dust Masks | 151 |

E

| | |
|---------------------------------|---------|
| E-Clip Assortments | 202 |
| Elastic Stoppers | 155 |
| Electric Drill Adaptor Sets | 20,28 |
| Electric Drill Adaptors | 28 |
| Electronic Combination Pliers | 98 |
| Electronic Diagonal Side Cutter | 97 |
| Electronic Long Nose Pliers | 98 |
| Electronic Screwdrivers | 69-70 |
| Emergency Hammers | 146 |
| End Cutting Pliers | 91,96 |
| Engine Timing Tool Sets | 128-130 |



| Description | Page |
|-------------|------|
|-------------|------|

| | |
|----------------------------|--------|
| Exhaust Pipe Expander Sets | 127 |
| Extension Bars | 29 |
| External Pullers | 32-35 |
| Eyelet Assortment | 90, 92 |
| Eyelet Pliers | 89-90 |

F

| | |
|-----------------------|---------|
| Felt Glides | 152-154 |
| Fence Fittings | 182 |
| Ferrules Assortments | 200 |
| Files | 45 |
| Filling Device | 167-168 |
| Firmer Chisels | 52 |
| Flaring Tools | 112 |
| Flat Steel Connectors | 181 |
| Fleece Covers | 175 |
| Flexible Grippers | 140 |
| Flexible Shafts | 25 |
| Folding Rulers | 56 |
| Funnel | 167-168 |
| Fuse Assortment | 199 |

G

| | |
|-------------------------------|---------|
| Garage Door Closing Cylinders | 177 |
| Garden Tool Sharpeners | 48 |
| Gearbox Lifter | 137 |
| Glass Cutters | 43 |
| Glasses | 151 |
| Gloves | 151 |
| Glow Plug Removal Tools | 135 |
| Glow Plug Thread Repairs | 135 |
| Glue Presses | 84 |
| Glue Remover | 172 |
| Glue Sticks | 107-108 |
| Grinders | 46-48 |
| Grinding Discs | 46-47 |
| Grinding Stones | 46-47 |
| Grub Screw Assortment | 201 |

H

| | |
|--------------------------------|---------|
| Hacksaws | 58-60 |
| Hammer Drills | 35 |
| Hammers | 50 |
| Handcart Wheels | 162 |
| Handheld Lamps | 139 |
| Handsaws | 58-60 |
| HDI Injector Tools | 134-135 |
| Headlights | 138 |
| High Precision Drill Accessory | 46-47 |
| Hinges | 182 |
| Hole Saws | 41-42 |
| Hollow Punches | 51 |
| Hollow Wall Anchor Assortments | 194 |
| Hook and Loop Tape Assortments | 194 |
| Hook Holders | 189 |
| Hook Sets | 136 |
| Hook Wrench | 136 |
| Hooks | 149,157 |
| Hose Clamp Assortment | 193 |
| Hose Clamp Pliers | 121-122 |
| Hose Cutters | 162-163 |
| Hot Glue Gun | 105-108 |
| Hread Repairs | 49 |
| HSS Saw Blade | 59 |
| HSS-Drills | 38-39 |
| Hydraulic Drive Shaft Pullers | 109 |
| Hydraulic Floor Jack | 143 |
| Hydraulic Pullers | 32-35 |

| Description | Page |
|-------------|------|
|-------------|------|

I

| | |
|----------------------------|---------|
| Impact Sockets | 17 |
| Impact Wrenches | 74 |
| Impact Wrenches (cordless) | 104 |
| Industrial Plugs (female) | 108 |
| Industrial Plugs (male) | 108 |
| Industrial Safety | 151 |
| Injector Tools | 134-135 |
| Inspection Mirror | 139-140 |
| Internal Puller Sets | 32-35 |

J

| | |
|--------------------|---------|
| Jack | 143 |
| Japan Scraper Sets | 120-121 |
| Jigsaw Saw Blades | 60 |
| Joint Plates | 184 |
| Joist Hangers | 182 |

K

| | |
|----------------|-------|
| Key Carabiners | 173 |
| Key Flags | 173 |
| Key Rings | 173 |
| Knives | 53-54 |

L

| | |
|------------------------------|-----------|
| L- Type Holders | 58,182 |
| L- Type Wrench Sets | 24-25, 27 |
| Lamps | 138-139 |
| LED Lamps | 138-139 |
| LED-Magnifiers | 174 |
| Letterbox locking cylinders | 178 |
| Levels | 57,168 |
| Lever Grease Guns | 138 |
| Lights | 138-139 |
| Linch Pin Sets | 187 |
| L-Key (Air) | 101 |
| Lock Bolts | 181 |
| Locks | 178-180 |
| Long Lever Pliers | 95 |
| L-Plates | 182 |
| L-Type Keys | 62-64 |
| L-Type Socket Wrenches | 81 |
| Lubricating Oils | 170 |
| Luggage Locks | 180 |
| Luggage Scales | 168 |
| Luggage Spanner | 149-150 |
| Luster Terminals Assortments | 194 |

M

| | |
|------------------------|---------|
| Machinist's Hammers | 50 |
| Magnetic Hooks | 159 |
| Magnetic Pick Up Tools | 139-140 |
| Magnetic Shells | 141-142 |
| Magnetisers | 74 |
| Magnets | 157-159 |
| Magnifiers | 174 |
| Magnifying Glasses | 174 |
| Masks | 151 |
| Masonry Drills | 35-42 |
| Mason's Trowels | 175-176 |
| Mastic Trowel | 175-176 |
| Measure Tapes | 56-57 |
| Meat Hooks | 157 |
| Metal Clamps | 84 |
| Metal Saw bows | 58-60 |
| MICRO Bit Sets | 26 |
| Milling Drills | 39 |
| Mini Clamp Sets | 84 |



| Description | Page |
|-----------------------------------|---------|
| Mirrors | 139-140 |
| Miter Boxes | 60 |
| Miter Clamps | 83 |
| Motorbike Chains Separating Tools | 109 |
| Mouse Traps | 156 |
| Multi Wrenches | 82 |
| Multi-function Tools | 97 |
| Multimeter | 113 |
| Multi-Purpose Screws | 192 |

N

| | |
|-------------------------|---------|
| Nail Assortments | 190-191 |
| Nail Pullers | 141-142 |
| Nails Brads Assortments | 190-191 |
| Needle Files | 45 |
| Needle Pliers | 98 |
| Nitrile Gloves | 151 |
| Nut Assortment | 197 |
| Nuts | 16-18 |
| Nylon Belt Pouches | 15 |
| Nylon Brushes | 43-44 |

O

| | |
|---------------------------|---------|
| Offset Screwdrivers | 71 |
| Oil Filter Caps | 125-126 |
| Oil Filter Chain Wrenches | 124 |
| Oil Filter Pliers | 125 |
| Oil Filter Wrenches | 124-126 |
| Oil Pan Wrenches | 123 |
| Oil Pressure Test Kit | 132 |
| Oil Products | 170 |
| Oil Suction Pumps | 142-143 |
| Open End Spanner | 75-77 |
| O-ring Assortment | 194 |

P

| | |
|---------------------------------|----------|
| Package Cords | 169 |
| Packing Tape Rolls | 188 |
| Padlocks | 178-180 |
| Paint Drop Clothes | 175 |
| Painter's Pyramids | 190 |
| Painter's Pyramids for Painting | 190 |
| Parallel Pullers | 35 |
| Pencils | 166 |
| Penknives | 53-54,97 |
| Picture Hook Assortments | 191,201 |
| Pipe Cleaning Spirals | 163 |
| Pipe Cutter | 162-163 |
| Pipe Expander Kits | 162 |
| Pipe Threading Set | 49 |
| Pipe Wrenches | 82,124 |
| Piston Ring Compressor Sets | 127 |
| Plasterboard Dowel Assortments | 195 |
| Plasterer's Trowels | 175-176 |
| Plastering Tools | 175-176 |
| Plasters | 173 |
| Plates with Holes | 181 |
| Pliers | 86-99 |
| Pliers Sets | 94-96 |
| Plugs | 108 |
| Pocket Spring Balances | 57 |
| Polishing Discs | 46-47 |
| Power Plugs | 108 |
| Precision Bits | 26 |
| Precision Screwdrivers | 69-70 |
| Precision Tool Sets | 97 |
| Precision Tool Bits | 26 |
| Pressure Gauge for Tyres | 146 |
| Pressure Loss Testing Kits | 133 |
| Pruning Shears | 155 |

| Description | Page |
|----------------------------|-------------|
| Pry Bars | 141-142 |
| Pull and Press Sleeve Kits | 115 |
| Pull Sleeve Kits | 115 |
| Pullers | 32-35 |
| Pulley Blocks | 137 |
| Pump for Drilling Machines | 156 |
| Pumps | 142-143,156 |
| Punch Pliers | 92-93 |
| Punches | 45 |
| Pushcart Wheels Axles | 161-162 |

Q, R

| | |
|--|---------|
| Quick Action Chucks | 43 |
| Radiator Bleeding Key | 164 |
| Radiator Keys | 164 |
| Radiator Pressure and Cooling System Sets | 132 |
| Radiator Pressure and Cooling System Testers | 132 |
| Rain Ponchos | 175 |
| Ratchet Boxes | 3-12 |
| Ratchet Rotary Handles | 19-20 |
| Ratchet Spanner Sets | 78-81 |
| Ratchet Tensioning Straps | 147-149 |
| Ratchet Tie Down Straps | 147-149 |
| Ratchet Wrenches | 78-81 |
| Ratchets | 28 |
| Repair Kits | 172-173 |
| Retaining Straps | 147-149 |
| Retractable Knives | 54 |
| Reversible Ratchets | 28 |
| Revolving Punch Pliers | 92-93 |
| Rim Protection Inserts | 16 |
| Ring Hook Assortments | 195-196 |
| Ring Spanners | 75-77 |
| Ring Wedges | 51 |
| Ripping Bars | 141-142 |
| Rivet Guns | 89 |
| Rivet Pliers | 120 |
| Riveters | 88-89 |
| Riveting Tools for Motorcycle Chains | 109 |
| Roller Cabinets | 1-2 |
| Rollers | 159-161 |
| Ropes | 170 |
| Rubber Hammers | 50 |

S

| | |
|--------------------------------------|-------------|
| Safety Cutter | 54 |
| Safety Glasses | 151 |
| Sanding Pads | 46-47 |
| Sanitary Pliers | 164 |
| Saw Blades | 59 |
| Saws | 58-60 |
| Scissors | 52-53 |
| Scraper Blades | 169 |
| Scraper Sets | 120-121,136 |
| Scrapers | 55,168-169 |
| Screw Anchor Sets | 195 |
| Screw Anchors | 36 |
| Screw Assortment | 191-192 |
| Screw Extractor Sets | 18 |
| Screw Hook Assortment | 195-196 |
| Screw Hooks | 185 |
| Screwdriver Bits | 19-27 |
| Screwdriver Interchangeable Blade | 74 |
| Screwdrivers | 62-74 |
| Seal Ring Assortments | 193-194 |
| Seat Belt Cutters | 146 |
| Segment Cutting Discs | 86 |
| Self Grip Pliers | 96 |
| Separating Tool for Motorbike Chains | 109 |
| Shackles | 189 |



| Description | Page |
|------------------------------------|-------------|
| Sharpening Stones | 48 |
| Sheet Metal Screw Assortments | 192 |
| Sheet Shears | 53 |
| Shelf Carrier Assortments | 200 |
| Shrink Tube Assortment | 198-199 |
| Silent Block Tool Sets | 117 |
| Silicone Scrapers | 165 |
| Silicone Trowels | 165 |
| Siphon Hand Pumps | 143 |
| Skirting Board Pin Sets | 191 |
| Sliding Hammer Puller Sets | 116 |
| Slip Sliders | 152-154 |
| Slip Stoppers | 153 |
| Slitting Saws | 60 |
| Socket Adaptors | 28 |
| Socket Boxes | 3-12 |
| Socket Set with T-Handles | 72 |
| Socket Sets | 3-12 |
| Sockets | 16-18 |
| Soldering Iron | 104 |
| Solid Rubber Wheels | 85,160, 162 |
| Spanners | 75-81 |
| Spare Blades | 54-55 |
| Sparing Inlays | 16 |
| Spark Plug Sockets | 123 |
| Spark Plug Wrench | 123 |
| Splitting Wedges | 51 |
| Spreading Clamps | 83 |
| Spring Cotter Pin Assortment | 197 |
| Spring loaded Wire Spinning Pliers | 87 |
| Spring Scales | 57 |
| Spring Washer Assortment | 196 |
| Spyholes | 176 |
| Stainless Steel Adhesive Hooks | 157 |
| Stainless Steel Scissors | 52-53 |
| Staple Gun | 167 |
| Staples | 167 |
| Steel Brushes | 43-44 |
| Steel Hacksaw Frames | 58-60 |
| Steel Nail Assortments | 191 |
| Step Drills | 39 |
| Stoning Hammers | 50 |
| Stop Brackets | 58 |
| Storm Hooks | 184-185 |
| Stretch Films | 188 |
| Stripping Pliers | 86-87 |
| Stroboscopic Guns | 131 |
| Superglue | 171 |
| Swivel Castors | 159-161 |
| Synchronous Carburetor Testers | 132 |

T

| | |
|-----------------------|-----------|
| Taper Milling Cutters | 49 |
| T-Brackets | 182 |
| Telephone Pliers | 93-95 |
| Tension Clamps | 83 |
| T-Handle Screwdrivers | 62-63, 66 |
| T-Handle Sockets | 72 |
| Tie Down Straps | 147-149 |
| Tool Holders | 166-167 |
| Tool Hooks | 189 |
| Tool Sets | 13-15 |
| Tool Sharpeners | 56 |
| Tool Trolleys | 1-2 |
| Torque Multipliers | 109 |
| Torque Wrench | 30-31 |
| Trailer Lamps | 146 |
| Trailer Plug Adaptors | 144-145 |
| Trailer Plugs | 144-145 |
| Trailer Reflectors | 145 |

| Description | Page |
|--------------------------------|---------|
| Trailer Sockets | 144-145 |
| Trailer Theft Protections | 145 |
| Trailer Sockets | 144-145 |
| Transport Rollers | 175 |
| Trapezoidal Blades Sets | 54-55 |
| Triangular Wrenches | 82 |
| Trim Strip Sets | 120 |
| Trolley | 1-2 |
| Trowels | 175-176 |
| Truck Socket Sets | 12 |
| T-Star Screwdrivers (for Torx) | 67-70 |
| Turbo Cutting Discs | 86 |
| Tweezers | 166 |
| Twist Drills | 35-42 |
| Twist Sockets | 18 |
| Tyre Levers | 114 |

U

| | |
|--------------------|-----|
| Universal Knives | 54 |
| Universal Wrenches | 77 |
| UV Glue | 171 |

V

| | |
|------------------------------------|-----|
| Vacuum Pumps | 112 |
| Valve Cutters | 164 |
| Valve Springs Assembly Sets | 131 |
| Valve Stem Seal Mounting Tool Sets | 131 |
| VDE Screwdrivers | 72 |
| Vibration Absorbers | 173 |
| Voltage Tester | 113 |

W

| | |
|----------------------------------|---------|
| Wall Buffers | 155 |
| Wallpaper Scissors | 53 |
| Washer Assortment | 196 |
| Waste Oil Drain Receivers | 126 |
| Water Pump Pliers | 98-99 |
| Wheel Bearing Mounting Discs | 118 |
| Wheel Bearing Tool Sets | 115 |
| Wheel Nut Cover Sockets | 16-17 |
| Wheel Nut Wrenches | 114 |
| Wheels | 159-161 |
| Wheels for Pushcarts | 162 |
| Windscreen Removal Sets | 120 |
| Wiper Arm Pullers | 33 |
| Wire Brush | 43-44 |
| Wobble Extension Bars | 29 |
| Wood Drills | 40 |
| Wooden Dowel Assortments | 40,200 |
| Wooden Rasps | 45 |
| Wooden Wedges | 51 |
| Work Gloves | 151 |
| Worklights | 138-139 |
| Workshop Trolley Drawer Dividers | 2 |
| Wrecking Bars | 141-142 |

X,Y,Z

| | |
|------------|----|
| Yardsticks | 56 |
|------------|----|



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 8 | 916 | BGS |
| 16 | 916 | BGS |
| 18 | 916 | BGS |
| 19 | 916 | BGS |
| 47 | 359 | BGS |
| 49 | 919 | BGS |
| 49-2 | 919 | BGS |
| 49-3 | 919 | BGS |
| 49-5 | 919 | BGS |
| 49-6 | 919 | BGS |
| 49-7 | 919 | BGS |
| 49-8 | n/a | BGS |
| 57 | 919 | BGS |
| 57-1 | 919 | BGS |
| 57-2 | 919 | BGS |
| 62 | 188 | KM |
| 68 | n/a | KM |
| 72 | 831 | BGS |
| 90 | 73 | KM |
| 93-1 | 35 | KM |
| 93-2 | 35 | KM |
| 93-3 | 35 | KM |
| 93-4 | 35 | KM |
| 93-6 | 35 | KM |
| 93-7 | 35 | KM |
| 94 | 32 | KM |
| 98 | 203 | BGS |
| 98-LEER | n/a | BGS |
| 101 | 237 | BGS |
| 105 | 187 | BGS |
| 106 | 187 | BGS |
| 107 | 187 | BGS |
| 110 | 221 | BGS |
| 111 | 237 | BGS |
| 112 | 188 | BGS |
| 113 | 188 | BGS |
| 114 | 188 | BGS |
| 115 | 182 | BGS |
| 116 | 221 | BGS |
| 117 | 10_18 | BGS |
| 118 | 714 | BGS |
| 120 | 595 | BGS |
| 121 | 599 | BGS |
| 123 | 791 | BGS |
| 124 | 127 | KM |
| 126 | 791 | BGS |
| 126-BM13 | 791 | BGS |
| 126-BM15 | 791 | BGS |
| 126-BM17 | 791 | BGS |
| 126-BM20 | 791 | BGS |
| 126-SM13 | 791 | BGS |
| 126-SM15 | 791 | BGS |
| 126-SM17 | 791 | BGS |
| 126-SM20 | 791 | BGS |
| 126-UM13 | 791 | BGS |
| 126-UM15 | 791 | BGS |
| 126-UM17 | 791 | BGS |
| 126-UM20 | 791 | BGS |
| 127 | 595 | BGS |
| 128 | 595 | BGS |
| 129 | 595 | BGS |
| 130 | 596 | BGS |
| 133 | 596 | BGS |
| 133-Kette | 596 | BGS |
| 134 | 596 | BGS |
| 136 | 750 | BGS |
| 137 | 123 | KM |
| 138-1 | 750 | BGS |
| 138-2 | 750 | BGS |
| 138-3 | 750 | BGS |
| 142 | 123 | KM |
| 143 | 737 | BGS |
| 144 | 737 | BGS |
| 146 | 737 | BGS |
| 148 | 483 | BGS |
| 148-1 | 483 | BGS |
| 148-2 | 483 | BGS |
| 148-3 | 483 | BGS |
| 149 | 744 | BGS |
| 149-1 | 744 | BGS |
| 149-11 | 744 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 149-16 | 744 | BGS |
| 149-19 | 744 | BGS |
| 150 | 744 | BGS |
| 150-1 | 744 | BGS |
| 151 | 791 | BGS |
| 152 | 744 | BGS |
| 153 | 791 | BGS |
| 155 | 511 | BGS |
| 156 | 791 | BGS |
| 157 | 791 | BGS |
| 158 | 791 | BGS |
| 159 | 791 | BGS |
| 161 | 363 | BGS |
| 162 | 417 | BGS |
| 163 | 362 | BGS |
| 164 | 507 | BGS |
| 165 | 744 | BGS |
| 165-1 | 744 | BGS |
| 166 | 744 | BGS |
| 166-1 | 744 | BGS |
| 167 | 744 | BGS |
| 167-1 | 744 | BGS |
| 168 | 791 | BGS |
| 170 | 115 | KM |
| 171 | QF10 | BGS |
| 172 | QF10 | BGS |
| 173 | QF10 | BGS |
| 174 | QF10 | BGS |
| 176 | 190 | BGS |
| 177 | 190 | BGS |
| 178 | 190 | BGS |
| 179 | 190 | BGS |
| 180 | 190 | BGS |
| 182 | 190 | BGS |
| 183 | 190 | BGS |
| 184 | 190 | BGS |
| 185 | 207 | BGS |
| 185-120 | 207 | BGS |
| 185-135 | 207 | BGS |
| 185-150 | 207 | BGS |
| 186 | 207 | BGS |
| 187 | 207 | BGS |
| 188 | 200 | BGS |
| 189 | 200 | BGS |
| 190 | 200 | BGS |
| 191 | 192 | BGS |
| 192 | 192 | BGS |
| 193 | 192 | BGS |
| 194 | 192 | BGS |
| 195 | QF10 | BGS |
| 196 | QF10 | BGS |
| 197 | 200 | BGS |
| 198 | 194 | BGS |
| 199 | 195 | BGS |
| 199-LEER | n/a | BGS |
| 200 | 196 | BGS |
| 200-LEER | n/a | BGS |
| 205 | 138 | BGS |
| 206 | 201 | BGS |
| 209 | 183 | BGS |
| 210 | 183 | BGS |
| 211-REPAIR | 190 | BGS |
| 212 | 183 | BGS |
| 213 | 07_18 | BGS |
| 213-REPAIR | 02_19 | BGS |
| 215 | 183 | BGS |
| 216 | 198 | BGS |
| 217 | 197 | BGS |
| 220 | 135 | BGS |
| 221 | 28 | KM |
| 227 | 183 | BGS |
| 228 | 200 | BGS |
| 228-1 | 200 | BGS |
| 231 | 185 | BGS |
| 232 | 185 | BGS |
| 232-REPAIR | 190 | BGS |
| 233 | QF10 | BGS |
| 234 | QF10 | BGS |
| 235 | QF10 | BGS |
| 236 | QF10 | BGS |
| 239 | 198 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 242 | QF10 | BGS |
| 243 | QF10 | BGS |
| 244 | QF10 | BGS |
| 246 | QF10 | BGS |
| 247 | QF10 | BGS |
| 248 | QF10 | BGS |
| 249 | QF10 | BGS |
| 250 | 199 | BGS |
| 251 | 199 | BGS |
| 252 | 199 | BGS |
| 258 | 200 | BGS |
| 263 | QF10 | BGS |
| 263-1 | 201 | BGS |
| 264 | QF10 | BGS |
| 265 | QF10 | BGS |
| 265-REPAIR | QF10 | BGS |
| 266 | QF10 | BGS |
| 267 | QF10 | BGS |
| 267-REPAIR | QF10 | BGS |
| 268 | QF10 | BGS |
| 269 | QF10 | BGS |
| 270 | QF10 | BGS |
| 271 | QF10 | BGS |
| 272 | QF10 | BGS |
| 273 | QF10 | BGS |
| 274 | QF10 | BGS |
| 275 | QF10 | BGS |
| 276 | QF10 | BGS |
| 277 | QF10 | BGS |
| 279 | QF10 | BGS |
| 280 | QF10 | BGS |
| 283 | QF10 | BGS |
| 283-1 | QF10 | BGS |
| 284 | 174 | BGS |
| 285 | 188 | BGS |
| 286 | 188 | BGS |
| 287 | 188 | BGS |
| 288 | 201 | BGS |
| 289 | 201 | BGS |
| 290 | 174 | BGS |
| 291 | 174 | BGS |
| 292 | 174 | BGS |
| 293 | 174 | BGS |
| 294 | QF10 | BGS |
| 295 | QF10 | BGS |
| 296 | QF10 | BGS |
| 299 | 199 | BGS |
| 300 | 185 | BGS |
| 300-1 | 185 | BGS |
| 300-REPAIR | 190 | BGS |
| 301 | 28 | KM |
| 302 | 184 | BGS |
| 303 | 184 | BGS |
| 304 | 184 | BGS |
| 305 | 189 | BGS |
| 306 | 189 | BGS |
| 307 | 189 | BGS |
| 308 | 189 | BGS |
| 309 | 189 | BGS |
| 310 | 189 | BGS |
| 311 | 189 | BGS |
| 312 | 189 | BGS |
| 313 | 189 | BGS |
| 313-1 | 04_19 | BGS |
| 314 | 273 | BGS |
| 315 | 184 | BGS |
| 316 | 184 | BGS |
| 317 | 184 | BGS |
| 318 | 184 | BGS |
| 319 | 184 | BGS |
| 320 | 184 | BGS |
| 321-REPAIR | 190 | BGS |
| 322-REPAIR | 190 | BGS |
| 323-REPAIR | 190 | BGS |
| 324 | 184 | BGS |
| 325 | 93 | KM |
| 326 | 93 | KM |
| 327 | 93 | KM |
| 329 | 91 | KM |
| 330 | 94 | KM |
| 331 | 90 | KM |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 332 | 90 | KM |
| 333 | 91 | KM |
| 334 | 91 | KM |
| 335 | 91 | KM |
| 336 | 93 | KM |
| 337 | 93 | KM |
| 338 | 93 | KM |
| 339 | 86 | KM |
| 340 | 94 | KM |
| 341 | 381 | BGS |
| 342 | 98 | KM |
| 353 | 189 | BGS |
| 354 | 189 | BGS |
| 355 | 185 | BGS |
| 355-REPAIR | 190 | BGS |
| 356 | 185 | BGS |
| 356-REPAIR | 190 | BGS |
| 357-REPAIR | 190 | BGS |
| 358 | 380 | BGS |
| 360 | 466 | BGS |
| 361 | 341 | BGS |
| 363 | 277 | BGS |
| 364 | 277 | BGS |
| 364-12 | 277 | BGS |
| 364-16 | 277 | BGS |
| 364-16x53 | 277 | BGS |
| 364-20 | 277 | BGS |
| 364-LEER | 277 | BGS |
| 365 | 277 | BGS |
| 366 | 278 | BGS |
| 367 | 277 | BGS |
| 368 | 587 | BGS |
| 369 | 381 | BGS |
| 370 | 381 | BGS |
| 371 | 381 | BGS |
| 372 | QF10 | BGS |
| 373 | 382 | BGS |
| 374 | QF10 | BGS |
| 375 | QF10 | BGS |
| 376 | QF10 | BGS |
| 377 | QF10 | BGS |
| 378 | 381 | BGS |
| 379 | 230 | BGS |
| 379-LEER | 230 | BGS |
| 380 | 379 | BGS |
| 381 | 369 | BGS |
| 382 | 380 | BGS |
| 383 | 380 | BGS |
| 384 | 369 | BGS |
| 385 | 371 | BGS |
| 386 | 380 | BGS |
| 387 | 369 | BGS |
| 388 | 381 | BGS |
| 389 | 381 | BGS |
| 393 | 369 | BGS |
| 394 | 369 | BGS |
| 395 | 370 | BGS |
| 396 | 370 | BGS |
| 397 | 370 | BGS |
| 398 | 89 | KM |
| 400 | 88 | KM |
| 401 | 88 | KM |
| 401-LEER | n/a | BGS |
| 402 | 354 | BGS |
| 402-2 | 354 | BGS |
| 403 | 88 | KM |
| 404 | 04_18 | BGS |
| 405 | 353 | BGS |
| 405-1 | 353 | BGS |
| 405-2 | 353 | BGS |
| 405-3 | 353 | BGS |
| 405-4 | 353 | BGS |
| 405-LEER | n/a | BGS |
| 405-M4 | 353 | BGS |
| 405-M5 | 353 | BGS |
| 405-M6 | 353 | BGS |
| 405-M8 | 353 | BGS |
| 405-M10 | 353 | BGS |
| 405-ZANGE | 353 | BGS |
| 406 | 355 | BGS |
| 407 | 355 | BGS |



| Art. | | BGS/ KM |
|------------|-------|------------|
| 408 | 354 | BGS |
| 409 | 354 | BGS |
| 409-1 | 354 | BGS |
| 410 | 94 | KM |
| 411 | 95 | KM |
| 412 | 95 | KM |
| 413 | 95 | KM |
| 414 | 379 | BGS |
| 415 | 95 | KM |
| 416 | 96 | KM |
| 418 | 342 | BGS |
| 421 | 121 | KM |
| 423 | 95 | KM |
| 424 | 382 | BGS |
| 428 | 374 | BGS |
| 429 | 374 | BGS |
| 432 | 374 | BGS |
| 433 | 164 | KM |
| 434 | 374 | BGS |
| 439 | 362 | BGS |
| 441 | 86 | KM |
| 442 | 342 | BGS |
| 443 | 87 | KM |
| 444 | 372 | BGS |
| 445 | 375 | BGS |
| 446 | 375 | BGS |
| 447 | 373 | BGS |
| 447-1 | 01_19 | BGS |
| 447-2 | 01_19 | BGS |
| 447-3 | 01_19 | BGS |
| 447-4 | 01_19 | BGS |
| 449 | 375 | BGS |
| 450 | 373 | BGS |
| 450-1 | 01_19 | BGS |
| 450-2 | 01_19 | BGS |
| 450-3 | 01_19 | BGS |
| 450-4 | 01_19 | BGS |
| 453 | 373 | BGS |
| 454 | 92 | KM |
| 457 | 384 | BGS |
| 457-2 | 384 | BGS |
| 457-TASCHE | 384 | BGS |
| 461 | 98 | KM |
| 463 | 379 | BGS |
| 466 | 360 | BGS |
| 467 | 122 | KM |
| 470 | 359 | BGS |
| 471 | 361 | BGS |
| 472 | 359 | BGS |
| 473 | 358 | BGS |
| 474 | 350 | BGS |
| 475 | 350 | BGS |
| 476 | 350 | BGS |
| 477 | 359 | BGS |
| 478 | 373 | BGS |
| 479 | 505 | BGS |
| 480 | 352 | BGS |
| 482 | 352 | BGS |
| 484 | 352 | BGS |
| 485 | 349 | BGS |
| 486 | 368 | BGS |
| 487 | 368 | BGS |
| 489 | 96 | KM |
| 490 | 96 | KM |
| 491 | 352 | BGS |
| 492 | 368 | BGS |
| 493 | 348 | BGS |
| 494 | 348 | BGS |
| 495 | 351 | BGS |
| 496 | 350 | BGS |
| 497 | 350 | BGS |
| 499 | 360 | BGS |
| 504 | 66 | BGS |
| 504-1 | 02_19 | BGS |
| 505 | 348 | BGS |
| 506 | 349 | BGS |
| 507 | 350 | BGS |
| 508 | 92 | KM |
| 517 | 28 | KM |
| 518 | 28 | KM |
| 519 | 28 | KM |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 525 | 356 | BGS |
| 526 | 356 | BGS |
| 527 | 356 | BGS |
| 528 | 356 | BGS |
| 530 | 375 | BGS |
| 531 | 376 | BGS |
| 533 | 370 | BGS |
| 534 | 382 | BGS |
| 535 | 382 | BGS |
| 540 | 356 | BGS |
| 541 | 356 | BGS |
| 542 | 356 | BGS |
| 543 | 356 | BGS |
| 544 | 356 | BGS |
| 551 | 382 | BGS |
| 552 | 382 | BGS |
| 555 | 383 | BGS |
| 556 | 383 | BGS |
| 557 | 383 | BGS |
| 561 | 377 | BGS |
| 562 | 276 | BGS |
| 564 | 377 | BGS |
| 565 | 913 | BGS |
| 566 | 914 | BGS |
| 568 | 90 | KM |
| 569 | 90 | KM |
| 569-1 | 90 | KM |
| 570 | 90 | KM |
| 570-1 | 90 | KM |
| 572 | 377 | BGS |
| 572-LEER | 377 | BGS |
| 600-REPAIR | 10_18 | BGS |
| 601 | 10_18 | BGS |
| 601-REPAIR | 10_18 | BGS |
| 602 | 10_18 | BGS |
| 602-REPAIR | 10_18 | BGS |
| 610 | 10_18 | BGS |
| 611 | 10_18 | BGS |
| 612 | 10_18 | BGS |
| 650 | 373 | BGS |
| 650-1 | 01_19 | BGS |
| 650-2 | 01_19 | BGS |
| 650-3 | 01_19 | BGS |
| 650-4 | 01_19 | BGS |
| 651 | 373 | BGS |
| 651-1 | 01_19 | BGS |
| 651-2 | 01_19 | BGS |
| 651-3 | 01_19 | BGS |
| 651-4 | 01_19 | BGS |
| 652 | 02_19 | BGS |
| 652-1 | 02_19 | BGS |
| 652-2 | 02_19 | BGS |
| 652-3 | 02_19 | BGS |
| 652-4 | 02_19 | BGS |
| 710 | 285 | BGS |
| 711 | 285 | BGS |
| 712 | 74 | KM |
| 721 | 113 | KM |
| 723 | 830 | BGS |
| 724 | 830 | BGS |
| 725 | 830 | BGS |
| 726 | 113 | KM |
| 728 | 65 | KM |
| 729 | 64 | KM |
| 730 | 282 | BGS |
| 731 | 292 | BGS |
| 732 | 290 | BGS |
| 757 | 179 | BGS |
| 759 | 23 | KM |
| 762 | 181 | BGS |
| 763 | 23 | KM |
| 765 | 180 | BGS |
| 765-LEER | n/a | BGS |
| 773 | 333 | BGS |
| 777 | 339 | BGS |
| 784 | 181 | BGS |
| 786 | 181 | BGS |
| 787 | 64 | KM |
| 790 | 334 | BGS |
| 790-1.5 | 340 | BGS |
| 790-2 | 340 | BGS |

| Art. | | BGS/ KM |
|----------|-------|------------|
| 790-2.5 | 340 | BGS |
| 790-3 | 340 | BGS |
| 790-4 | 340 | BGS |
| 790-5 | 340 | BGS |
| 790-6 | 340 | BGS |
| 790-7 | 340 | BGS |
| 790-8 | 340 | BGS |
| 790-9 | 340 | BGS |
| 790-10 | 340 | BGS |
| 791 | 62 | KM |
| 793 | 337 | BGS |
| 794 | 337 | BGS |
| 794-T10 | 341 | BGS |
| 794-T15 | 341 | BGS |
| 794-T20 | 341 | BGS |
| 794-T25 | 341 | BGS |
| 794-T27 | 341 | BGS |
| 794-T30 | 341 | BGS |
| 794-T40 | 341 | BGS |
| 794-T45 | 341 | BGS |
| 794-T50 | 341 | BGS |
| 795 | 332 | BGS |
| 797 | 70 | KM |
| 797-LEER | n/a | BGS |
| 798 | 136 | KM |
| 799 | 335 | BGS |
| 800 | 339 | BGS |
| 802 | 334 | BGS |
| 803 | 69 | KM |
| 805 | 338 | BGS |
| 807 | 335 | BGS |
| 808 | 334 | BGS |
| 809 | 338 | BGS |
| 810 | 63 | KM |
| 815 | 63 | KM |
| 816 | 68 | KM |
| 829 | 326 | BGS |
| 830 | 326 | BGS |
| 841 | 326 | BGS |
| 843 | 326 | BGS |
| 845 | 326 | BGS |
| 850 | 253 | BGS |
| 851 | 253 | BGS |
| 852 | 253 | BGS |
| 853 | 253 | BGS |
| 854 | 253 | BGS |
| 855 | 253 | BGS |
| 856 | 253 | BGS |
| 857 | 253 | BGS |
| 858 | 253 | BGS |
| 865 | 574 | BGS |
| 865-1 | 574 | BGS |
| 865-2 | 574 | BGS |
| 865-3 | 574 | BGS |
| 865-4 | 577 | BGS |
| 865-5 | 577 | BGS |
| 865-6 | 575 | BGS |
| 865-7 | 575 | BGS |
| 867 | 574 | BGS |
| 868 | 426 | BGS |
| 873 | 427 | BGS |
| 873-1 | 427 | BGS |
| 873-2 | 427 | BGS |
| 873-3 | 427 | BGS |
| 873-4 | 02_19 | BGS |
| 873-5 | 02_19 | BGS |
| 873-6 | 02_19 | BGS |
| 873-7 | 02_19 | BGS |
| 873-8 | 02_19 | BGS |
| 874 | 574 | BGS |
| 875 | 398 | BGS |
| 890 | 252 | BGS |
| 891 | 252 | BGS |
| 892 | 252 | BGS |
| 900 | 245 | BGS |
| 901 | 247 | BGS |
| 930 | 238 | BGS |
| 931 | 238 | BGS |
| 932 | 238 | BGS |
| 933 | 238 | BGS |
| 934 | 238 | BGS |

| Art. | | BGS/ KM |
|------------|-----|------------|
| 935 | 238 | BGS |
| 936 | 238 | BGS |
| 940 | 248 | BGS |
| 941 | 248 | BGS |
| 942 | 248 | BGS |
| 943 | 248 | BGS |
| 944 | 248 | BGS |
| 945 | 249 | BGS |
| 946 | 249 | BGS |
| 954 | 203 | BGS |
| 956 | 202 | BGS |
| 958 | 205 | BGS |
| 958-REPAIR | 208 | BGS |
| 958-LEER | n/a | BGS |
| 959 | 203 | BGS |
| 959-REPAIR | 208 | BGS |
| 960 | 203 | BGS |
| 961 | 205 | BGS |
| 962 | 203 | BGS |
| 963 | 30 | KM |
| 964 | 203 | BGS |
| 964-LEER | n/a | BGS |
| 965 | 203 | BGS |
| 965-LEER | n/a | BGS |
| 965-REPAIR | 208 | BGS |
| 965-1 | 208 | BGS |
| 965-2 | 208 | BGS |
| 966 | 203 | BGS |
| 966-REPAIR | 208 | BGS |
| 967 | 203 | BGS |
| 967-REPAIR | 208 | BGS |
| 968 | 203 | BGS |
| 968-REPAIR | 208 | BGS |
| 968-1 | 208 | BGS |
| 968-2 | 208 | BGS |
| 969 | 203 | BGS |
| 969-REPAIR | 208 | BGS |
| 970 | 203 | BGS |
| 970-REPAIR | 208 | BGS |
| 971 | 203 | BGS |
| 971-REPAIR | 208 | BGS |
| 973 | 205 | BGS |
| 973-REPAIR | 208 | BGS |
| 975 | 202 | BGS |
| 977 | 207 | BGS |
| 978 | 207 | BGS |
| 979 | 207 | BGS |
| 980-1 | n/a | BGS |
| 985 | 512 | BGS |
| 987 | 30 | KM |
| 988 | 30 | KM |
| 990 | 203 | BGS |
| 991 | 436 | BGS |
| 992 | 437 | BGS |
| 997 | 799 | BGS |
| 998 | 800 | BGS |
| 1000 | 123 | KM |
| 1001 | 617 | BGS |
| 1002 | 794 | BGS |
| 1004 | 725 | BGS |
| 1006 | 790 | BGS |
| 1007 | 798 | BGS |
| 1008 | 792 | BGS |
| 1009 | 796 | BGS |
| 1010 | 806 | BGS |
| 1010-A | 806 | BGS |
| 1010-B | 806 | BGS |
| 1010-C | 806 | BGS |
| 1010-D | 806 | BGS |
| 1011 | 793 | BGS |
| 1012 | 790 | BGS |
| 1014 | 788 | BGS |
| 1015 | 789 | BGS |
| 1016 | 789 | BGS |
| 1017 | 789 | BGS |
| 1019 | 463 | BGS |
| 1019-1 | 463 | BGS |
| 1019-2 | 463 | BGS |
| 1019-36 | 463 | BGS |
| 1019-74 | 463 | BGS |
| 1019-106 | 463 | BGS |



| Art. | | BGS/ KM |
|-------------|------|------------|
| 1019-107 | 463 | BGS |
| 1019-108 | 463 | BGS |
| 1019-108-18 | 463 | BGS |
| 1019-135 | 463 | BGS |
| 1020 | 124 | KM |
| 1021 | 124 | KM |
| 1022 | 124 | KM |
| 1023 | 124 | KM |
| 1024 | 732 | BGS |
| 1025 | 793 | BGS |
| 1026 | 733 | BGS |
| 1027 | 793 | BGS |
| 1028 | 793 | BGS |
| 1029 | 793 | BGS |
| 1030 | 804 | BGS |
| 1031 | 803 | BGS |
| 1032 | 804 | BGS |
| 1033 | 794 | BGS |
| 1034 | 124 | KM |
| 1035 | 125 | KM |
| 1035-75x12 | 125 | KM |
| 1036 | 798 | BGS |
| 1037 | 796 | BGS |
| 1038 | 805 | BGS |
| 1039 | 795 | BGS |
| 1039-65-67 | 795 | BGS |
| 1039-66-6 | 795 | BGS |
| 1039-68-14 | 795 | BGS |
| 1039-73-14 | 795 | BGS |
| 1039-74-15 | 795 | BGS |
| 1039-74-76 | 795 | BGS |
| 1039-75-77 | 795 | BGS |
| 1039-76-8 | 795 | BGS |
| 1039-76-12 | 795 | BGS |
| 1039-76-30 | 795 | BGS |
| 1039-78-15 | 795 | BGS |
| 1039-80-15 | 795 | BGS |
| 1039-80-82 | 795 | BGS |
| 1039-86-16 | 795 | BGS |
| 1039-86-18 | 795 | BGS |
| 1039-90-15 | 795 | BGS |
| 1039-92-10 | 795 | BGS |
| 1039-93-15 | 795 | BGS |
| 1039-93-36 | 795 | BGS |
| 1039-93-45 | 795 | BGS |
| 1039-95-15 | 795 | BGS |
| 1039-96-18 | 795 | BGS |
| 1039-106-15 | 795 | BGS |
| 1039-108-15 | 795 | BGS |
| 1039-108-18 | 795 | BGS |
| 1039-ADAPT | 795 | BGS |
| 1039-LEER | 795 | BGS |
| 1039-SPINNE | 795 | BGS |
| 1041 | 798 | BGS |
| 1042 | 798 | BGS |
| 1043 | 449 | BGS |
| 1044 | 801 | BGS |
| 1045 | 798 | BGS |
| 1046 | 798 | BGS |
| 1047 | 798 | BGS |
| 1048 | 802 | BGS |
| 1049 | 804 | BGS |
| 1050 | 125 | KM |
| 1051 | 125 | KM |
| 1052 | 806 | BGS |
| 1053 | 799 | BGS |
| 1054 | 793 | BGS |
| 1056 | QF11 | BGS |
| 1057 | QF11 | BGS |
| 1058 | QF11 | BGS |
| 1059 | QF11 | BGS |
| 1060 | QF11 | BGS |
| 1061 | QF11 | BGS |
| 1062 | QF11 | BGS |
| 1063 | QF11 | BGS |
| 1064 | QF11 | BGS |
| 1065 | QF11 | BGS |
| 1066 | QF11 | BGS |
| 1067 | QF11 | BGS |
| 1068 | QF11 | BGS |
| 1069 | QF11 | BGS |
| 1070 | QF11 | BGS |

| Art. | | BGS/ KM |
|-----------|------|------------|
| 1071 | QF11 | BGS |
| 1072 | QF11 | BGS |
| 1074 | QF11 | BGS |
| 1075 | QF11 | BGS |
| 1076 | QF11 | BGS |
| 1077 | QF11 | BGS |
| 1080 | QF11 | BGS |
| 1082 | QF11 | BGS |
| 1084 | QF11 | BGS |
| 1086 | QF11 | BGS |
| 1088 | QF11 | BGS |
| 1091 | QF11 | BGS |
| 1096 | QF11 | BGS |
| 1100 | QF11 | BGS |
| 1101 | 481 | BGS |
| 1102 | 50 | BGS |
| 1104 | 456 | BGS |
| 1105 | 128 | BGS |
| 1106 | 479 | BGS |
| 1107 | 81 | BGS |
| 1109 | 110 | KM |
| 1110 | 110 | KM |
| 1111 | 511 | BGS |
| 1112 | 484 | BGS |
| 1112-1 | 484 | BGS |
| 1113 | 481 | BGS |
| 1114 | 477 | BGS |
| 1114-1 | 476 | BGS |
| 1117 | 478 | BGS |
| 1117-LEER | 478 | BGS |
| 1118 | 479 | BGS |
| 1119 | 475 | BGS |
| 1119-1 | 479 | BGS |
| 1119-LEER | 475 | BGS |
| 1120 | 480 | BGS |
| 1121 | 480 | BGS |
| 1122 | 487 | BGS |
| 1123 | 480 | BGS |
| 1124 | 482 | BGS |
| 1126 | 481 | BGS |
| 1127 | 475 | BGS |
| 1134 | 513 | BGS |
| 1134-1 | 513 | BGS |
| 1134-10 | 513 | BGS |
| 1134-20 | 513 | BGS |
| 1134-25 | 513 | BGS |
| 1134-30 | 513 | BGS |
| 1134-50 | 513 | BGS |
| 1134-60 | 513 | BGS |
| 1134-70 | 513 | BGS |
| 1134-75 | 513 | BGS |
| 1134-80 | 513 | BGS |
| 1134-85 | 513 | BGS |
| 1134-90 | 513 | BGS |
| 1134-95 | 513 | BGS |
| 1134-100 | 513 | BGS |
| 1134-108 | 513 | BGS |
| 1134-110 | 513 | BGS |
| 1135 | 490 | BGS |
| 1136-1 | n/a | BGS |
| 1136-2 | n/a | BGS |
| 1138 | 598 | BGS |
| 1139 | 598 | BGS |
| 1140 | 130 | BGS |
| 1140-LEER | 597 | BGS |
| 1140-22 | 130 | BGS |
| 1140-27 | 130 | BGS |
| 1141 | 242 | BGS |
| 1141-LEER | 242 | BGS |
| 1142 | 599 | BGS |
| 1144 | 512 | BGS |
| 1145 | 754 | BGS |
| 1146 | 754 | BGS |
| 1147 | 754 | BGS |
| 1148 | 130 | BGS |
| 1149 | 597 | BGS |
| 1150 | 66 | BGS |
| 1151 | 67 | BGS |
| 1155 | 754 | BGS |
| 1156 | 754 | BGS |
| 1157 | 754 | BGS |
| 1158 | 68 | BGS |

| Art. | | BGS/ KM |
|-------------|-------|------------|
| 1159 | 68 | BGS |
| 1173 | 598 | BGS |
| 1174 | 436 | BGS |
| 1175 | 323 | BGS |
| 1176 | 323 | BGS |
| 1177 | 323 | BGS |
| 1178 | 81 | KM |
| 1179 | 306 | BGS |
| 1182 | 305 | BGS |
| 1184 | 306 | BGS |
| 1184-6x7 | QF13 | BGS |
| 1184-8x9 | QF13 | BGS |
| 1184-10x11 | QF13 | BGS |
| 1184-10X13 | QF13 | BGS |
| 1184-12x13 | QF13 | BGS |
| 1184-14x15 | QF13 | BGS |
| 1184-16x17 | QF13 | BGS |
| 1184-18x19 | QF13 | BGS |
| 1184-20x22 | QF13 | BGS |
| 1184-21x23 | QF13 | BGS |
| 1184-24x27 | QF13 | BGS |
| 1184-25x28 | QF13 | BGS |
| 1184-30x32 | QF13 | BGS |
| 1184-36x41 | QF13 | BGS |
| 1184-LEER | 306 | BGS |
| 1185 | 76 | KM |
| 1185-34 | 76 | KM |
| 1185-36 | 76 | KM |
| 1185-38 | 76 | KM |
| 1185-41 | 76 | KM |
| 1185-46 | 76 | KM |
| 1185-50 | 76 | KM |
| 1185-55 | 76 | KM |
| 1185-57 | 76 | KM |
| 1185-60 | 76 | KM |
| 1185-65 | 76 | KM |
| 1185-70 | 76 | KM |
| 1185-75 | 76 | KM |
| 1185-80 | 04_18 | KM |
| 1186-10x11 | QF12 | BGS |
| 1186-12x14 | QF12 | BGS |
| 1186-13x15 | QF12 | BGS |
| 1186-16x18 | QF12 | BGS |
| 1186-17x19 | QF12 | BGS |
| 1186-21x23 | QF12 | BGS |
| 1186-22x24 | QF12 | BGS |
| 1187 | 311 | BGS |
| 1187-LEER | 311 | BGS |
| 1188 | 300 | BGS |
| 1190 | 299 | BGS |
| 1192 | 297 | BGS |
| 1193 | 297 | BGS |
| 1194 | 298 | BGS |
| 1195 | 298 | BGS |
| 1196 | 299 | BGS |
| 1196-LEER | 299 | BGS |
| 1197 | 298 | BGS |
| 1198 | 75 | KM |
| 1198-LEER | n/a | BGS |
| 1199 | 301 | BGS |
| 1200 | 320 | BGS |
| 1201 | 321 | BGS |
| 1202 | 11 | KM |
| 1202-LEER | n/a | BGS |
| 1204 | 206 | BGS |
| 1204-REPAIR | 206 | BGS |
| 1204-LEER | n/a | BGS |
| 1206 | 81 | BGS |
| 1206-LEER | n/a | BGS |
| 1207 | 80 | BGS |
| 1207-60 | QF1 | BGS |
| 1207-LEER | n/a | BGS |
| 1209 | 307 | BGS |
| 1210 | 81 | BGS |
| 1210-LEER | n/a | BGS |
| 1211 | 298 | BGS |
| 1212 | 307 | BGS |
| 1213 | 307 | BGS |
| 1214 | 308 | BGS |
| 1214-6x7 | QF13 | BGS |
| 1214-8x9 | QF13 | BGS |
| 1214-10x11 | QF13 | BGS |

| Art. | | BGS/ KM |
|-------------|-------|------------|
| 1214-12x13 | QF13 | BGS |
| 1214-14x15 | QF13 | BGS |
| 1214-16x17 | QF13 | BGS |
| 1214-18x19 | QF13 | BGS |
| 1214-20x22 | QF13 | BGS |
| 1214-21x23 | QF13 | BGS |
| 1214-24x27 | QF13 | BGS |
| 1214-25x28 | QF13 | BGS |
| 1214-30x32 | QF13 | BGS |
| 1214-LEER | 308 | BGS |
| 1215 | 309 | BGS |
| 1216 | 310 | BGS |
| 1217 | 309 | BGS |
| 1218 | 321 | BGS |
| 1219 | 301 | BGS |
| 1219-LEER | 301 | BGS |
| 1222 | 309 | BGS |
| 1223 | 80 | BGS |
| 1225 | 136 | KM |
| 1226 | 250 | BGS |
| 1228 | 303 | BGS |
| 1228-6 | QF11 | BGS |
| 1228-7 | QF11 | BGS |
| 1228-8 | QF11 | BGS |
| 1228-9 | QF11 | BGS |
| 1228-10 | QF11 | BGS |
| 1228-11 | QF11 | BGS |
| 1228-12 | QF11 | BGS |
| 1228-13 | QF11 | BGS |
| 1228-14 | QF11 | BGS |
| 1228-15 | QF11 | BGS |
| 1228-16 | QF11 | BGS |
| 1228-18 | QF11 | BGS |
| 1228-17 | QF11 | BGS |
| 1228-19 | QF11 | BGS |
| 1228-LEER | 303 | BGS |
| 1229 | 304 | BGS |
| 1229-21 | QF11 | BGS |
| 1229-22 | QF11 | BGS |
| 1229-24 | QF11 | BGS |
| 1229-27 | QF11 | BGS |
| 1229-30 | QF11 | BGS |
| 1229-32 | QF11 | BGS |
| 1229-LEER | 304 | BGS |
| 1230 | 206 | BGS |
| 1230-1 | 206 | BGS |
| 1230-REPAIR | 206 | BGS |
| 1230-LEER | n/a | BGS |
| 1231 | 109 | KM |
| 1232 | 75 | KM |
| 1233 | 77 | KM |
| 1234 | 77 | KM |
| 1239 | 76 | KM |
| 1240 | 472 | BGS |
| 1257 | 754 | BGS |
| 1258 | 754 | BGS |
| 1300 | 128 | BGS |
| 1301 | 511 | BGS |
| 1310 | 731 | BGS |
| 1310-14 | 731 | BGS |
| 1311 | 732 | BGS |
| 1312 | 732 | BGS |
| 1314 | 732 | BGS |
| 1325 | 120 | KM |
| 1326 | 587 | BGS |
| 1327 | 586 | BGS |
| 1328 | 587 | BGS |
| 1330 | 588 | BGS |
| 1401 | 803 | BGS |
| 1402 | 785 | BGS |
| 1403 | 04_19 | BGS |
| 1408 | 810 | BGS |
| 1410 | 345 | BGS |
| 1410-A | 345 | BGS |
| 1410-BNC | 345 | BGS |
| 1410-B | 345 | BGS |
| 1410-C | 345 | BGS |
| 1410-C1 | 345 | BGS |
| 1410-D | 345 | BGS |
| 1410-F | 345 | BGS |
| 1410-G3 | 02_19 | BGS |
| 1410-H | 345 | BGS |



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 1410-H1 | 345 | BGS |
| 1410-H6 | 02_18 | BGS |
| 1410-H7 | 02_18 | BGS |
| 1410-I2 | 345 | BGS |
| 1411 | 345 | BGS |
| 1412 | 346 | BGS |
| 1414 | 811 | BGS |
| 1415 | 811 | BGS |
| 1416 | 811 | BGS |
| 1417 | 346 | BGS |
| 1418 | 346 | BGS |
| 1419 | 346 | BGS |
| 1422 | 342 | BGS |
| 1423 | 87 | KM |
| 1426 | 346 | BGS |
| 1428 | 346 | BGS |
| 1429 | 347 | BGS |
| 1430 | 377 | BGS |
| 1435 | 840 | BGS |
| 1436 | 840 | BGS |
| 1437 | 840 | BGS |
| 1438 | 840 | BGS |
| 1439 | 840 | BGS |
| 1440 | 320 | BGS |
| 1441 | 320 | BGS |
| 1442 | 320 | BGS |
| 1443 | 320 | BGS |
| 1446 | 320 | BGS |
| 1448 | 81 | KM |
| 1449 | 80 | KM |
| 1450 | 81 | KM |
| 1450-LEER | n/a | BGS |
| 1455 | 534 | BGS |
| 1456 | 534 | BGS |
| 1457 | 458 | BGS |
| 1458 | 457 | BGS |
| 1459 | 534 | BGS |
| 1461 | 273 | BGS |
| 1462 | 274 | BGS |
| 1463 | 250 | BGS |
| 1464 | 250 | BGS |
| 1464-4 | 250 | BGS |
| 1464-5 | 250 | BGS |
| 1469 | 276 | BGS |
| 1470 | 77 | KM |
| 1471 | 77 | KM |
| 1472 | 77 | KM |
| 1473 | 77 | KM |
| 1474 | 77 | KM |
| 1476 | 77 | KM |
| 1477 | 97 | KM |
| 1480 | 87 | KM |
| 1482 | 88 | KM |
| 1509 | 363 | BGS |
| 1510 | 114 | KM |
| 1513 | 458 | BGS |
| 1514 | 536 | BGS |
| 1514-M10 | 536 | BGS |
| 1514-M12 | 536 | BGS |
| 1514-M14 | 536 | BGS |
| 1514-M16 | 536 | BGS |
| 1514-LEER | 536 | BGS |
| 1518 | 506 | BGS |
| 1519 | 531 | BGS |
| 1521 | 364 | BGS |
| 1522 | 554 | BGS |
| 1522-10 | 554 | BGS |
| 1523 | 531 | BGS |
| 1523-1 | 531 | BGS |
| 1523-LEER | 531 | BGS |
| 1524 | 554 | BGS |
| 1527 | 841 | BGS |
| 1527-1 | 841 | BGS |
| 1528 | 436 | BGS |
| 1529 | 436 | BGS |
| 1530 | 841 | BGS |
| 1531 | 841 | BGS |
| 1532 | 841 | BGS |
| 1533 | 841 | BGS |
| 1534 | 841 | BGS |
| 1535 | 843 | BGS |
| 1536 | 844 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 1537 | 01_19 | BGS |
| 1538 | 844 | BGS |
| 1539 | 834 | BGS |
| 1540 | 841 | BGS |
| 1541 | 316 | BGS |
| 1541-LEER | 316 | BGS |
| 1548 | 840 | BGS |
| 1550 | 844 | BGS |
| 1551 | 844 | BGS |
| 1555-LEER | n/a | BGS |
| 1556 | 316 | BGS |
| 1558 | 318 | BGS |
| 1560 | 318 | BGS |
| 1561 | 318 | BGS |
| 1562 | 318 | BGS |
| 1564 | 318 | BGS |
| 1565 | 318 | BGS |
| 1567 | 318 | BGS |
| 1581 | 317 | BGS |
| 1582 | 317 | BGS |
| 1584 | 317 | BGS |
| 1585 | 317 | BGS |
| 1589 | 317 | BGS |
| 1591 | 317 | BGS |
| 1596 | 315 | BGS |
| 1600 | 237 | BGS |
| 1601 | 237 | BGS |
| 1604 | 49 | KM |
| 1605 | 371 | BGS |
| 1606 | 371 | BGS |
| 1607 | 237 | BGS |
| 1609 | 764 | BGS |
| 1610 | n/a | BGS |
| 1611 | 764 | BGS |
| 1613 | 763 | BGS |
| 1613-1 | 764 | BGS |
| 1615 | 330 | BGS |
| 1616 | 39 | KM |
| 1618 | 330 | BGS |
| 1619 | 330 | BGS |
| 1620 | 330 | BGS |
| 1621 | 330 | BGS |
| 1622 | 330 | BGS |
| 1624 | 328 | BGS |
| 1632 | 238 | BGS |
| 1634 | 120 | KM |
| 1636 | 121 | KM |
| 1638 | 562 | BGS |
| 1639 | 573 | BGS |
| 1640 | 257 | BGS |
| 1641 | 256 | BGS |
| 1642 | 573 | BGS |
| 1642-LEER | 573 | BGS |
| 1646 | 258 | BGS |
| 1650 | 256 | BGS |
| 1651 | 259 | BGS |
| 1651-3 | 259 | BGS |
| 1651-4 | 259 | BGS |
| 1651-5 | 259 | BGS |
| 1651-6 | 259 | BGS |
| 1651-7 | 259 | BGS |
| 1651-8 | 259 | BGS |
| 1651-10 | 259 | BGS |
| 1651-12 | 259 | BGS |
| 1655 | 258 | BGS |
| 1656 | 255 | BGS |
| 1657 | 258 | BGS |
| 1658 | 254 | BGS |
| 1659 | 573 | BGS |
| 1659-KÖPFE | 573 | BGS |
| 1659-LEER | 573 | BGS |
| 1670 | 119 | KM |
| 1670-LEER | n/a | BGS |
| 1672 | 561 | BGS |
| 1672-1 | 561 | BGS |
| 1672-2 | 561 | BGS |
| 1672-3 | 561 | BGS |
| 1672-4 | 561 | BGS |
| 1672-5 | 561 | BGS |
| 1672-6 | 561 | BGS |
| 1672-7 | 561 | BGS |
| 1674 | 119 | KM |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 1674-LEER | n/a | BGS |
| 1675 | 562 | BGS |
| 1676 | 561 | BGS |
| 1677 | 119 | KM |
| 1678 | 606 | BGS |
| 1680 | 261 | BGS |
| 1681 | 262 | BGS |
| 1682 | 715 | BGS |
| 1683 | 715 | BGS |
| 1684 | 715 | BGS |
| 1685 | 562 | BGS |
| 1686 | 07_18 | BGS |
| 1688 | 556 | BGS |
| 1688-1 | 556 | BGS |
| 1688-2 | 556 | BGS |
| 1688-4 | 556 | BGS |
| 1688-LEER | 556 | BGS |
| 1689 | 556 | BGS |
| 1689-1 | 556 | BGS |
| 1689-2 | 556 | BGS |
| 1689-3 | 556 | BGS |
| 1689-LEER | 556 | BGS |
| 1690 | 257 | BGS |
| 1691 | 257 | BGS |
| 1692 | 257 | BGS |
| 1693 | 257 | BGS |
| 1695 | 258 | BGS |
| 1696 | 255 | BGS |
| 1697 | 317 | BGS |
| 1698 | 257 | BGS |
| 1699 | 257 | BGS |
| 1702 | 317 | BGS |
| 1703 | 735 | BGS |
| 1705 | 733 | BGS |
| 1706 | 732 | BGS |
| 1707 | 733 | BGS |
| 1708 | 523 | BGS |
| 1709 | 523 | BGS |
| 1710 | 524 | BGS |
| 1712 | 524 | BGS |
| 1713 | 438 | BGS |
| 1714 | 733 | BGS |
| 1715 | 365 | BGS |
| 1716 | 365 | BGS |
| 1717 | 365 | BGS |
| 1718 | 366 | BGS |
| 1719 | 367 | BGS |
| 1721 | 367 | BGS |
| 1722 | 472 | BGS |
| 1723 | 173 | BGS |
| 1724 | 173 | BGS |
| 1727 | 172 | BGS |
| 1729 | 172 | BGS |
| 1730 | 172 | BGS |
| 1731 | 172 | BGS |
| 1732 | 173 | BGS |
| 1734 | 173 | BGS |
| 1735 | 173 | BGS |
| 1736 | 173 | BGS |
| 1737 | 741 | BGS |
| 1738 | 731 | BGS |
| 1738-1 | 731 | BGS |
| 1738-2 | 731 | BGS |
| 1738-20 | 04_19 | BGS |
| 1738-30 | 04_19 | BGS |
| 1738-35 | 04_19 | BGS |
| 1738-40 | 04_19 | BGS |
| 1739 | 742 | BGS |
| 1740 | 731 | BGS |
| 1741 | 731 | BGS |
| 1743 | 438 | BGS |
| 1744 | 726 | BGS |
| 1745 | 313 | BGS |
| 1745-8X9 | 312 | BGS |
| 1747 | 714 | BGS |
| 1749 | 109 | KM |
| 1749-1 | 109 | KM |
| 1749-2 | 109 | KM |
| 1749-3 | 109 | KM |
| 1749-4 | 109 | KM |
| 1749-LEER | n/a | BGS |
| 1750 | 312 | BGS |

| Art. | | BGS/ KM |
|------------|-----|------------|
| 1751 | 312 | BGS |
| 1752 | 312 | BGS |
| 1753-7 | 474 | BGS |
| 1753-8 | 474 | BGS |
| 1753-9 | 474 | BGS |
| 1753-10 | 474 | BGS |
| 1753-11 | 474 | BGS |
| 1755 | 314 | BGS |
| 1756 | 295 | BGS |
| 1756-10 | 295 | BGS |
| 1756-11 | 295 | BGS |
| 1756-12 | 295 | BGS |
| 1756-13 | 295 | BGS |
| 1756-14 | 295 | BGS |
| 1756-15 | 295 | BGS |
| 1756-16 | 295 | BGS |
| 1756-17 | 295 | BGS |
| 1756-18 | 295 | BGS |
| 1756-19 | 295 | BGS |
| 1757 | 296 | BGS |
| 1757-20 | 296 | BGS |
| 1757-21 | 296 | BGS |
| 1757-22 | 296 | BGS |
| 1757-23 | 296 | BGS |
| 1757-24 | 296 | BGS |
| 1757-25 | 296 | BGS |
| 1757-26 | 296 | BGS |
| 1757-27 | 296 | BGS |
| 1757-28 | 296 | BGS |
| 1757-30 | 296 | BGS |
| 1757-32 | 296 | BGS |
| 1757-LEER | 296 | BGS |
| 1759 | 296 | BGS |
| 1759-33 | 296 | BGS |
| 1759-36 | 296 | BGS |
| 1759-38 | 296 | BGS |
| 1759-41 | 296 | BGS |
| 1759-46 | 296 | BGS |
| 1759-50 | 296 | BGS |
| 1760 | 473 | BGS |
| 1761 | 313 | BGS |
| 1761-8x10 | 312 | BGS |
| 1761-9x11 | 312 | BGS |
| 1761-12x13 | 312 | BGS |
| 1761-14x15 | 312 | BGS |
| 1761-16x18 | 312 | BGS |
| 1761-17x19 | 312 | BGS |
| 1761-19x22 | 312 | BGS |
| 1761-24x27 | 312 | BGS |
| 1761-30x32 | 312 | BGS |
| 1762 | 727 | BGS |
| 1763 | 714 | BGS |
| 1764 | 661 | BGS |
| 1767 | 714 | BGS |
| 1768 | 447 | BGS |
| 1769 | 671 | BGS |
| 1770 | 671 | BGS |
| 1771 | 715 | BGS |
| 1772 | 715 | BGS |
| 1773 | 593 | BGS |
| 1773-3 | 593 | BGS |
| 1774 | 715 | BGS |
| 1775 | 671 | BGS |
| 1775-LEER | 671 | BGS |
| 1777 | 727 | BGS |
| 1778 | 725 | BGS |
| 1779 | 667 | BGS |
| 1780 | 729 | BGS |
| 1781 | 727 | BGS |
| 1782 | 313 | BGS |
| 1783 | 131 | KM |
| 1784 | 742 | BGS |
| 1788 | 874 | BGS |
| 1789 | 185 | KM |
| 1790 | 513 | BGS |
| 1791 | 491 | BGS |
| 1792 | 486 | BGS |
| 1793 | 486 | BGS |
| 1793-1 | 485 | BGS |
| 1794 | 193 | KM |
| 1795 | 518 | BGS |
| 1795-1 | 518 | BGS |



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 1796 | 517 | BGS |
| 1797 | 517 | BGS |
| 1798 | 486 | BGS |
| 1798-1 | 486 | BGS |
| 1799 | 691 | BGS |
| 1799-Z | 112 | KM |
| 1800 | 579 | BGS |
| 1801 | 579 | BGS |
| 1802 | 460 | BGS |
| 1803 | 518 | BGS |
| 1804 | 518 | BGS |
| 1805 | 520 | BGS |
| 1806 | 514 | BGS |
| 1807 | 518 | BGS |
| 1808 | 520 | BGS |
| 1809 | 520 | BGS |
| 1810 | 269 | BGS |
| 1811 | 269 | BGS |
| 1812 | 269 | BGS |
| 1813 | 514 | BGS |
| 1813-23 | 514 | BGS |
| 1813-28 | 514 | BGS |
| 1813-34 | 514 | BGS |
| 1815 | 365 | BGS |
| 1817 | 491 | BGS |
| 1818 | 490 | BGS |
| 1818-1 | 490 | BGS |
| 1819 | 269 | BGS |
| 1819-1 | 269 | BGS |
| 1820 | 122 | KM |
| 1822 | 122 | KM |
| 1823 | 366 | BGS |
| 1824 | 595 | BGS |
| 1824-1 | 595 | BGS |
| 1825 | 366 | BGS |
| 1826 | 366 | BGS |
| 1827 | 366 | BGS |
| 1828 | 366 | BGS |
| 1829 | 82 | KM |
| 1830 | 82 | KM |
| 1831 | 491 | BGS |
| 1832 | 491 | BGS |
| 1833 | 489 | BGS |
| 1834 | 116 | KM |
| 1834-LEER | n/a | BGS |
| 1835 | 84 | KM |
| 1836 | 84 | KM |
| 1837 | 84 | KM |
| 1838 | 84 | KM |
| 1840 | 84 | KM |
| 1841 | 82 | KM |
| 1842 | 83 | KM |
| 1843 | 82 | KM |
| 1844 | 82 | KM |
| 1845 | 82 | KM |
| 1847 | 50 | KM |
| 1850 | 50 | KM |
| 1851 | 50 | KM |
| 1852 | 50 | KM |
| 1853 | 50 | KM |
| 1854 | 50 | KM |
| 1855 | 50 | KM |
| 1856 | 50 | KM |
| 1857 | 50 | KM |
| 1858 | 50 | KM |
| 1859 | 254 | BGS |
| 1859-30 | 12_18 | BGS |
| 1860 | 50 | KM |
| 1861 | 50 | KM |
| 1862 | 50 | KM |
| 1863 | 252 | BGS |
| 1864 | 120 | KM |
| 1865 | 253 | BGS |
| 1868 | 252 | BGS |
| 1869 | 120 | KM |
| 1871 | 890 | BGS |
| 1872 | 890 | BGS |
| 1873 | 728 | BGS |
| 1874 | 753 | BGS |
| 1876 | 252 | BGS |
| 1877 | 727 | BGS |
| 1878 | 726 | BGS |

| Art. | | BGS/ KM |
|-----------------|-------|------------|
| 1880 | 143 | KM |
| 1882 | 326 | BGS |
| 1883 | 327 | BGS |
| 1884 | 327 | BGS |
| 1885 | 327 | BGS |
| 1886 | 327 | BGS |
| 1887 | 753 | BGS |
| 1888 | 753 | BGS |
| 1889 | 753 | BGS |
| 1890 | 127 | KM |
| 1891 | 49 | KM |
| 1891-LEER | n/a | BGS |
| 1892 | 276 | BGS |
| 1893 | 243 | BGS |
| 1893-1 | 249 | BGS |
| 1893-2 | 248 | BGS |
| 1893-LEER | 243 | BGS |
| 1895 | 122 | BGS |
| 1896 | 122 | BGS |
| 1897 | 18 | KM |
| 1898 | 244 | BGS |
| 1899 | 244 | BGS |
| 1900 | 245 | BGS |
| 1900-1 | 249 | BGS |
| 1900-2 | 249 | BGS |
| 1900-3 | 248 | BGS |
| 1900-4 | 248 | BGS |
| 1900-M6X1.0-B | 239 | BGS |
| 1900-M8X1.0-B | 239 | BGS |
| 1900-M8X1.0-S | 02_19 | BGS |
| 1900-M8X1.25-B | 239 | BGS |
| 1900-M10X0.75-B | 239 | BGS |
| 1900-M10X1.0-B | 239 | BGS |
| 1900-M10X1.25-B | 239 | BGS |
| 1900-M10X1.5-B | 239 | BGS |
| 1900-M11X0.75-B | 239 | BGS |
| 1900-M11X1.0-B | 239 | BGS |
| 1900-M11X1.25-B | 239 | BGS |
| 1900-M12X0.75-B | 239 | BGS |
| 1900-M12X1.0-B | 239 | BGS |
| 1900-M12X1.25-B | 239 | BGS |
| 1900-M12X1.5-B | 239 | BGS |
| 1900-M12X1.75-B | 239 | BGS |
| 1900-M14X1.0-B | 239 | BGS |
| 1900-M14X1.25-B | 239 | BGS |
| 1900-M14X1.5-B | 239 | BGS |
| 1900-M8X1.25-S | 239 | BGS |
| 1900-M10X1.25-S | 239 | BGS |
| 1900-M10X1.5-S | 239 | BGS |
| 1900-M12X1.25-S | 239 | BGS |
| 1900-M12X1.5-S | 239 | BGS |
| 1900-M14X1.25-S | 239 | BGS |
| 1900-M14X1.5-S | 239 | BGS |
| 1900-M18X1.5-S | 239 | BGS |
| 1900-LEER | 245 | BGS |
| 1902 | 163 | KM |
| 1903 | 327 | BGS |
| 1905 | 162 | KM |
| 1906 | 163 | KM |
| 1907 | 92 | KM |
| 1908 | 92 | KM |
| 1909 | 92 | KM |
| 1910 | 163 | KM |
| 1911 | 45 | KM |
| 1912 | 163 | KM |
| 1914 | 92 | KM |
| 1915 | 92 | KM |
| 1916 | 849 | BGS |
| 1917 | 371 | BGS |
| 1919 | 849 | BGS |
| 1920 | 236 | BGS |
| 1921 | 236 | BGS |
| 1922 | 239 | BGS |
| 1923 | 239 | BGS |
| 1924 | 247 | BGS |
| 1925 | 246 | BGS |
| 1926 | 248 | BGS |
| 1926-LEER | 248 | BGS |
| 1927 | 246 | BGS |
| 1929 | 239 | BGS |
| 1930 | 264 | BGS |
| 1930-1 | 265 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 1930-LEER | 264 | BGS |
| 1931 | 268 | BGS |
| 1932 | 264 | BGS |
| 1933 | 264 | BGS |
| 1934 | 264 | BGS |
| 1934-LEER | 264 | BGS |
| 1935 | 265 | BGS |
| 1935-LEER | 265 | BGS |
| 1937 | 488 | BGS |
| 1937-LEER | 488 | BGS |
| 1938 | 267 | BGS |
| 1938-1 | 268 | BGS |
| 1938-2 | 268 | BGS |
| 1939 | 492 | BGS |
| 1940 | 727 | BGS |
| 1941 | 836 | BGS |
| 1943 | 489 | BGS |
| 1944 | 226 | BGS |
| 1945 | 328 | BGS |
| 1945-1 | 330 | BGS |
| 1946 | 372 | BGS |
| 1950 | 241 | BGS |
| 1951 | 241 | BGS |
| 1952 | 240 | BGS |
| 1952-3 | 01_19 | BGS |
| 1953 | 240 | BGS |
| 1953-3 | 01_19 | BGS |
| 1954 | 240 | BGS |
| 1954-3 | 01_19 | BGS |
| 1955 | 240 | BGS |
| 1955-3 | 01_19 | BGS |
| 1956 | 240 | BGS |
| 1956-3 | 01_19 | BGS |
| 1957 | 240 | BGS |
| 1957-3 | 01_19 | BGS |
| 1958 | 240 | BGS |
| 1958-3 | 01_19 | BGS |
| 1958-1 | 240 | BGS |
| 1959 | 240 | BGS |
| 1959-1 | 240 | BGS |
| 1959-2 | 240 | BGS |
| 1959-3 | 240 | BGS |
| 1959-4 | 240 | BGS |
| 1959-5 | 240 | BGS |
| 1959-6 | 240 | BGS |
| 1959-7 | 240 | BGS |
| 1960 | 251 | BGS |
| 1961 | 251 | BGS |
| 1962 | 251 | BGS |
| 1963 | 251 | BGS |
| 1965 | 251 | BGS |
| 1966 | 329 | BGS |
| 1967 | 251 | BGS |
| 1968 | 252 | BGS |
| 1969 | 252 | BGS |
| 1970 | 730 | BGS |
| 1974 | 890 | BGS |
| 1975 | 889 | BGS |
| 1975-1 | 889 | BGS |
| 1977 | 891 | BGS |
| 1979 | 889 | BGS |
| 1980 | 249 | BGS |
| 1981 | 249 | BGS |
| 1982 | 249 | BGS |
| 1983 | 249 | BGS |
| 1984 | 250 | BGS |
| 1984-1 | 250 | BGS |
| 1987 | 248 | BGS |
| 1987-1 | 248 | BGS |
| 1988 | 241 | BGS |
| 1988-1 | 241 | BGS |
| 1989 | 114 | KM |
| 1990 | 591 | BGS |
| 1991 | 163 | KM |
| 1992 | 163 | KM |
| 1993 | 163 | KM |
| 1994 | 220 | BGS |
| 1995 | 220 | BGS |
| 1995-LEER | 220 | BGS |
| 1996 | 39 | KM |
| 1997 | 329 | BGS |
| 1997-4 | 04_19 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 1997-5 | 04_19 | BGS |
| 1997-6 | 04_19 | BGS |
| 1998 | 329 | BGS |
| 2000 | 220 | BGS |
| 2001 | 17 | BGS |
| 2001-1 | n/a | BGS |
| 2001-2 | 72 | BGS |
| 2001-3 | 72 | BGS |
| 2001-9 | 71 | BGS |
| 2002 | 21 | BGS |
| 2002-1 | 21 | BGS |
| 2004 | 18 | BGS |
| 2005 | 35 | KM |
| 2005-LEER | n/a | BGS |
| 2006 | 35 | KM |
| 2007 | 35 | KM |
| 2009 | 221 | BGS |
| 2010 | 39 | KM |
| 2012 | 36 | KM |
| 2013 | 223 | BGS |
| 2014 | 224 | BGS |
| 2016 | 36 | KM |
| 2017 | 40 | KM |
| 2018 | 40 | KM |
| 2019 | 219 | BGS |
| 2020 | 131 | BGS |
| 2021 | 222 | BGS |
| 2022 | 41 | KM |
| 2023 | 224 | BGS |
| 2026 | 142 | BGS |
| 2027 | 135 | BGS |
| 2028 | 130 | BGS |
| 2029 | 487 | BGS |
| 2030 | 235 | BGS |
| 2031 | 235 | BGS |
| 2032 | 235 | BGS |
| 2033 | 235 | BGS |
| 2034 | 235 | BGS |
| 2035 | 235 | BGS |
| 2037 | 15 | KM |
| 2038 | 136 | BGS |
| 2039 | 14 | KM |
| 2040 | 223 | BGS |
| 2040-1 | 223 | BGS |
| 2040-1.5 | 223 | BGS |
| 2040-2 | 223 | BGS |
| 2040-2.5 | 223 | BGS |
| 2040-3 | 223 | BGS |
| 2040-3.5 | 223 | BGS |
| 2040-4 | 223 | BGS |
| 2040-4.5 | 223 | BGS |
| 2040-5 | 223 | BGS |
| 2040-5.5 | 223 | BGS |
| 2040-6 | 223 | BGS |
| 2040-6.5 | 223 | BGS |
| 2040-7 | 223 | BGS |
| 2040-7.5 | 223 | BGS |
| 2040-8 | 223 | BGS |
| 2040-8.5 | 223 | BGS |
| 2040-9 | 223 | BGS |
| 2040-9.5 | 223 | BGS |
| 2040-10 | 223 | BGS |
| 2044 | 166 | KM |
| 2048 | 53 | KM |
| 2049 | 53 | KM |
| 2050 | 235 | BGS |
| 2052 | 56 | KM |
| 2053 | 267 | BGS |
| 2054 | 56 | KM |
| 2055 | 56 | KM |
| 2058 | 56 | KM |
| 2060 | 59 | KM |
| 2061 | 272 | BGS |
| 2064 | 271 | BGS |
| 2065 | 59 | KM |
| 2067 | 58 | KM |
| 2068 | 58 | KM |
| 2069 | 59 | KM |
| 2070 | 52 | KM |
| 2070-SPITZ | 52 | KM |
| 2071 | 166 | KM |
| 2072 | 831 | BGS |



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 2073 | 272 | BGS |
| 2077 | 271 | BGS |
| 2079 | 271 | BGS |
| 2080 | 53 | KM |
| 2081 | 271 | BGS |
| 2082 | 58 | KM |
| 2083 | 272 | BGS |
| 2085 | 255 | BGS |
| 2085-1 | 255 | BGS |
| 2086 | 509 | BGS |
| 2086-H5 | 509 | BGS |
| 2086-H6 | 509 | BGS |
| 2086-T50 | 02_19 | BGS |
| 2087 | 509 | BGS |
| 2087-H6 | 02_19 | BGS |
| 2087-H7 | 02_19 | BGS |
| 2087-H8 | 02_19 | BGS |
| 2101 | 837 | BGS |
| 2104 | 146 | KM |
| 2105 | 146 | KM |
| 2120 | 196 | BGS |
| 2126 | 186 | BGS |
| 2135 | 913 | BGS |
| 2136 | 218 | BGS |
| 2140 | 10_18 | BGS |
| 2141 | 74 | BGS |
| 2142 | 10 | KM |
| 2143 | 75 | BGS |
| 2143-LEER | n/a | BGS |
| 2144 | 75 | BGS |
| 2144-1 | n/a | BGS |
| 2145 | 73 | BGS |
| 2146 | 74 | BGS |
| 2146-LEER | n/a | BGS |
| 2147 | 73 | BGS |
| 2147-LEER | n/a | BGS |
| 2148 | 10_18 | BGS |
| 2150 | 135 | BGS |
| 2151 | 75 | BGS |
| 2152 | 143 | BGS |
| 2152-LEER | n/a | BGS |
| 2159 | 57 | KM |
| 2160 | 57 | KM |
| 2161 | 159 | BGS |
| 2161-10 | QF6 | BGS |
| 2161-12 | QF6 | BGS |
| 2162 | 163 | BGS |
| 2163 | 154 | BGS |
| 2164 | 170 | BGS |
| 2164-T45 | QF7 | BGS |
| 2164-T50 | QF7 | BGS |
| 2165 | 170 | BGS |
| 2165-T45 | QF7 | BGS |
| 2165-T50 | QF7 | BGS |
| 2166 | 159 | BGS |
| 2169 | 433 | BGS |
| 2169-1 | 433 | BGS |
| 2169-1-32 | 433 | BGS |
| 2169-1-38 | 433 | BGS |
| 2169-1-45 | 433 | BGS |
| 2169-2 | 434 | BGS |
| 2169-2-32 | 434 | BGS |
| 2169-2-38 | 434 | BGS |
| 2169-2-45 | 434 | BGS |
| 2169-3 | 434 | BGS |
| 2169-4 | 433 | BGS |
| 2169-5 | 434 | BGS |
| 2169-6 | 433 | BGS |
| 2169-8 | 434 | BGS |
| 2169-9 | 434 | BGS |
| 2169-10 | 04_18 | BGS |
| 2171 | 895 | BGS |
| 2172 | 113 | KM |
| 2175 | 895 | BGS |
| 2178 | 824 | BGS |
| 2181 | 104 | BGS |
| 2181-1 | 04_18 | BGS |
| 2181-2 | 04_18 | BGS |
| 2181-3 | 04_18 | BGS |
| 2182 | 113 | KM |
| 2184 | 822 | BGS |
| 2185 | 823 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 2186 | 822 | BGS |
| 2186-1 | 822 | BGS |
| 2187 | 896 | BGS |
| 2188 | 500 | BGS |
| 2188-1 | 500 | BGS |
| 2189 | 810 | BGS |
| 2191 | 914 | BGS |
| 2192-1 | 824 | BGS |
| 2193 | 815 | BGS |
| 2194-1 | 824 | BGS |
| 2196-ROLLE | n/a | BGS |
| 2197 | 815 | BGS |
| 2198 | 813 | BGS |
| 2199 | 15 | KM |
| 2202 | 825 | BGS |
| 2203 | 825 | BGS |
| 2204 | 13 | KM |
| 2204-LEER | 13 | KM |
| 2205 | 183 | BGS |
| 2206 | 183 | BGS |
| 2207 | 183 | BGS |
| 2210 | QF10 | BGS |
| 2211 | QF10 | BGS |
| 2215 | 77 | BGS |
| 2216 | 79 | BGS |
| 2217 | 04_19 | BGS |
| 2218 | 77 | BGS |
| 2219 | QF10 | BGS |
| 2220 | QF10 | BGS |
| 2221 | 133 | BGS |
| 2222 | 136 | BGS |
| 2223 | 139 | BGS |
| 2224 | 79 | BGS |
| 2224-LEER | n/a | BGS |
| 2225 | 10_18 | BGS |
| 2226 | 140 | BGS |
| 2227 | 78 | BGS |
| 2227-LEER | n/a | BGS |
| 2229 | 76 | BGS |
| 2229-1 | 195 | BGS |
| 2229-LEER | n/a | BGS |
| 2231 | QF10 | BGS |
| 2232 | QF10 | BGS |
| 2233 | 191 | BGS |
| 2235 | 191 | BGS |
| 2236 | 191 | BGS |
| 2237 | 193 | BGS |
| 2239 | 192 | BGS |
| 2240 | 193 | BGS |
| 2242 | 76 | BGS |
| 2243 | 90 | BGS |
| 2244 | 316 | BGS |
| 2244-10x12 | 317 | BGS |
| 2245 | 94 | BGS |
| 2246 | 139 | BGS |
| 2247 | 92 | BGS |
| 2248 | 10_18 | BGS |
| 2252-LEER | n/a | BGS |
| 2253 | 191 | BGS |
| 2255 | 115 | BGS |
| 2256 | 788 | BGS |
| 2258 | 315 | BGS |
| 2259 | 82 | BGS |
| 2260 | QF12 | BGS |
| 2261 | QF12 | BGS |
| 2262 | QF12 | BGS |
| 2263 | QF12 | BGS |
| 2264 | 311 | BGS |
| 2265 | QF12 | BGS |
| 2266 | QF12 | BGS |
| 2267 | 141 | BGS |
| 2268 | 311 | BGS |
| 2269 | 133 | BGS |
| 2271-LEER | n/a | BGS |
| 2272 | 186 | BGS |
| 2274 | 186 | BGS |
| 2275 | 592 | BGS |
| 2281 | 312 | BGS |
| 2281-6X8 | QF12 | BGS |
| 2281-10X12 | QF12 | BGS |
| 2281-14X18 | QF12 | BGS |
| 2281-20X24 | QF12 | BGS |

| Art. | | BGS/ KM |
|-------------|-------|------------|
| 2282-LEER | 01_19 | BGS |
| 2283 | 5 | KM |
| 2283-LEER | n/a | BGS |
| 2286 | 96 | BGS |
| 2287 | 6 | KM |
| 2289 | 102 | BGS |
| 2290 | 86 | BGS |
| 2290-LEER | n/a | BGS |
| 2292 | 88 | BGS |
| 2292-LEER | n/a | BGS |
| 2294 | 100 | BGS |
| 2294-LEER | n/a | BGS |
| 2296 | 7 | KM |
| 2296-LEER | n/a | BGS |
| 2297-LEER | n/a | BGS |
| 2298 | 98 | BGS |
| 2298-LEER | n/a | BGS |
| 2299 | 103 | BGS |
| 2300 | 28 | KM |
| 2301 | 189 | BGS |
| 2304 | 183 | BGS |
| 2308 | 183 | BGS |
| 2315 | 186 | BGS |
| 2315-REPAIR | 190 | BGS |
| 2316 | 196 | BGS |
| 2317 | 196 | BGS |
| 2318 | 196 | BGS |
| 2320 | 190 | BGS |
| 2321 | 190 | BGS |
| 2323 | 193 | BGS |
| 2325 | 287 | BGS |
| 2330 | 196 | BGS |
| 2335 | QF10 | BGS |
| 2336 | QF10 | BGS |
| 2338 | QF10 | BGS |
| 2339 | QF3 | BGS |
| 2343 | QF3 | BGS |
| 2344 | QF3 | BGS |
| 2345 | QF3 | BGS |
| 2346 | QF3 | BGS |
| 2347 | QF3 | BGS |
| 2348 | QF3 | BGS |
| 2349 | QF3 | BGS |
| 2350 | QF3 | BGS |
| 2351 | QF3 | BGS |
| 2352 | QF3 | BGS |
| 2353 | QF3 | BGS |
| 2354 | QF3 | BGS |
| 2355 | 171 | BGS |
| 2355-TS15 | QF6 | BGS |
| 2355-TS20 | QF6 | BGS |
| 2355-25 | QF6 | BGS |
| 2355-TS27 | QF6 | BGS |
| 2355-TS30 | QF6 | BGS |
| 2355-TS40 | QF6 | BGS |
| 2355-TS50 | QF6 | BGS |
| 2356 | QF7 | BGS |
| 2357 | QF7 | BGS |
| 2358 | QF7 | BGS |
| 2359 | QF7 | BGS |
| 2360 | QF7 | BGS |
| 2361 | QF7 | BGS |
| 2362 | QF7 | BGS |
| 2363 | QF7 | BGS |
| 2364 | QF7 | BGS |
| 2366 | QF3 | BGS |
| 2367 | QF3 | BGS |
| 2368 | QF3 | BGS |
| 2369 | QF3 | BGS |
| 2370 | QF3 | BGS |
| 2371 | QF3 | BGS |
| 2372 | QF3 | BGS |
| 2373 | QF3 | BGS |
| 2374 | QF3 | BGS |
| 2375 | QF3 | BGS |
| 2376 | QF3 | BGS |
| 2377 | QF3 | BGS |
| 2378 | QF3 | BGS |
| 2379 | QF3 | BGS |
| 2380 | QF3 | BGS |
| 2381 | QF3 | BGS |
| 2382 | QF3 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 2384 | QF3 | BGS |
| 2385 | 740 | BGS |
| 2386 | 740 | BGS |
| 2387 | 740 | BGS |
| 2390 | 738 | BGS |
| 2391 | 738 | BGS |
| 2392 | 738 | BGS |
| 2400 | 739 | BGS |
| 2401 | 740 | BGS |
| 2402 | 740 | BGS |
| 2403 | 740 | BGS |
| 2404 | 738 | BGS |
| 2405 | 738 | BGS |
| 2408 | QF3 | BGS |
| 2409 | QF3 | BGS |
| 2410 | QF3 | BGS |
| 2411 | QF3 | BGS |
| 2412 | QF3 | BGS |
| 2413 | QF3 | BGS |
| 2414 | QF3 | BGS |
| 2415 | QF3 | BGS |
| 2416 | QF3 | BGS |
| 2417 | QF3 | BGS |
| 2418 | QF3 | BGS |
| 2419 | QF3 | BGS |
| 2420 | QF3 | BGS |
| 2421 | QF3 | BGS |
| 2422 | QF3 | BGS |
| 2424 | QF3 | BGS |
| 2427 | QF3 | BGS |
| 2428 | QF3 | BGS |
| 2429 | 134 | BGS |
| 2430 | QF3 | BGS |
| 2432 | QF3 | BGS |
| 2433 | 134 | BGS |
| 2434 | 139 | BGS |
| 2434-LEER | n/a | BGS |
| 2435 | 140 | BGS |
| 2436 | QF9 | BGS |
| 2437 | QF9 | BGS |
| 2438 | QF9 | BGS |
| 2439 | QF9 | BGS |
| 2440 | QF9 | BGS |
| 2441 | QF9 | BGS |
| 2442 | QF9 | BGS |
| 2443 | QF9 | BGS |
| 2444 | QF9 | BGS |
| 2445 | QF9 | BGS |
| 2446 | 737 | BGS |
| 2447 | 739 | BGS |
| 2448 | 740 | BGS |
| 2449 | 738 | BGS |
| 2450 | 114 | BGS |
| 2452 | 114 | BGS |
| 2453 | 114 | BGS |
| 2454 | 114 | BGS |
| 2455 | 114 | BGS |
| 2456 | 114 | BGS |
| 2457 | 114 | BGS |
| 2458 | 114 | BGS |
| 2459 | 114 | BGS |
| 2460 | 01_19 | BGS |
| 2461 | 739 | BGS |
| 2463 | 740 | BGS |
| 2464 | 739 | BGS |
| 2465 | 123 | KM |
| 2466 | 739 | BGS |
| 2468 | 740 | BGS |
| 2469 | 740 | BGS |
| 2470 | 739 | BGS |
| 2471 | 739 | BGS |
| 2472 | 739 | BGS |
| 2473 | QF1 | BGS |
| 2474 | QF1 | BGS |
| 2475 | QF1 | BGS |
| 2476 | QF1 | BGS |
| 2477 | QF1 | BGS |
| 2478 | QF1 | BGS |
| 2479 | QF1 | BGS |
| 2480 | QF1 | BGS |
| 2481 | QF1 | BGS |
| 2482 | QF1 | BGS |



| Art. | | BGS/ KM |
|---------|-----|------------|
| 2483 | QF1 | BGS |
| 2484 | QF1 | BGS |
| 2485 | QF1 | BGS |
| 2486 | QF1 | BGS |
| 2487 | QF7 | BGS |
| 2488 | QF7 | BGS |
| 2489 | QF7 | BGS |
| 2490 | QF7 | BGS |
| 2491 | QF7 | BGS |
| 2492 | QF7 | BGS |
| 2493 | QF7 | BGS |
| 2494 | QF7 | BGS |
| 2495 | QF7 | BGS |
| 2496 | QF7 | BGS |
| 2497 | QF6 | BGS |
| 2498 | QF6 | BGS |
| 2499 | QF6 | BGS |
| 2500 | QF6 | BGS |
| 2501 | QF6 | BGS |
| 2502 | QF6 | BGS |
| 2503 | QF6 | BGS |
| 2504 | QF7 | BGS |
| 2505 | QF7 | BGS |
| 2506 | QF6 | BGS |
| 2507 | QF6 | BGS |
| 2533 | 128 | BGS |
| 2537 | 598 | BGS |
| 2531 | 128 | BGS |
| 2538 | 606 | BGS |
| 2539 | 606 | BGS |
| 2540 | 196 | BGS |
| 2541 | QF7 | BGS |
| 2542 | QF7 | BGS |
| 2543 | QF7 | BGS |
| 2544 | QF7 | BGS |
| 2545 | QF7 | BGS |
| 2546 | QF7 | BGS |
| 2547 | QF7 | BGS |
| 2548 | QF7 | BGS |
| 2549 | QF7 | BGS |
| 2550 | QF7 | BGS |
| 2551 | QF7 | BGS |
| 2552 | QF7 | BGS |
| 2553 | QF7 | BGS |
| 2554 | QF7 | BGS |
| 2556 | QF7 | BGS |
| 2557 | QF7 | BGS |
| 2560 | 129 | BGS |
| 2565 | QF7 | BGS |
| 2565-75 | QF7 | BGS |
| 2567 | QF7 | BGS |
| 2568 | QF7 | BGS |
| 2571 | QF7 | BGS |
| 2572 | QF7 | BGS |
| 2573 | QF7 | BGS |
| 2574 | QF7 | BGS |
| 2575 | QF7 | BGS |
| 2576 | QF6 | BGS |
| 2577 | QF6 | BGS |
| 2578 | QF6 | BGS |
| 2579 | QF6 | BGS |
| 2580 | QF6 | BGS |
| 2581 | QF6 | BGS |
| 2582 | QF6 | BGS |
| 2583 | QF6 | BGS |
| 2584 | QF6 | BGS |
| 2587 | QF6 | BGS |
| 2588 | QF7 | BGS |
| 2589 | QF7 | BGS |
| 2590 | QF7 | BGS |
| 2591 | QF7 | BGS |
| 2592 | QF7 | BGS |
| 2593 | QF7 | BGS |
| 2594 | QF7 | BGS |
| 2595 | QF7 | BGS |
| 2596 | QF7 | BGS |
| 2597 | QF7 | BGS |
| 2599 | QF7 | BGS |
| 2600 | QF3 | BGS |
| 2601 | QF3 | BGS |
| 2602 | QF3 | BGS |
| 2603 | QF3 | BGS |

| Art. | | BGS/ KM |
|-------------|-------|------------|
| 2604 | QF3 | BGS |
| 2605 | QF3 | BGS |
| 2606 | QF3 | BGS |
| 2607 | QF3 | BGS |
| 2608 | QF3 | BGS |
| 2609 | QF3 | BGS |
| 2610 | QF3 | BGS |
| 2611 | QF3 | BGS |
| 2710 | QF4 | BGS |
| 2711 | QF4 | BGS |
| 2712 | QF4 | BGS |
| 2713 | QF4 | BGS |
| 2714 | QF4 | BGS |
| 2715 | QF4 | BGS |
| 2720 | QF6 | BGS |
| 2721 | QF6 | BGS |
| 2722 | QF6 | BGS |
| 2723 | QF6 | BGS |
| 2726 | 224 | BGS |
| 2726-3 | 224 | BGS |
| 2726-4 | 224 | BGS |
| 2727 | QF6 | BGS |
| 2729 | QF6 | BGS |
| 2730 | QF6 | BGS |
| 2731 | 224 | BGS |
| 2740 | QF6 | BGS |
| 2741 | QF6 | BGS |
| 2742 | QF6 | BGS |
| 2743 | QF6 | BGS |
| 2744 | QF6 | BGS |
| 2745 | QF6 | BGS |
| 2746 | QF6 | BGS |
| 2747 | QF6 | BGS |
| 2748 | QF6 | BGS |
| 2749 | 159 | BGS |
| 2755 | 134 | BGS |
| 2756 | 137 | BGS |
| 2757 | 135 | BGS |
| 2758 | 228 | BGS |
| 2759 | 227 | BGS |
| 2760 | QF7 | BGS |
| 2761 | QF7 | BGS |
| 2762 | 227 | BGS |
| 2763 | 227 | BGS |
| 2764 | 227 | BGS |
| 2765 | 227 | BGS |
| 2766 | 227 | BGS |
| 2767 | 227 | BGS |
| 2768 | 227 | BGS |
| 2769 | 227 | BGS |
| 2770 | QF1 | BGS |
| 2771 | QF1 | BGS |
| 2772 | QF1 | BGS |
| 2773 | QF1 | BGS |
| 2774 | QF1 | BGS |
| 2775 | QF1 | BGS |
| 2776 | QF1 | BGS |
| 2777 | QF1 | BGS |
| 2778 | QF1 | BGS |
| 2779 | QF1 | BGS |
| 2784 | 04_18 | BGS |
| 2786 | 04_18 | BGS |
| 2787 | 04_18 | BGS |
| 2788 | 04_18 | BGS |
| 2790 | 581 | BGS |
| 2798 | 205 | BGS |
| 2798-REPAIR | 208 | BGS |
| 2799-REPAIR | 208 | BGS |
| 2800-REPAIR | 208 | BGS |
| 2801-REPAIR | 208 | BGS |
| 2803 | 204 | BGS |
| 2803-REPAIR | 208 | BGS |
| 2804 | 204 | BGS |
| 2804-REPAIR | 208 | BGS |
| 2805 | 204 | BGS |
| 2805-REPAIR | 208 | BGS |
| 2806 | 204 | BGS |
| 2806-REPAIR | 208 | BGS |
| 2807 | 204 | BGS |
| 2807-REPAIR | 208 | BGS |
| 2808 | 204 | BGS |
| 2808-REPAIR | 208 | BGS |

| Art. | | BGS/ KM |
|--------|-------|------------|
| 2813 | 12_18 | BGS |
| 2830 | n/a | BGS |
| 2832 | 849 | BGS |
| 2850 | 847 | BGS |
| 2883 | 891 | BGS |
| 2884 | 894 | BGS |
| 2885 | 892 | BGS |
| 2888 | 891 | BGS |
| 2889 | 892 | BGS |
| 2889-1 | 892 | BGS |
| 2889-2 | 892 | BGS |
| 2894 | 225 | BGS |
| 2897 | 892 | BGS |
| 2900 | 559 | BGS |
| 2901 | 559 | BGS |
| 2902 | 559 | BGS |
| 2903 | 560 | BGS |
| 2904 | 560 | BGS |
| 2905 | 560 | BGS |
| 2906 | 560 | BGS |
| 2907 | 561 | BGS |
| 2908 | QF1 | BGS |
| 2909 | QF1 | BGS |
| 2910 | QF1 | BGS |
| 2911 | QF1 | BGS |
| 2912 | QF1 | BGS |
| 2913 | QF1 | BGS |
| 2914 | QF1 | BGS |
| 2915 | QF1 | BGS |
| 2916 | QF1 | BGS |
| 2917 | QF1 | BGS |
| 2918 | QF1 | BGS |
| 2919 | QF1 | BGS |
| 2920 | QF1 | BGS |
| 2921 | QF1 | BGS |
| 2922 | QF1 | BGS |
| 2924 | QF1 | BGS |
| 2926 | QF1 | BGS |
| 2927 | QF1 | BGS |
| 2928 | QF1 | BGS |
| 2930 | QF1 | BGS |
| 2932 | QF1 | BGS |
| 2934 | QF1 | BGS |
| 2935 | QF1 | BGS |
| 2936 | QF1 | BGS |
| 2943 | QF3 | BGS |
| 2944 | QF3 | BGS |
| 2945 | QF3 | BGS |
| 2946 | QF3 | BGS |
| 2947 | QF3 | BGS |
| 2948 | QF3 | BGS |
| 2949 | QF3 | BGS |
| 2951 | QF3 | BGS |
| 2952 | QF3 | BGS |
| 2956 | QF3 | BGS |
| 2964 | QF3 | BGS |
| 2965 | QF3 | BGS |
| 2966 | QF3 | BGS |
| 2967 | QF3 | BGS |
| 2968 | QF3 | BGS |
| 2969 | QF3 | BGS |
| 2970 | QF3 | BGS |
| 2971 | QF3 | BGS |
| 2972 | QF3 | BGS |
| 2973 | QF3 | BGS |
| 2974 | QF3 | BGS |
| 2980 | 746 | BGS |
| 2981 | 746 | BGS |
| 2982 | 746 | BGS |
| 2983 | 746 | BGS |
| 2984 | 746 | BGS |
| 2984-1 | 738 | BGS |
| 2985 | 746 | BGS |
| 2986 | 745 | BGS |
| 2987 | 738 | BGS |
| 2989 | 849 | BGS |
| 2990 | 746 | BGS |
| 2992 | 848 | BGS |
| 2994 | 849 | BGS |
| 2995 | 848 | BGS |
| 2996 | 848 | BGS |
| 2996-1 | 848 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 2997 | 848 | BGS |
| 2999 | 888 | BGS |
| 3001 | 888 | BGS |
| 3002 | 143 | KM |
| 3004 | 775 | BGS |
| 3005 | 166 | KM |
| 3006 | 167 | KM |
| 3007 | 775 | BGS |
| 3008 | 775 | BGS |
| 3009 | 775 | BGS |
| 3010 | 914 | BGS |
| 3010-1 | 914 | BGS |
| 3011 | 167 | KM |
| 3011-1 | 69 | BGS |
| 3011-2 | 69 | BGS |
| 3011-3 | 69 | BGS |
| 3012 | 167 | KM |
| 3014 | 890 | BGS |
| 3014-9 | 890 | BGS |
| 3015 | 890 | BGS |
| 3015-9 | 890 | BGS |
| 3016 | 890 | BGS |
| 3016-9 | 890 | BGS |
| 3018 | 188 | KM |
| 3020 | 167 | KM |
| 3021 | 167 | KM |
| 3022 | 167 | KM |
| 3023 | 167 | KM |
| 3024 | 187 | KM |
| 3025 | 873 | BGS |
| 3026 | 188 | KM |
| 3027 | 586 | BGS |
| 3028 | 235 | BGS |
| 3029 | 588 | BGS |
| 3030 | 501 | BGS |
| 3031 | 235 | BGS |
| 3032 | 588 | BGS |
| 3033 | 235 | BGS |
| 3034 | 235 | BGS |
| 3035 | 235 | BGS |
| 3036 | 235 | BGS |
| 3038 | 235 | BGS |
| 3039 | 235 | BGS |
| 3040 | 235 | BGS |
| 3041 | 622 | BGS |
| 3043 | 45 | KM |
| 3044 | 325 | BGS |
| 3045 | 325 | BGS |
| 3046 | 325 | BGS |
| 3048 | 162 | KM |
| 3050 | 895 | BGS |
| 3051 | 555 | BGS |
| 3051-LEER | 555 | BGS |
| 3056 | 85 | KM |
| 3057 | 465 | BGS |
| 3057-13 | 465 | BGS |
| 3057-14 | 465 | BGS |
| 3057-15 | 465 | BGS |
| 3057-16 | 465 | BGS |
| 3057-17 | 465 | BGS |
| 3057-18 | 465 | BGS |
| 3057-19 | 465 | BGS |
| 3057-20 | 465 | BGS |
| 3057-21 | 465 | BGS |
| 3057-22 | 465 | BGS |
| 3057-23 | 465 | BGS |
| 3057-24 | 465 | BGS |
| 3057-25 | 465 | BGS |
| 3057-26 | 465 | BGS |
| 3058 | 04_18 | BGS |
| 3060 | 112 | KM |
| 3061 | 467 | BGS |
| 3062 | 466 | BGS |
| 3063 | 278 | BGS |
| 3064 | 754 | BGS |
| 3065 | 765 | BGS |
| 3065-1 | 765 | BGS |
| 3066 | 766 | BGS |
| 3067 | 250 | BGS |
| 3068 | 250 | BGS |
| 3069 | 250 | BGS |
| 3070 | 207 | BGS |



| Art. | | BGS/KM |
|-----------|-------|--------|
| 3073 | 231 | BGS |
| 3074 | 915 | BGS |
| 3076 | 232 | BGS |
| 3077 | 232 | BGS |
| 3078 | 229 | BGS |
| 3078-1 | 01_19 | BGS |
| 3078-2 | 01_19 | BGS |
| 3078-3 | 01_19 | BGS |
| 3078-8-S | 01_19 | BGS |
| 3078-9-S | 01_19 | BGS |
| 3078-10-S | 01_19 | BGS |
| 3078-11-S | 01_19 | BGS |
| 3078-12-S | 01_19 | BGS |
| 3078-13-S | 01_19 | BGS |
| 3078-14-S | 01_19 | BGS |
| 3078-15-S | 01_19 | BGS |
| 3078-16-S | 01_19 | BGS |
| 3078-17-S | 01_19 | BGS |
| 3078-18-S | 01_19 | BGS |
| 3078-19-S | 01_19 | BGS |
| 3078-8-M | 01_19 | BGS |
| 3078-9-M | 01_19 | BGS |
| 3078-10-M | 01_19 | BGS |
| 3078-11-M | 01_19 | BGS |
| 3078-12-M | 01_19 | BGS |
| 3078-13-M | 01_19 | BGS |
| 3078-14-M | 01_19 | BGS |
| 3078-15-M | 01_19 | BGS |
| 3078-16-M | 01_19 | BGS |
| 3078-17-M | 01_19 | BGS |
| 3078-18-M | 01_19 | BGS |
| 3078-19-M | 01_19 | BGS |
| 3078-8-N | 01_19 | BGS |
| 3078-9-N | 01_19 | BGS |
| 3078-10-N | 01_19 | BGS |
| 3078-11-N | 01_19 | BGS |
| 3078-12-N | 01_19 | BGS |
| 3078-13-N | 01_19 | BGS |
| 3078-14-N | 01_19 | BGS |
| 3078-15-N | 01_19 | BGS |
| 3078-16-N | 01_19 | BGS |
| 3078-17-N | 01_19 | BGS |
| 3078-18-N | 01_19 | BGS |
| 3078-19-N | 01_19 | BGS |
| 3079 | 44 | KM |
| 3080 | 231 | BGS |
| 3081 | 776 | BGS |
| 3082 | 729 | BGS |
| 3083 | 729 | BGS |
| 3084 | 207 | BGS |
| 3085 | 278 | BGS |
| 3086 | 139 | KM |
| 3087 | 139 | KM |
| 3088 | 774 | BGS |
| 3089 | 773 | BGS |
| 3090 | 140 | KM |
| 3091 | 774 | BGS |
| 3092 | 589 | BGS |
| 3093 | 140 | KM |
| 3094 | 772 | BGS |
| 3095 | 775 | BGS |
| 3096 | 178 | KM |
| 3098 | 178 | KM |
| 3099 | 178 | KM |
| 3100 | 178 | KM |
| 3101 | 178 | KM |
| 3102 | 772 | BGS |
| 3103 | 178 | KM |
| 3104 | 589 | BGS |
| 3105 | 04_18 | KM |
| 3109 | 04_19 | BGS |
| 3120 | QF10 | BGS |
| 3121 | QF10 | BGS |
| 3125 | 193 | BGS |
| 3130 | 405 | BGS |
| 3131 | 255 | BGS |
| 3132 | QF10 | BGS |
| 3134 | QF10 | BGS |
| 3135 | 729 | BGS |
| 3140 | 765 | BGS |
| 3141 | 765 | BGS |
| 3142 | 766 | BGS |

| Art. | | BGS/KM |
|-----------|-------|--------|
| 3143 | 766 | BGS |
| 3144 | 138 | KM |
| 3145-1 | n/a | BGS |
| 3145-3 | n/a | BGS |
| 3150 | 512 | BGS |
| 3154 | 773 | BGS |
| 3155 | 467 | BGS |
| 3156 | 754 | BGS |
| 3157 | 468 | BGS |
| 3158 | 773 | BGS |
| 3159 | 773 | BGS |
| 3160 | 466 | BGS |
| 3161 | 466 | BGS |
| 3162 | 466 | BGS |
| 3163 | 466 | BGS |
| 3164 | 466 | BGS |
| 3165 | 466 | BGS |
| 3166 | 466 | BGS |
| 3169 | 208 | BGS |
| 3170 | 208 | BGS |
| 3171 | 231 | BGS |
| 3172 | 231 | BGS |
| 3173 | 231 | BGS |
| 3174 | 774 | BGS |
| 3175 | 10_18 | BGS |
| 3175-1 | 10_18 | BGS |
| 3175-2 | 10_18 | BGS |
| 3175-3 | 10_18 | BGS |
| 3176 | 776 | BGS |
| 3177 | 281 | BGS |
| 3178 | 281 | BGS |
| 3180 | 281 | BGS |
| 3183 | 774 | BGS |
| 3184 | 729 | BGS |
| 3187 | 774 | BGS |
| 3188 | 775 | BGS |
| 3192 | 589 | BGS |
| 3193 | 589 | BGS |
| 3197 | 772 | BGS |
| 3200 | 227 | BGS |
| 3201 | 402 | BGS |
| 3202 | 401 | BGS |
| 3203 | 412 | BGS |
| 3204 | 412 | BGS |
| 3205 | 398 | BGS |
| 3205-1 | 398 | BGS |
| 3205-2 | 398 | BGS |
| 3206 | 411 | BGS |
| 3206-1 | 02_18 | BGS |
| 3206-2 | 02_18 | BGS |
| 3206-3 | 02_18 | BGS |
| 3207 | 401 | BGS |
| 3208 | 401 | BGS |
| 3209 | 399 | BGS |
| 3210 | 399 | BGS |
| 3211 | 100 | KM |
| 3212 | 399 | BGS |
| 3213 | 102 | KM |
| 3213-1 | 102 | KM |
| 3214 | 403 | BGS |
| 3215 | 399 | BGS |
| 3216 | 563 | BGS |
| 3217 | 563 | BGS |
| 3217-1 | 563 | BGS |
| 3217-2 | 563 | BGS |
| 3217-3 | 563 | BGS |
| 3218 | 415 | BGS |
| 3219 | 416 | BGS |
| 3220 | 412 | BGS |
| 3221 | 188 | KM |
| 3222 | 424 | BGS |
| 3222-1 | 424 | BGS |
| 3222-2 | 425 | BGS |
| 3222-3 | 425 | BGS |
| 3222-4 | 425 | BGS |
| 3223 | 390 | BGS |
| 3223-LEER | 390 | BGS |
| 3224 | 394 | BGS |
| 3225 | 392 | BGS |
| 3226 | 425 | BGS |
| 3226-1 | 425 | BGS |
| 3227 | 424 | BGS |

| Art. | | BGS/KM |
|-------------|-------|--------|
| 3228 | 424 | BGS |
| 3229 | 394 | BGS |
| 3230 | 898 | BGS |
| 3231 | 913 | BGS |
| 3232 | 851 | BGS |
| 3233 | 387 | BGS |
| 3234 | 393 | BGS |
| 3235 | 391 | BGS |
| 3236 | 418 | BGS |
| 3236-1 | 418 | BGS |
| 3237 | 397 | BGS |
| 3237-2 | 397 | BGS |
| 3238 | 386 | BGS |
| 3239 | 393 | BGS |
| 3240 | 392 | BGS |
| 3241 | 423 | BGS |
| 3242 | 402 | BGS |
| 3242-1 | 403 | BGS |
| 3243 | 415 | BGS |
| 3243-TASCHE | 415 | BGS |
| 3243-1 | 415 | BGS |
| 3244 | 414 | BGS |
| 3244-1 | 414 | BGS |
| 3245 | 388 | BGS |
| 3245-1 | 389 | BGS |
| 3246 | 389 | BGS |
| 3246-7 | 389 | BGS |
| 3247 | 387 | BGS |
| 3249 | 406 | BGS |
| 3250 | 405 | BGS |
| 3253 | 404 | BGS |
| 3255 | 397 | BGS |
| 3256 | 416 | BGS |
| 3257 | 416 | BGS |
| 3258 | 416 | BGS |
| 3259 | 388 | BGS |
| 3260-1 | 397 | BGS |
| 3262 | 395 | BGS |
| 3263 | 422 | BGS |
| 3264 | 407 | BGS |
| 3265 | 406 | BGS |
| 3266 | 409 | BGS |
| 3267 | 417 | BGS |
| 3268 | 408 | BGS |
| 3269 | 407 | BGS |
| 3269-1 | 02_19 | BGS |
| 3270 | 413 | BGS |
| 3271 | 407 | BGS |
| 3272 | 844 | BGS |
| 3274-1-1 | n/a | BGS |
| 3274-1-2 | n/a | BGS |
| 3274-1-3 | n/a | BGS |
| 3274-2 | n/a | BGS |
| 3274-3 | n/a | BGS |
| 3276 | 410 | BGS |
| 3276-1 | 410 | BGS |
| 3277 | 401 | BGS |
| 3277-REP01 | 401 | BGS |
| 3278 | 399 | BGS |
| 3279 | 100 | KM |
| 3280 | 388 | BGS |
| 3282 | 394 | BGS |
| 3284 | 417 | BGS |
| 3285 | 404 | BGS |
| 3286 | 408 | BGS |
| 3286-1 | 408 | BGS |
| 3287 | 408 | BGS |
| 3288 | 101 | KM |
| 3290 | 409 | BGS |
| 3290-1 | 409 | BGS |
| 3291 | 409 | BGS |
| 3291-30 | 409 | BGS |
| 3291-50 | 409 | BGS |
| 3291-70 | 409 | BGS |
| 3292 | 07_18 | BGS |
| 3294 | 103 | KM |
| 3295 | 391 | BGS |
| 3297 | 404 | BGS |
| 3300 | 331 | BGS |
| 3301 | 331 | BGS |
| 3302 | 331 | BGS |
| 3304 | 331 | BGS |

| Art. | | BGS/KM |
|-----------|-------|--------|
| 3306 | 108 | BGS |
| 3307 | 331 | BGS |
| 3312 | 20 | BGS |
| 3314 | 332 | BGS |
| 3315 | 411 | BGS |
| 3315-1 | 02_18 | BGS |
| 3315-2 | 02_18 | BGS |
| 3317 | 411 | BGS |
| 3317-1 | 02_18 | BGS |
| 3317-2 | 02_18 | BGS |
| 3317-3 | 02_18 | BGS |
| 3318 | 110 | BGS |
| 3319 | 04_18 | BGS |
| 3320 | 386 | BGS |
| 3321 | 431 | BGS |
| 3321-1 | 431 | BGS |
| 3322 | 109 | BGS |
| 3323 | 02_19 | BGS |
| 3341 | 111 | BGS |
| 3341-1 | 111 | BGS |
| 3342 | 112 | BGS |
| 3342-1 | 112 | BGS |
| 3343 | 113 | BGS |
| 3343-1 | 113 | BGS |
| 3344 | 112 | BGS |
| 3344-1 | 112 | BGS |
| 3400 | 397 | BGS |
| 3401 | 813 | BGS |
| 3419 | QF1 | BGS |
| 3421 | QF1 | BGS |
| 3422 | QF1 | BGS |
| 3423 | QF1 | BGS |
| 3426 | QF1 | BGS |
| 3424 | QF1 | BGS |
| 3427 | QF1 | BGS |
| 3430 | QF1 | BGS |
| 3432 | QF1 | BGS |
| 3433 | QF1 | BGS |
| 3434 | QF1 | BGS |
| 3435 | QF1 | BGS |
| 3436 | QF1 | BGS |
| 3438 | QF1 | BGS |
| 3441 | QF1 | BGS |
| 3442 | QF1 | BGS |
| 3444 | QF1 | BGS |
| 3446 | QF1 | BGS |
| 3448 | QF1 | BGS |
| 3450 | QF1 | BGS |
| 3455 | QF1 | BGS |
| 3460 | 196 | BGS |
| 3480 | 897 | BGS |
| 3482 | 897 | BGS |
| 3483 | 896 | BGS |
| 3484 | 896 | BGS |
| 3485 | 896 | BGS |
| 3494 | 149 | KM |
| 3495 | 148 | KM |
| 3507 | 138 | KM |
| 3510 | 765 | BGS |
| 3511 | 764 | BGS |
| 3512 | 765 | BGS |
| 3513 | 764 | BGS |
| 3514 | 418 | BGS |
| 3515 | 418 | BGS |
| 3515-1 | 420 | BGS |
| 3516 | 901 | BGS |
| 3516-1 | 901 | BGS |
| 3516-2 | 901 | BGS |
| 3517 | 902 | BGS |
| 3518 | 902 | BGS |
| 3521 | 507 | BGS |
| 3525 | 557 | BGS |
| 3530 | 831 | BGS |
| 3530-1 | 831 | BGS |
| 3530-LEER | 02_19 | BGS |
| 3531 | 831 | BGS |
| 3532 | 832 | BGS |
| 3535 | 832 | BGS |
| 3538 | 578 | BGS |
| 3539 | 578 | BGS |
| 3541 | 121 | KM |
| 3542 | 579 | BGS |



| Art. | | BGS/KM |
|--------|-------|--------|
| 3543 | 579 | BGS |
| 3544 | 580 | BGS |
| 3545 | 588 | BGS |
| 3546 | 579 | BGS |
| 3547 | 580 | BGS |
| 3548 | 578 | BGS |
| 3550 | 147 | KM |
| 3553 | 148 | KM |
| 3554 | 148 | KM |
| 3559 | 190 | BGS |
| 3597 | 147 | KM |
| 3574 | 266 | BGS |
| 3598 | 147 | KM |
| 3599 | 147 | KM |
| 3600 | 147 | KM |
| 3620 | 904 | BGS |
| 3622 | 902 | BGS |
| 3623 | 904 | BGS |
| 3624 | 151 | KM |
| 3625 | 904 | BGS |
| 3627 | 902 | BGS |
| 3628 | 903 | BGS |
| 3630 | 903 | BGS |
| 3631 | 903 | BGS |
| 3640 | 903 | BGS |
| 3641 | 903 | BGS |
| 3650 | 102 | KM |
| 3650-1 | 04_19 | KM |
| 3736 | QF1 | BGS |
| 3741 | QF1 | BGS |
| 3746 | QF1 | BGS |
| 3750 | QF1 | BGS |
| 3755 | QF1 | BGS |
| 3760 | QF1 | BGS |
| 3765 | QF1 | BGS |
| 3770 | QF1 | BGS |
| 3775 | QF1 | BGS |
| 3780 | QF1 | BGS |
| 3800 | 218 | BGS |
| 3830 | 218 | BGS |
| 3834 | 218 | BGS |
| 3835 | 51 | KM |
| 3846 | 251 | BGS |
| 3847 | 251 | BGS |
| 3848 | 251 | BGS |
| 3849 | 251 | BGS |
| 3850 | 253 | BGS |
| 3852 | 253 | BGS |
| 3854 | 253 | BGS |
| 3855 | 253 | BGS |
| 3856 | 253 | BGS |
| 3857 | 253 | BGS |
| 3858 | 253 | BGS |
| 3860 | 254 | BGS |
| 3865 | 251 | BGS |
| 3870 | 561 | BGS |
| 3871 | 561 | BGS |
| 3872 | 561 | BGS |
| 3873 | 561 | BGS |
| 3902 | 276 | BGS |
| 3903 | 41 | KM |
| 3904 | 41 | KM |
| 3906 | 219 | BGS |
| 3906-1 | 219 | BGS |
| 3910 | 219 | BGS |
| 3911 | 219 | BGS |
| 3913 | 219 | BGS |
| 3914 | 219 | BGS |
| 3915 | 219 | BGS |
| 3916 | 219 | BGS |
| 3917 | 219 | BGS |
| 3921 | 85 | KM |
| 3922 | 282 | BGS |
| 3927 | 282 | BGS |
| 3931 | 86 | KM |
| 3932 | 86 | KM |
| 3934 | 86 | KM |
| 3935 | 282 | BGS |
| 3936 | 282 | BGS |
| 3937 | 282 | BGS |
| 3941 | 86 | KM |
| 3944 | 86 | KM |

| Art. | | BGS/KM |
|---------|-------|--------|
| 3950 | 61 | KM |
| 3952 | 61 | KM |
| 3953 | 61 | KM |
| 3954 | 61 | KM |
| 3955 | 61 | KM |
| 3956 | 61 | KM |
| 3957 | 61 | KM |
| 3958 | 61 | KM |
| 3965 | 279 | BGS |
| 3970 | 279 | BGS |
| 3971 | 279 | BGS |
| 3972 | 279 | BGS |
| 3973 | 279 | BGS |
| 3974 | 279 | BGS |
| 3975 | 279 | BGS |
| 3976 | 279 | BGS |
| 3977 | 279 | BGS |
| 3978 | 280 | BGS |
| 3980 | 233 | BGS |
| 3981 | 232 | BGS |
| 3982 | 232 | BGS |
| 3983 | 233 | BGS |
| 3985 | 232 | BGS |
| 3986 | 232 | BGS |
| 3987 | 233 | BGS |
| 3988 | 233 | BGS |
| 3989 | 279 | BGS |
| 3990 | 279 | BGS |
| 3991 | 279 | BGS |
| 3993 | 233 | BGS |
| 3994 | 233 | BGS |
| 3995 | 278 | BGS |
| 3999 | 281 | BGS |
| 3999-1 | 02_19 | BGS |
| 4001 | 20 | BGS |
| 4010 | 58 | BGS |
| 4010-1 | 339 | BGS |
| 4010-2 | 339 | BGS |
| 4010-3 | 339 | BGS |
| 4010-4 | 339 | BGS |
| 4010-5 | 339 | BGS |
| 4010-6 | 339 | BGS |
| 4010-7 | 339 | BGS |
| 4010-8 | 339 | BGS |
| 4010-9 | 339 | BGS |
| 4010-10 | 340 | BGS |
| 4010-11 | 340 | BGS |
| 4010-12 | 340 | BGS |
| 4010-13 | 340 | BGS |
| 4010-14 | 340 | BGS |
| 4010-15 | 340 | BGS |
| 4010-16 | 340 | BGS |
| 4010-17 | 340 | BGS |
| 4010-18 | 340 | BGS |
| 4010-20 | 58 | BGS |
| 4011 | 58 | BGS |
| 4011-5 | 58 | BGS |
| 4012 | 54 | BGS |
| 4012-5 | 54 | BGS |
| 4013 | 57 | BGS |
| 4013-5 | 57 | BGS |
| 4014 | 57 | BGS |
| 4014-5 | 57 | BGS |
| 4015 | 51 | BGS |
| 4015-5 | 51 | BGS |
| 4016 | 55 | BGS |
| 4016-5 | 55 | BGS |
| 4017 | 53 | BGS |
| 4017-5 | 53 | BGS |
| 4019 | 429 | BGS |
| 4020 | 56 | BGS |
| 4020-5 | 56 | BGS |
| 4022 | 36 | BGS |
| 4022-1 | 36 | BGS |
| 4024 | 35 | BGS |
| 4024-1 | 35 | BGS |
| 4025 | 36 | BGS |
| 4025-1 | 36 | BGS |
| 4026 | 38 | BGS |
| 4026-1 | 38 | BGS |
| 4027 | 38 | BGS |
| 4027-1 | 38 | BGS |

| Art. | | BGS/KM |
|--------|-------|--------|
| 4028 | 40 | BGS |
| 4028-1 | 40 | BGS |
| 4029 | 39 | BGS |
| 4029-1 | 39 | BGS |
| 4030 | 39 | BGS |
| 4030-1 | 39 | BGS |
| 4031 | 42 | BGS |
| 4031-1 | 42 | BGS |
| 4032 | 44 | BGS |
| 4032-1 | 44 | BGS |
| 4033 | 60 | BGS |
| 4033-1 | 60 | BGS |
| 4034 | 59 | BGS |
| 4034-1 | 59 | BGS |
| 4035 | 10_18 | BGS |
| 4035-1 | 10_18 | BGS |
| 4036 | 52 | BGS |
| 4036-1 | 52 | BGS |
| 4037 | 34 | BGS |
| 4037-1 | 34 | BGS |
| 4038 | 54 | BGS |
| 4038-1 | 54 | BGS |
| 4040 | 37 | BGS |
| 4040-1 | 37 | BGS |
| 4041 | 45 | BGS |
| 4041-1 | 45 | BGS |
| 4042 | 36 | BGS |
| 4042-1 | 36 | BGS |
| 4043 | 46 | BGS |
| 4043-1 | 46 | BGS |
| 4045 | 50 | BGS |
| 4045-1 | 50 | BGS |
| 4046 | 43 | BGS |
| 4046-1 | 43 | BGS |
| 4048 | 41 | BGS |
| 4048-1 | 41 | BGS |
| 4049 | 42 | BGS |
| 4049-1 | 42 | BGS |
| 4050 | 7 | BGS |
| 4051 | 30 | BGS |
| 4051-1 | 30 | BGS |
| 4052 | 25 | BGS |
| 4052-1 | 25 | BGS |
| 4053 | 47 | BGS |
| 4053-1 | 47 | BGS |
| 4054 | 24 | BGS |
| 4054-1 | 24 | BGS |
| 4055 | 48 | BGS |
| 4055-1 | 48 | BGS |
| 4056 | 26 | BGS |
| 4056-1 | 26 | BGS |
| 4057 | 28 | BGS |
| 4057-1 | 28 | BGS |
| 4058 | 27 | BGS |
| 4058-1 | 27 | BGS |
| 4059 | 26 | BGS |
| 4059-1 | 26 | BGS |
| 4060 | 9 | BGS |
| 4061 | 10 | BGS |
| 4062 | 11 | BGS |
| 4063 | 756 | BGS |
| 4064 | 755 | BGS |
| 4065 | 807 | BGS |
| 4066 | 755 | BGS |
| 4067 | 754 | BGS |
| 4067-1 | 754 | BGS |
| 4068 | 754 | BGS |
| 4068-1 | 754 | BGS |
| 4070-2 | 2 | KM |
| 4074 | 02_18 | KM |
| 4074-1 | 04_18 | KM |
| 4076 | 33 | BGS |
| 4076-1 | 33 | BGS |
| 4077 | 47 | BGS |
| 4077-1 | 47 | BGS |
| 4078 | 33 | BGS |
| 4078-1 | 33 | BGS |
| 4079 | 48 | BGS |
| 4079-1 | 48 | BGS |
| 4080 | 12 | BGS |
| 4081 | 31 | BGS |
| 4081-1 | 31 | BGS |

| Art. | | BGS/KM |
|--------|-------|--------|
| 4082 | 31 | BGS |
| 4082-1 | 31 | BGS |
| 4083 | 31 | BGS |
| 4083-1 | 31 | BGS |
| 4084 | 32 | BGS |
| 4084-1 | 32 | BGS |
| 4086 | 13 | BGS |
| 4087 | 15 | BGS |
| 4088 | 4 | BGS |
| 4089 | 55 | BGS |
| 4089-1 | 55 | BGS |
| 4090 | 8 | BGS |
| 4091 | 46 | BGS |
| 4092 | 30 | BGS |
| 4092-1 | 30 | BGS |
| 4093 | 29 | BGS |
| 4093-1 | 29 | BGS |
| 4094 | 41 | BGS |
| 4094-1 | 41 | BGS |
| 4095 | 142 | BGS |
| 4095-2 | 920 | BGS |
| 4096 | 45 | BGS |
| 4096-1 | 45 | BGS |
| 4097 | 29 | BGS |
| 4097-1 | 29 | BGS |
| 4098 | 27 | BGS |
| 4098-1 | 27 | BGS |
| 4099 | 27 | BGS |
| 4099-1 | 27 | BGS |
| 4100 | 16 | BGS |
| 4100-1 | n/a | BGS |
| 4100-3 | 72 | BGS |
| 4100-4 | 72 | BGS |
| 4100-9 | 71 | BGS |
| 4101 | 22 | BGS |
| 4102 | 16 | BGS |
| 4103 | 04_19 | BGS |
| 4104 | 02_19 | BGS |
| 4105 | 18 | BGS |
| 4110 | 17 | BGS |
| 4110-2 | 72 | BGS |
| 4110-3 | 72 | BGS |
| 4110-9 | 71 | BGS |
| 4111 | 15 | BGS |
| 4111-2 | 72 | BGS |
| 4111-3 | 72 | BGS |
| 4111-9 | 71 | BGS |
| 4112 | 19 | BGS |
| 4113 | 6 | BGS |
| 4114 | 5 | BGS |
| 4115 | 14 | BGS |
| 4116 | 02_18 | BGS |
| 4116-1 | 02_18 | BGS |
| 4117 | 02_18 | BGS |
| 4117-1 | 02_18 | BGS |
| 4118 | 02_18 | BGS |
| 4118-1 | 02_18 | BGS |
| 4119 | 02_18 | BGS |
| 4119-1 | 02_18 | BGS |
| 4120 | 02_18 | BGS |
| 4120-1 | 02_18 | BGS |
| 4121 | 26 | BGS |
| 4121-1 | 26 | BGS |
| 4122 | 49 | BGS |
| 4122-1 | 49 | BGS |
| 4123 | 40 | BGS |
| 4123-1 | 40 | BGS |
| 4124 | 44 | BGS |
| 4124-1 | 44 | BGS |
| 4125 | 37 | BGS |
| 4125-1 | 37 | BGS |
| 4126 | 25 | BGS |
| 4126-1 | 25 | BGS |
| 4127 | 24 | BGS |
| 4127-1 | 24 | BGS |
| 4128 | 32 | BGS |
| 4128-1 | 32 | BGS |
| 4129 | 43 | BGS |
| 4129-1 | 43 | BGS |
| 4130 | 28 | BGS |
| 4130-1 | 28 | BGS |
| 4131 | 34 | BGS |



| Art. | | BGS/KM |
|-----------|-------|--------|
| 4131-1 | 34 | BGS |
| 4132 | 35 | BGS |
| 4132-1 | 35 | BGS |
| 4133 | 49 | BGS |
| 4133-1 | 49 | BGS |
| 4134 | 60 | BGS |
| 4135 | 61 | BGS |
| 4136 | 62 | BGS |
| 4137 | 63 | BGS |
| 4138 | 64 | BGS |
| 4139 | 65 | BGS |
| 4140 | 14 | BGS |
| 4141 | QF7 | BGS |
| 4142 | QF7 | BGS |
| 4143 | QF7 | BGS |
| 4145 | QF7 | BGS |
| 4150 | QF7 | BGS |
| 4151 | QF7 | BGS |
| 4152 | QF7 | BGS |
| 4153 | QF7 | BGS |
| 4154 | QF7 | BGS |
| 4155 | QF7 | BGS |
| 4156 | QF7 | BGS |
| 4157 | QF7 | BGS |
| 4158 | QF7 | BGS |
| 4159 | 10_18 | BGS |
| 4160 | QF7 | BGS |
| 4161 | QF7 | BGS |
| 4162 | QF7 | BGS |
| 4163 | QF7 | BGS |
| 4165 | QF7 | BGS |
| 4166 | QF7 | BGS |
| 4167 | QF7 | BGS |
| 4168 | QF7 | BGS |
| 4173 | QF7 | BGS |
| 4174 | QF7 | BGS |
| 4176 | QF7 | BGS |
| 4177 | QF7 | BGS |
| 4178 | QF7 | BGS |
| 4179 | QF7 | BGS |
| 4183 | QF7 | BGS |
| 4184 | QF7 | BGS |
| 4185 | QF7 | BGS |
| 4186 | QF7 | BGS |
| 4187 | QF7 | BGS |
| 4188 | QF7 | BGS |
| 4189 | QF7 | BGS |
| 4190 | 12_18 | BGS |
| 4194 | 02_19 | BGS |
| 4194-1 | 02_19 | BGS |
| 4200 | 19 | BGS |
| 4202 | QF7 | BGS |
| 4203 | QF7 | BGS |
| 4215 | QF6 | BGS |
| 4216 | QF6 | BGS |
| 4217 | QF6 | BGS |
| 4218 | QF6 | BGS |
| 4224 | 162 | BGS |
| 4227 | QF6 | BGS |
| 4228 | QF6 | BGS |
| 4229 | QF6 | BGS |
| 4233 | QF6 | BGS |
| 4234 | QF7 | BGS |
| 4240 | 626 | BGS |
| 4245 | 627 | BGS |
| 4246 | 626 | BGS |
| 4246-T40 | 171 | BGS |
| 4246-T50 | 171 | BGS |
| 4246-M10 | 171 | BGS |
| 4246-LEER | 626 | BGS |
| 4247 | 625 | BGS |
| 4248 | 624 | BGS |
| 4248-2 | 624 | BGS |
| 4248-3 | 624 | BGS |
| 4248-4 | 624 | BGS |
| 4249 | 626 | BGS |
| 4250 | QF6 | BGS |
| 4251 | QF6 | BGS |
| 4252 | QF6 | BGS |
| 4253 | QF6 | BGS |
| 4254 | QF6 | BGS |
| 4255 | QF6 | BGS |

| Art. | | BGS/KM |
|---------|-------|--------|
| 4256 | QF6 | BGS |
| 4257 | QF6 | BGS |
| 4258 | 157 | BGS |
| 4258-5 | QF6 | BGS |
| 4258-6 | QF6 | BGS |
| 4258-7 | QF6 | BGS |
| 4258-8 | QF6 | BGS |
| 4258-10 | QF6 | BGS |
| 4258-12 | QF6 | BGS |
| 4259 | QF6 | BGS |
| 4260 | QF6 | BGS |
| 4261 | QF6 | BGS |
| 4262 | QF6 | BGS |
| 4263 | QF6 | BGS |
| 4264 | QF6 | BGS |
| 4265 | QF6 | BGS |
| 4266 | QF6 | BGS |
| 4267 | 04_18 | BGS |
| 4268 | QF6 | BGS |
| 4270 | QF6 | BGS |
| 4271 | QF6 | BGS |
| 4272 | QF6 | BGS |
| 4273 | QF6 | BGS |
| 4274 | QF6 | BGS |
| 4275 | QF6 | BGS |
| 4276 | QF6 | BGS |
| 4277 | QF6 | BGS |
| 4278 | QF6 | BGS |
| 4279 | QF6 | BGS |
| 4280 | QF6 | BGS |
| 4286 | QF8 | BGS |
| 4295 | QF6 | BGS |
| 4296 | QF6 | BGS |
| 4326 | QF7 | BGS |
| 4327 | QF7 | BGS |
| 4328 | QF7 | BGS |
| 4329 | QF7 | BGS |
| 4330 | QF6 | BGS |
| 4331 | QF6 | BGS |
| 4332 | QF6 | BGS |
| 4333 | QF6 | BGS |
| 4334 | QF6 | BGS |
| 4335 | QF6 | BGS |
| 4336 | QF6 | BGS |
| 4337 | QF6 | BGS |
| 4340 | QF6 | BGS |
| 4344 | QF6 | BGS |
| 4346 | QF6 | BGS |
| 4347 | QF6 | BGS |
| 4349 | QF6 | BGS |
| 4350 | QF6 | BGS |
| 4351 | QF6 | BGS |
| 4352 | QF6 | BGS |
| 4353 | QF6 | BGS |
| 4354 | QF6 | BGS |
| 4355 | QF6 | BGS |
| 4356 | QF6 | BGS |
| 4357 | QF6 | BGS |
| 4358 | QF8 | BGS |
| 4359 | QF6 | BGS |
| 4360 | QF6 | BGS |
| 4361 | QF6 | BGS |
| 4362 | QF6 | BGS |
| 4363 | QF6 | BGS |
| 4364 | QF6 | BGS |
| 4365 | QF6 | BGS |
| 4367 | QF7 | BGS |
| 4368 | QF7 | BGS |
| 4369 | QF7 | BGS |
| 4370 | QF7 | BGS |
| 4371 | QF7 | BGS |
| 4372 | QF7 | BGS |
| 4373 | QF7 | BGS |
| 4374 | QF7 | BGS |
| 4375 | QF7 | BGS |
| 4376 | QF7 | BGS |
| 4377 | QF7 | BGS |
| 4378 | QF7 | BGS |
| 4379 | QF7 | BGS |
| 4380 | QF9 | BGS |
| 4381 | QF9 | BGS |
| 4382 | QF9 | BGS |

| Art. | | BGS/KM |
|------|-------|--------|
| 4383 | QF9 | BGS |
| 4384 | QF9 | BGS |
| 4385 | QF9 | BGS |
| 4386 | QF9 | BGS |
| 4387 | QF9 | BGS |
| 4388 | QF9 | BGS |
| 4389 | QF9 | BGS |
| 4390 | QF9 | BGS |
| 4391 | QF9 | BGS |
| 4410 | QF9 | BGS |
| 4415 | QF9 | BGS |
| 4420 | QF9 | BGS |
| 4425 | QF9 | BGS |
| 4427 | QF9 | BGS |
| 4430 | QF9 | BGS |
| 4432 | QF6 | BGS |
| 4440 | QF9 | BGS |
| 4445 | QF9 | BGS |
| 4450 | QF9 | BGS |
| 4455 | QF9 | BGS |
| 4456 | QF9 | BGS |
| 4457 | QF9 | BGS |
| 4458 | QF9 | BGS |
| 4460 | QF9 | BGS |
| 4462 | QF8 | BGS |
| 4463 | QF8 | BGS |
| 4467 | QF7 | BGS |
| 4468 | QF7 | BGS |
| 4469 | QF7 | BGS |
| 4470 | QF7 | BGS |
| 4471 | QF7 | BGS |
| 4472 | QF7 | BGS |
| 4473 | QF7 | BGS |
| 4474 | QF7 | BGS |
| 4475 | QF7 | BGS |
| 4476 | QF7 | BGS |
| 4477 | QF7 | BGS |
| 4478 | 602 | BGS |
| 4479 | QF7 | BGS |
| 4480 | QF7 | BGS |
| 4481 | QF7 | BGS |
| 4482 | QF7 | BGS |
| 4484 | QF7 | BGS |
| 4485 | QF7 | BGS |
| 4490 | 349 | BGS |
| 4491 | 349 | BGS |
| 4494 | 349 | BGS |
| 4495 | 347 | BGS |
| 4496 | 351 | BGS |
| 4497 | 351 | BGS |
| 4498 | 351 | BGS |
| 4499 | 348 | BGS |
| 4500 | 351 | BGS |
| 4566 | QF9 | BGS |
| 4567 | QF9 | BGS |
| 4568 | QF9 | BGS |
| 4569 | QF9 | BGS |
| 4570 | QF9 | BGS |
| 4571 | QF9 | BGS |
| 4572 | QF9 | BGS |
| 4573 | QF9 | BGS |
| 4574 | QF9 | BGS |
| 4575 | QF9 | BGS |
| 4576 | QF9 | BGS |
| 4581 | QF9 | BGS |
| 4590 | QF9 | BGS |
| 4591 | QF9 | BGS |
| 4592 | QF9 | BGS |
| 4593 | QF9 | BGS |
| 4595 | QF9 | BGS |
| 4596 | 04_18 | BGS |
| 4597 | 04_18 | BGS |
| 4598 | 04_18 | BGS |
| 4599 | 04_18 | BGS |
| 4600 | 04_18 | BGS |
| 4601 | 04_18 | BGS |
| 4602 | 04_18 | BGS |
| 4610 | QF9 | BGS |
| 4615 | QF9 | BGS |
| 4620 | QF9 | BGS |
| 4625 | QF9 | BGS |

| Art. | | BGS/KM |
|--------|-------|--------|
| 4627 | QF9 | BGS |
| 4630 | QF9 | BGS |
| 4640 | QF9 | BGS |
| 4645 | QF9 | BGS |
| 4650 | QF9 | BGS |
| 4655 | QF9 | BGS |
| 4660 | QF9 | BGS |
| 4670 | QF9 | BGS |
| 4710 | QF9 | BGS |
| 4727 | QF9 | BGS |
| 4735 | QF9 | BGS |
| 4736 | QF9 | BGS |
| 4760 | QF9 | BGS |
| 4761 | QF9 | BGS |
| 4762 | QF9 | BGS |
| 4763 | QF9 | BGS |
| 4764 | QF9 | BGS |
| 4765 | QF9 | BGS |
| 4766 | QF9 | BGS |
| 4767 | QF9 | BGS |
| 4768 | QF9 | BGS |
| 4770 | QF9 | BGS |
| 4771 | QF9 | BGS |
| 4772 | QF9 | BGS |
| 4773 | QF9 | BGS |
| 4774 | QF9 | BGS |
| 4775 | QF9 | BGS |
| 4776 | QF9 | BGS |
| 4777 | QF9 | BGS |
| 4778 | QF9 | BGS |
| 4779 | QF9 | BGS |
| 4780 | QF9 | BGS |
| 4800 | 851 | BGS |
| 4801 | 851 | BGS |
| 4802 | 456 | BGS |
| 4803 | 839 | BGS |
| 4804 | 850 | BGS |
| 4805 | 850 | BGS |
| 4810 | 01_19 | BGS |
| 4811 | 01_19 | BGS |
| 4813 | 24 | KM |
| 4814 | 24 | KM |
| 4815 | 180 | BGS |
| 4815-1 | n/a | BGS |
| 4816 | 180 | BGS |
| 4830 | 24 | KM |
| 4838 | 294 | BGS |
| 4842 | 622 | BGS |
| 4845 | 27 | KM |
| 4846 | 27 | KM |
| 4847 | 229 | BGS |
| 4850 | QF9 | BGS |
| 4851 | QF9 | BGS |
| 4852 | QF9 | BGS |
| 4853 | QF9 | BGS |
| 4854 | QF9 | BGS |
| 4859 | QF9 | BGS |
| 4860 | QF9 | BGS |
| 4861 | QF9 | BGS |
| 4862 | QF9 | BGS |
| 4863 | QF9 | BGS |
| 4864 | QF9 | BGS |
| 4866 | QF9 | BGS |
| 4867 | QF9 | BGS |
| 4868 | QF9 | BGS |
| 4869 | QF9 | BGS |
| 4870 | QF9 | BGS |
| 4871 | QF9 | BGS |
| 4872 | QF9 | BGS |
| 4873 | QF9 | BGS |
| 4874 | QF9 | BGS |
| 4875 | QF9 | BGS |
| 4876 | QF9 | BGS |
| 4901 | 291 | BGS |
| 4902 | 291 | BGS |
| 4903 | 291 | BGS |
| 4904 | 291 | BGS |
| 4905 | 291 | BGS |
| 4906 | 291 | BGS |
| 4907 | 289 | BGS |
| 4908 | 289 | BGS |
| 4909 | 289 | BGS |



| Art. | | BGS/KM |
|-----------|-----|--------|
| 4910 | 289 | BGS |
| 4911 | 289 | BGS |
| 4912 | 289 | BGS |
| 4913 | 292 | BGS |
| 4914 | 292 | BGS |
| 4915 | 292 | BGS |
| 4916 | 292 | BGS |
| 4917 | 292 | BGS |
| 4918 | 292 | BGS |
| 4919 | 292 | BGS |
| 4920 | 292 | BGS |
| 4921 | 292 | BGS |
| 4922 | 292 | BGS |
| 4923 | 292 | BGS |
| 4924 | 292 | BGS |
| 4925 | 292 | BGS |
| 4926 | 289 | BGS |
| 4927 | 289 | BGS |
| 4928 | 291 | BGS |
| 4929 | 291 | BGS |
| 4930 | 291 | BGS |
| 4931 | 291 | BGS |
| 4932 | 290 | BGS |
| 4933 | 290 | BGS |
| 4934 | 290 | BGS |
| 4935 | 289 | BGS |
| 4936 | 289 | BGS |
| 4937 | 289 | BGS |
| 4940 | 292 | BGS |
| 4941 | 292 | BGS |
| 4942 | 289 | BGS |
| 4943 | 287 | BGS |
| 4944 | 293 | BGS |
| 4945 | 293 | BGS |
| 4946 | 293 | BGS |
| 4947 | 293 | BGS |
| 4950 | QF9 | BGS |
| 4951 | QF9 | BGS |
| 4952 | QF9 | BGS |
| 4953 | QF9 | BGS |
| 4954 | QF9 | BGS |
| 4955 | QF9 | BGS |
| 4956 | QF9 | BGS |
| 4957 | QF9 | BGS |
| 4959 | QF9 | BGS |
| 4960 | QF9 | BGS |
| 4961 | QF9 | BGS |
| 4962 | QF9 | BGS |
| 4963 | QF9 | BGS |
| 4964 | QF9 | BGS |
| 4965 | QF9 | BGS |
| 4966 | QF9 | BGS |
| 4993 | 181 | BGS |
| 4995 | 485 | BGS |
| 4996 | 485 | BGS |
| 4997 | 485 | BGS |
| 5003 | QF3 | BGS |
| 5006 | 177 | BGS |
| 5007 | QF7 | BGS |
| 5009 | QF6 | BGS |
| 5010 | QF7 | BGS |
| 5013 | 176 | BGS |
| 5013-LEER | n/a | BGS |
| 5014 | 154 | BGS |
| 5016 | 177 | BGS |
| 5017 | 177 | BGS |
| 5021 | 169 | BGS |
| 5022 | 176 | BGS |
| 5023 | 176 | BGS |
| 5023-LEER | n/a | BGS |
| 5025 | 176 | BGS |
| 5025-LEER | n/a | BGS |
| 5028 | 175 | BGS |
| 5030 | 21 | KM |
| 5040 | 22 | KM |
| 5052 | 155 | BGS |
| 5052-14 | QF6 | BGS |
| 5052-16 | QF6 | BGS |
| 5052-17 | QF6 | BGS |
| 5052-18 | QF6 | BGS |
| 5052-19 | QF6 | BGS |
| 5053 | 155 | BGS |

| Art. | | BGS/KM |
|------------|-----|--------|
| 5054 | 155 | BGS |
| 5054-12 | QF8 | BGS |
| 5054-14 | QF8 | BGS |
| 5054-17 | QF8 | BGS |
| 5054-19 | QF8 | BGS |
| 5054-21 | QF8 | BGS |
| 5054-22 | QF8 | BGS |
| 5054-23 | QF8 | BGS |
| 5054-24 | QF8 | BGS |
| 5054-M16 | QF8 | BGS |
| 5054-M18 | QF8 | BGS |
| 5054-M24 | QF8 | BGS |
| 5055 | 166 | BGS |
| 5058 | 437 | BGS |
| 5059 | 437 | BGS |
| 5060 | 437 | BGS |
| 5061 | 440 | BGS |
| 5062 | 440 | BGS |
| 5063 | 447 | BGS |
| 5064 | 448 | BGS |
| 5065 | 448 | BGS |
| 5066 | 448 | BGS |
| 5067 | 448 | BGS |
| 5068 | 440 | BGS |
| 5069 | 441 | BGS |
| 5070 | 22 | KM |
| 5071 | 440 | BGS |
| 5073 | 449 | BGS |
| 5074 | 449 | BGS |
| 5076 | 449 | BGS |
| 5077 | 450 | BGS |
| 5078 | 451 | BGS |
| 5079 | 451 | BGS |
| 5080 | n/a | BGS |
| 5081 | 238 | BGS |
| 5082 | 451 | BGS |
| 5083 | 451 | BGS |
| 5084 | 451 | BGS |
| 5085 | 452 | BGS |
| 5086 | 438 | BGS |
| 5087 | 438 | BGS |
| 5088 | 438 | BGS |
| 5089 | 452 | BGS |
| 5090 | 452 | BGS |
| 5091 | 452 | BGS |
| 5097 | 167 | BGS |
| 5098 | 168 | BGS |
| 5099 | 157 | BGS |
| 5100 | 166 | BGS |
| 5100-LEER | n/a | BGS |
| 5101 | 166 | BGS |
| 5103 | 167 | BGS |
| 5103-TB70 | QF7 | BGS |
| 5103-TB80 | QF7 | BGS |
| 5103-TB90 | QF7 | BGS |
| 5103-TB100 | QF7 | BGS |
| 5103-LEER | n/a | BGS |
| 5104 | 158 | BGS |
| 5105 | 163 | BGS |
| 5105-M4 | QF6 | BGS |
| 5105-M5 | QF6 | BGS |
| 5105-M6 | QF6 | BGS |
| 5105-M8 | QF6 | BGS |
| 5107 | 158 | BGS |
| 5108 | 169 | BGS |
| 5109 | 158 | BGS |
| 5110 | QF6 | BGS |
| 5111 | QF6 | BGS |
| 5112 | QF6 | BGS |
| 5113 | QF6 | BGS |
| 5114 | QF6 | BGS |
| 5115 | QF6 | BGS |
| 5151 | 159 | BGS |
| 5152 | QF6 | BGS |
| 5153 | QF6 | BGS |
| 5154 | QF6 | BGS |
| 5155 | QF6 | BGS |
| 5180 | 160 | BGS |
| 5180-M17 | QF6 | BGS |
| 5181 | 156 | BGS |
| 5181-LEER | n/a | BGS |
| 5182 | 165 | BGS |

| Art. | | BGS/KM |
|-----------|-------|--------|
| 5183 | 164 | BGS |
| 5184 | 152 | BGS |
| 5184-H7 | QF6 | BGS |
| 5184-H10 | QF6 | BGS |
| 5184-H11 | QF6 | BGS |
| 5184-H13 | QF6 | BGS |
| 5184-H17 | QF6 | BGS |
| 5184-H19 | QF6 | BGS |
| 5184-H22 | QF6 | BGS |
| 5184-H24 | QF6 | BGS |
| 5184-HB5 | QF6 | BGS |
| 5184-LEER | n/a | BGS |
| 5184-M9 | QF6 | BGS |
| 5184-M10 | QF6 | BGS |
| 5184-M12 | QF6 | BGS |
| 5184-M14 | QF6 | BGS |
| 5184-M18 | QF8 | BGS |
| 5184-R7 | QF7 | BGS |
| 5184-R8 | QF7 | BGS |
| 5184-R9 | QF7 | BGS |
| 5184-R10 | QF7 | BGS |
| 5184-T30 | QF7 | BGS |
| 5184-T40 | QF7 | BGS |
| 5184-T45 | QF7 | BGS |
| 5184-T50 | QF7 | BGS |
| 5184-T55 | QF7 | BGS |
| 5184-T60 | QF7 | BGS |
| 5184-T70 | QF7 | BGS |
| 5184-TB30 | QF7 | BGS |
| 5184-TB80 | QF7 | BGS |
| 5184-TS10 | QF6 | BGS |
| 5184-TS15 | QF6 | BGS |
| 5184-TS20 | QF6 | BGS |
| 5184-TS25 | QF6 | BGS |
| 5184-TS27 | QF6 | BGS |
| 5184-TS30 | QF6 | BGS |
| 5184-TS40 | QF6 | BGS |
| 5184-TS45 | QF6 | BGS |
| 5184-TS50 | QF6 | BGS |
| 5185 | 163 | BGS |
| 5186 | 19 | KM |
| 5188 | 151 | BGS |
| 5189 | 166 | BGS |
| 5189-H14 | QF6 | BGS |
| 5189-H17 | QF6 | BGS |
| 5189-H19 | QF6 | BGS |
| 5189-H22 | QF6 | BGS |
| 5189-T60 | QF7 | BGS |
| 5189-T70 | QF7 | BGS |
| 5189-T80 | QF7 | BGS |
| 5189-T90 | QF7 | BGS |
| 5189-T100 | QF7 | BGS |
| 5190 | 02_19 | BGS |
| 5191 | 02_19 | BGS |
| 5200 | 145 | BGS |
| 5208 | 147 | BGS |
| 5200-16 | 114 | BGS |
| 5200-17 | 114 | BGS |
| 5200-18 | 114 | BGS |
| 5200-19 | 114 | BGS |
| 5204 | 146 | BGS |
| 5204-10 | QF5 | BGS |
| 5204-11 | QF5 | BGS |
| 5204-12 | QF5 | BGS |
| 5204-14 | QF5 | BGS |
| 5204-16 | QF5 | BGS |
| 5204-18 | QF5 | BGS |
| 5204-20 | QF5 | BGS |
| 5204-22 | QF5 | BGS |
| 5204-24 | QF5 | BGS |
| 5205 | 143 | BGS |
| 5205-8 | QF4 | BGS |
| 5205-33 | QF4 | BGS |
| 5205-34 | QF4 | BGS |
| 5205-36 | QF4 | BGS |
| 5205-38 | QF4 | BGS |
| 5205-LEER | n/a | BGS |
| 5206 | 144 | BGS |
| 5206-LEER | n/a | BGS |
| 5207 | 144 | BGS |
| 5209 | 146 | BGS |
| 5210 | QF4 | BGS |

| Art. | | BGS/KM |
|-----------|-----|--------|
| 5211 | QF4 | BGS |
| 5212 | QF4 | BGS |
| 5213 | QF4 | BGS |
| 5214 | QF4 | BGS |
| 5215 | QF4 | BGS |
| 5216 | QF4 | BGS |
| 5217 | QF4 | BGS |
| 5218 | QF4 | BGS |
| 5219 | QF4 | BGS |
| 5221 | QF4 | BGS |
| 5222 | QF4 | BGS |
| 5224 | QF4 | BGS |
| 5227 | QF4 | BGS |
| 5230 | QF4 | BGS |
| 5232 | QF4 | BGS |
| 5233 | QF4 | BGS |
| 5234 | QF5 | BGS |
| 5240 | 149 | BGS |
| 5241 | 149 | BGS |
| 5242 | 149 | BGS |
| 5245 | 150 | BGS |
| 5245-LEER | n/a | BGS |
| 5246 | 175 | BGS |
| 5246-1 | 174 | BGS |
| 5246-2 | 174 | BGS |
| 5246-E18 | 131 | BGS |
| 5246-E20 | 131 | BGS |
| 5246-E22 | 131 | BGS |
| 5246-E24 | 131 | BGS |
| 5246-H17 | 171 | BGS |
| 5246-H19 | 171 | BGS |
| 5246-H22 | 171 | BGS |
| 5246-H24 | 171 | BGS |
| 5246-T60 | 172 | BGS |
| 5246-T70 | 172 | BGS |
| 5246-T80 | 172 | BGS |
| 5246-T90 | 172 | BGS |
| 5246-T100 | 172 | BGS |
| 5246-LEER | n/a | BGS |
| 5250 | 150 | BGS |
| 5250-E26 | QF5 | BGS |
| 5250-E28 | QF5 | BGS |
| 5250-E30 | QF5 | BGS |
| 5250-E32 | QF5 | BGS |
| 5251 | 134 | BGS |
| 5252 | 137 | BGS |
| 5253 | 141 | BGS |
| 5255 | 103 | BGS |
| 5258 | 80 | BGS |
| 5259 | 386 | BGS |
| 5260 | 118 | BGS |
| 5261 | 119 | BGS |
| 5262 | 118 | BGS |
| 5264 | 117 | BGS |
| 5264-17 | QF5 | BGS |
| 5264-19 | QF5 | BGS |
| 5264-21 | QF5 | BGS |
| 5264-22 | QF5 | BGS |
| 5264-TB | 118 | BGS |
| 5265 | 116 | BGS |
| 5266 | 116 | BGS |
| 5266-10 | QF5 | BGS |
| 5266-11 | QF5 | BGS |
| 5266-12 | QF5 | BGS |
| 5266-13 | QF5 | BGS |
| 5266-14 | QF5 | BGS |
| 5266-15 | QF5 | BGS |
| 5266-16 | QF5 | BGS |
| 5266-17 | QF5 | BGS |
| 5266-19 | QF5 | BGS |
| 5268 | 117 | BGS |
| 5268-22 | QF5 | BGS |
| 5268-24 | QF5 | BGS |
| 5268-27 | QF5 | BGS |
| 5268-32 | QF5 | BGS |
| 5268-36 | QF5 | BGS |
| 5268-41 | QF5 | BGS |
| 5269 | 117 | BGS |
| 5269-8 | QF5 | BGS |
| 5269-21 | QF5 | BGS |
| 5270 | QF5 | BGS |
| 5271 | QF5 | BGS |



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 5272 | QF5 | BGS |
| 5273 | QF5 | BGS |
| 5274 | QF5 | BGS |
| 5275 | QF5 | BGS |
| 5276 | QF5 | BGS |
| 5277 | QF5 | BGS |
| 5278 | QF5 | BGS |
| 5279 | QF5 | BGS |
| 5280 | 121 | BGS |
| 5281 | 119 | BGS |
| 5281-2 | 119 | BGS |
| 5281-3 | 119 | BGS |
| 5281-4 | 119 | BGS |
| 5281-6 | 119 | BGS |
| 5281-8 | 119 | BGS |
| 5281-10 | 119 | BGS |
| 5282 | 119 | BGS |
| 5284 | 120 | BGS |
| 5285 | 122 | BGS |
| 5289 | 120 | BGS |
| 5290 | 747 | BGS |
| 5290-2.6 | 747 | BGS |
| 5290-3.2 | 747 | BGS |
| 5290-4.5 | 747 | BGS |
| 5290-6.5 | 747 | BGS |
| 5290-8.25 | 747 | BGS |
| 5291 | 04_19 | BGS |
| 5334 | 145 | BGS |
| 5335 | 146 | BGS |
| 5336 | QF5 | BGS |
| 5337 | QF5 | BGS |
| 5338 | QF5 | BGS |
| 5339 | QF5 | BGS |
| 5340 | QF5 | BGS |
| 5341 | QF5 | BGS |
| 5342 | QF5 | BGS |
| 5343 | QF5 | BGS |
| 5344 | QF5 | BGS |
| 5345 | QF5 | BGS |
| 5346 | QF5 | BGS |
| 5347 | QF5 | BGS |
| 5348 | QF5 | BGS |
| 5349 | QF5 | BGS |
| 5350 | 619 | BGS |
| 5351 | QF5 | BGS |
| 5352 | QF5 | BGS |
| 5353 | QF5 | BGS |
| 5360 | 441 | BGS |
| 5367 | QF8 | BGS |
| 5369 | QF8 | BGS |
| 5370 | QF8 | BGS |
| 5371 | QF8 | BGS |
| 5372 | QF8 | BGS |
| 5373 | QF8 | BGS |
| 5374 | QF8 | BGS |
| 5375 | QF8 | BGS |
| 5378 | QF8 | BGS |
| 5380 | 162 | BGS |
| 5381 | 161 | BGS |
| 5381-M12 | QF8 | BGS |
| 5381-M14 | QF8 | BGS |
| 5381-M16 | QF8 | BGS |
| 5381-M18 | QF8 | BGS |
| 5404 | 460 | BGS |
| 5405 | n/a | BGS |
| 5410 | 458 | BGS |
| 5413 | 458 | BGS |
| 5416 | 458 | BGS |
| 5417 | 458 | BGS |
| 5420 | 520 | BGS |
| 5421 | 458 | BGS |
| 5422 | 521 | BGS |
| 5423 | 459 | BGS |
| 5430 | 606 | BGS |
| 5467 | QF8 | BGS |
| 5469 | QF8 | BGS |
| 5470 | QF8 | BGS |
| 5471 | QF8 | BGS |
| 5472 | QF8 | BGS |
| 5473 | QF8 | BGS |
| 5474 | QF8 | BGS |
| 5475 | QF8 | BGS |

| Art. | | BGS/ KM |
|----------|-----|------------|
| 5480 | 168 | BGS |
| 5480-T20 | QF8 | BGS |
| 5480-T25 | QF8 | BGS |
| 5480-T30 | QF8 | BGS |
| 5480-T40 | QF8 | BGS |
| 5480-T45 | QF8 | BGS |
| 5480-T50 | QF8 | BGS |
| 5480-T55 | QF8 | BGS |
| 5480-T60 | QF8 | BGS |
| 5480-T70 | QF8 | BGS |
| 5481 | 158 | BGS |
| 5481-M5 | QF8 | BGS |
| 5481-M6 | QF8 | BGS |
| 5481-M7 | QF8 | BGS |
| 5481-M8 | QF8 | BGS |
| 5481-M10 | QF8 | BGS |
| 5481-M12 | QF8 | BGS |
| 5481-M14 | QF8 | BGS |
| 5481-M17 | QF8 | BGS |
| 5481-M19 | QF8 | BGS |
| 5482 | 161 | BGS |
| 5482-M4 | QF8 | BGS |
| 5482-M5 | QF8 | BGS |
| 5482-M6 | QF8 | BGS |
| 5482-M8 | QF8 | BGS |
| 5482-M9 | QF8 | BGS |
| 5482-M10 | QF8 | BGS |
| 5482-M12 | QF8 | BGS |
| 5482-M14 | QF8 | BGS |
| 5482-M16 | QF8 | BGS |
| 5483 | 163 | BGS |
| 5483-M5 | QF8 | BGS |
| 5483-M6 | QF8 | BGS |
| 5483-M7 | QF8 | BGS |
| 5483-M8 | QF8 | BGS |
| 5483-M9 | QF8 | BGS |
| 5483-M10 | QF8 | BGS |
| 5483-M12 | QF8 | BGS |
| 5483-M13 | QF8 | BGS |
| 5483-M14 | QF8 | BGS |
| 5484 | 153 | BGS |
| 5485 | 157 | BGS |
| 5485-5 | QF8 | BGS |
| 5485-6 | QF8 | BGS |
| 5485-7 | QF8 | BGS |
| 5485-8 | QF8 | BGS |
| 5485-9 | QF8 | BGS |
| 5485-10 | QF8 | BGS |
| 5485-11 | QF8 | BGS |
| 5485-12 | QF8 | BGS |
| 5485-13 | QF8 | BGS |
| 5485-14 | QF8 | BGS |
| 5486 | 167 | BGS |
| 5486-T20 | QF8 | BGS |
| 5486-T25 | QF8 | BGS |
| 5486-T27 | QF8 | BGS |
| 5486-T30 | QF8 | BGS |
| 5486-T40 | QF8 | BGS |
| 5486-T45 | QF8 | BGS |
| 5486-T50 | QF8 | BGS |
| 5486-T55 | QF8 | BGS |
| 5486-T60 | QF8 | BGS |
| 5486-T70 | QF8 | BGS |
| 5486-T80 | QF8 | BGS |
| 5487 | 161 | BGS |
| 5487-M4 | QF8 | BGS |
| 5487-M5 | QF8 | BGS |
| 5487-M6 | QF8 | BGS |
| 5487-M8 | QF8 | BGS |
| 5487-M10 | QF8 | BGS |
| 5500 | 150 | BGS |
| 5500-17 | QF4 | BGS |
| 5500-19 | QF4 | BGS |
| 5500-21 | QF4 | BGS |
| 5500-22 | QF4 | BGS |
| 5500-24 | QF4 | BGS |
| 5500-27 | QF4 | BGS |
| 5500-30 | QF4 | BGS |
| 5500-32 | QF4 | BGS |
| 5500-33 | QF4 | BGS |
| 5500-34 | QF4 | BGS |
| 5500-36 | QF4 | BGS |

| Art. | | BGS/ KM |
|----------|-------|------------|
| 5500-38 | QF4 | BGS |
| 5500-41 | QF4 | BGS |
| 5500-46 | QF4 | BGS |
| 5500-50 | QF4 | BGS |
| 5500-55 | QF4 | BGS |
| 5500-60 | QF4 | BGS |
| 5500-65 | QF4 | BGS |
| 5500-70 | QF4 | BGS |
| 5500-75 | QF4 | BGS |
| 5500-80 | QF4 | BGS |
| 5500-85 | QF4 | BGS |
| 5500-90 | QF4 | BGS |
| 5500-95 | QF4 | BGS |
| 5500-100 | QF4 | BGS |
| 5500-105 | QF4 | BGS |
| 5500-110 | QF4 | BGS |
| 5500-115 | QF4 | BGS |
| 5545 | 01_19 | BGS |
| 5550 | 01_19 | BGS |
| 5555 | 01_19 | BGS |
| 5560 | 01_19 | BGS |
| 5565 | 01_19 | BGS |
| 5570 | 01_19 | BGS |
| 5580 | 01_19 | BGS |
| 5590 | 01_19 | BGS |
| 5600 | 01_19 | BGS |
| 5617 | QF4 | BGS |
| 5618 | QF4 | BGS |
| 5619 | QF4 | BGS |
| 5621 | QF4 | BGS |
| 5622 | QF4 | BGS |
| 5624 | QF4 | BGS |
| 5626 | QF4 | BGS |
| 5627 | QF4 | BGS |
| 5630 | QF4 | BGS |
| 5632 | QF4 | BGS |
| 5633 | QF4 | BGS |
| 5634 | QF4 | BGS |
| 5635 | QF4 | BGS |
| 5636 | QF4 | BGS |
| 5638 | QF4 | BGS |
| 5641 | QF4 | BGS |
| 5646 | QF4 | BGS |
| 5648 | QF4 | BGS |
| 5650 | QF4 | BGS |
| 5655 | QF4 | BGS |
| 5660 | QF4 | BGS |
| 5717 | QF4 | BGS |
| 5718 | QF4 | BGS |
| 5719 | QF4 | BGS |
| 5721 | QF4 | BGS |
| 5722 | QF4 | BGS |
| 5724 | QF4 | BGS |
| 5726 | QF4 | BGS |
| 5727 | QF4 | BGS |
| 5730 | QF4 | BGS |
| 5732 | QF4 | BGS |
| 5733 | QF4 | BGS |
| 5734 | QF4 | BGS |
| 5736 | QF4 | BGS |
| 5738 | QF4 | BGS |
| 5741 | QF4 | BGS |
| 5746 | QF4 | BGS |
| 5750 | QF4 | BGS |
| 5755 | QF4 | BGS |
| 5760 | QF4 | BGS |
| 5827 | QF4 | BGS |
| 5830 | QF4 | BGS |
| 5832 | QF4 | BGS |
| 5833 | QF4 | BGS |
| 5834 | QF4 | BGS |
| 5835 | QF4 | BGS |
| 5836 | QF4 | BGS |
| 5838 | QF4 | BGS |
| 5839 | QF4 | BGS |
| 5841 | QF4 | BGS |
| 5846 | QF4 | BGS |
| 5850 | QF4 | BGS |
| 5855 | QF4 | BGS |
| 5856 | QF4 | BGS |
| 5860 | QF4 | BGS |
| 5865 | QF4 | BGS |

| Art. | | BGS/ KM |
|--------|-------|------------|
| 5870 | QF4 | BGS |
| 5875 | QF4 | BGS |
| 5880 | QF4 | BGS |
| 5885 | QF4 | BGS |
| 5890 | QF4 | BGS |
| 5895 | QF4 | BGS |
| 5905 | QF4 | BGS |
| 5910 | QF4 | BGS |
| 5915 | QF4 | BGS |
| 5920 | QF4 | BGS |
| 6005 | 832 | BGS |
| 6110 | 29 | KM |
| 6111 | 29 | KM |
| 6112 | 29 | KM |
| 6113 | 29 | KM |
| 6120 | 559 | BGS |
| 6121 | 559 | BGS |
| 6122 | 559 | BGS |
| 6136 | 262 | BGS |
| 6137 | 262 | BGS |
| 6138 | 262 | BGS |
| 6140 | 558 | BGS |
| 6141 | 558 | BGS |
| 6160 | 558 | BGS |
| 6161 | 558 | BGS |
| 6162 | 558 | BGS |
| 6249 | 117 | KM |
| 6250 | 536 | BGS |
| 6250-1 | 536 | BGS |
| 6251 | 111 | KM |
| 6402 | 01_19 | BGS |
| 6403 | 136 | BGS |
| 6404 | QF4 | BGS |
| 6405 | QF4 | BGS |
| 6406 | QF4 | BGS |
| 6407 | QF4 | BGS |
| 6408 | QF4 | BGS |
| 6410 | QF4 | BGS |
| 6411 | QF4 | BGS |
| 6412 | QF4 | BGS |
| 6414 | QF4 | BGS |
| 6416 | QF4 | BGS |
| 6417 | QF4 | BGS |
| 6418 | QF4 | BGS |
| 6420 | QF4 | BGS |
| 6422 | QF4 | BGS |
| 6424 | QF4 | BGS |
| 6425 | 142 | BGS |
| 6430 | QF4 | BGS |
| 6431 | QF4 | BGS |
| 6440 | QF4 | BGS |
| 6442 | QF4 | BGS |
| 6444 | QF4 | BGS |
| 6446 | QF4 | BGS |
| 6448 | QF4 | BGS |
| 6450 | QF4 | BGS |
| 6451 | 456 | BGS |
| 6452 | 456 | BGS |
| 6453 | 510 | BGS |
| 6454 | 510 | BGS |
| 6455 | 510 | BGS |
| 6456 | 543 | BGS |
| 6457 | 508 | BGS |
| 6460 | QF4 | BGS |
| 6461 | QF4 | BGS |
| 6462 | QF4 | BGS |
| 6464 | QF4 | BGS |
| 6466 | QF4 | BGS |
| 6470 | 01_19 | BGS |
| 6471 | 01_19 | BGS |
| 6472 | 01_19 | BGS |
| 6473 | 01_19 | BGS |
| 6474 | 01_19 | BGS |
| 6475 | 01_19 | BGS |
| 6476 | 01_19 | BGS |
| 6477 | 01_19 | BGS |
| 6478 | 01_19 | BGS |
| 6479 | 01_19 | BGS |
| 6480 | 01_19 | BGS |
| 6481 | 01_19 | BGS |
| 6482 | 01_19 | BGS |
| 6483 | 01_19 | BGS |



| Art. | | BGS/ KM |
|---------|-------|------------|
| 6484 | 01_19 | BGS |
| 6508 | 10_18 | BGS |
| 6509 | 10_18 | BGS |
| 6510 | 10_18 | BGS |
| 6511 | 10_18 | BGS |
| 6512 | 10_18 | BGS |
| 6513 | 10_18 | BGS |
| 6514 | 10_18 | BGS |
| 6515 | 10_18 | BGS |
| 6516 | 10_18 | BGS |
| 6517 | 10_18 | BGS |
| 6518 | 10_18 | BGS |
| 6519 | 10_18 | BGS |
| 6521 | 10_18 | BGS |
| 6522 | 10_18 | BGS |
| 6524 | 10_18 | BGS |
| 6527 | 10_18 | BGS |
| 6530 | 10_18 | BGS |
| 6532 | 10_18 | BGS |
| 6540 | 10_18 | BGS |
| 6541 | 10_18 | BGS |
| 6550 | 07_18 | BGS |
| 6551 | 07_18 | BGS |
| 6552 | 07_18 | BGS |
| 6553 | 07_18 | BGS |
| 6554 | 07_18 | BGS |
| 6555 | 07_18 | BGS |
| 6556 | 07_18 | BGS |
| 6557 | 07_18 | BGS |
| 6558 | 07_18 | BGS |
| 6559 | 07_18 | BGS |
| 6560 | 07_18 | BGS |
| 6561 | 07_18 | BGS |
| 6562 | 07_18 | BGS |
| 6563 | 07_18 | BGS |
| 6564 | 07_18 | BGS |
| 6570 | 07_18 | BGS |
| 6571 | 07_18 | BGS |
| 6572 | 07_18 | BGS |
| 6573 | 07_18 | BGS |
| 6574 | 07_18 | BGS |
| 6575 | 07_18 | BGS |
| 6576 | 07_18 | BGS |
| 6577 | 07_18 | BGS |
| 6578 | 07_18 | BGS |
| 6579 | 07_18 | BGS |
| 6590 | 07_18 | BGS |
| 6591 | 07_18 | BGS |
| 6592 | 07_18 | BGS |
| 6593 | 07_18 | BGS |
| 6594 | 07_18 | BGS |
| 6608 | 04_19 | BGS |
| 6609 | 04_19 | BGS |
| 6610 | 04_19 | BGS |
| 6611 | 04_19 | BGS |
| 6612 | 04_19 | BGS |
| 6613 | 04_19 | BGS |
| 6614 | 04_19 | BGS |
| 6615 | 04_19 | BGS |
| 6616 | 04_19 | BGS |
| 6617 | 04_19 | BGS |
| 6618 | 04_19 | BGS |
| 6619 | 04_19 | BGS |
| 6670 | 04_19 | BGS |
| 6708 | 04_19 | BGS |
| 6709 | 04_19 | BGS |
| 6710 | 04_19 | BGS |
| 6711 | 04_19 | BGS |
| 6712 | 04_19 | BGS |
| 6713 | 04_19 | BGS |
| 6714 | 04_19 | BGS |
| 6715 | 04_19 | BGS |
| 6716 | 04_19 | BGS |
| 6717 | 04_19 | BGS |
| 6718 | 04_19 | BGS |
| 6719 | 04_19 | BGS |
| 6900-7 | 12_18 | BGS |
| 6900-8 | 12_18 | BGS |
| 6900-9 | 12_18 | BGS |
| 6900-10 | 12_18 | BGS |
| 6900-11 | 12_18 | BGS |
| 6900-12 | 12_18 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 6900-13 | 12_18 | BGS |
| 6900-14 | 12_18 | BGS |
| 6900-15 | 12_18 | BGS |
| 6900-16 | 12_18 | BGS |
| 6900-17 | 12_18 | BGS |
| 6900-18 | 12_18 | BGS |
| 6900-19 | 12_18 | BGS |
| 6902-7 | 12_18 | BGS |
| 6902-8 | 12_18 | BGS |
| 6902-10 | 12_18 | BGS |
| 6902-11 | 12_18 | BGS |
| 6902-12 | 12_18 | BGS |
| 6902-13 | 12_18 | BGS |
| 6902-14 | 12_18 | BGS |
| 6902-15 | 12_18 | BGS |
| 6902-16 | 12_18 | BGS |
| 6902-17 | 12_18 | BGS |
| 6902-18 | 12_18 | BGS |
| 6902-19 | 12_18 | BGS |
| 6902-21 | 12_18 | BGS |
| 6902-22 | 12_18 | BGS |
| 6904-10 | 12_18 | BGS |
| 6904-11 | 12_18 | BGS |
| 6904-12 | 12_18 | BGS |
| 6904-13 | 12_18 | BGS |
| 6904-14 | 12_18 | BGS |
| 6904-16 | 12_18 | BGS |
| 6904-17 | 12_18 | BGS |
| 6904-18 | 12_18 | BGS |
| 6904-19 | 12_18 | BGS |
| 6904-21 | 12_18 | BGS |
| 6904-22 | 12_18 | BGS |
| 7071 | 175 | BGS |
| 7071-LEER | n/a | BGS |
| 7075 | 82 | KM |
| 7099 | 63 | KM |
| 7100 | 148 | BGS |
| 7101 | 116 | BGS |
| 7102 | 116 | BGS |
| 7103 | 116 | BGS |
| 7112 | n/a | BGS |
| 7150 | 383 | BGS |
| 7151 | 383 | BGS |
| 7152 | 384 | BGS |
| 7153 | 384 | BGS |
| 7154 | 370 | BGS |
| 7155 | 370 | BGS |
| 7156 | 341 | BGS |
| 7157 | 385 | BGS |
| 7158 | 383 | BGS |
| 7159 | 305 | BGS |
| 7073 | 21 | KM |
| 7180 | 442 | BGS |
| 7191 | 746 | BGS |
| 7195 | 746 | BGS |
| 7198 | 114 | BGS |
| 7199-LEER | n/a | BGS |
| 7200 | 147 | BGS |
| 7200-LEER | n/a | BGS |
| 7201 | 114 | BGS |
| 7202 | 114 | BGS |
| 7203 | 114 | BGS |
| 7204 | 114 | BGS |
| 7205 | 114 | BGS |
| 7206 | 114 | BGS |
| 7207 | 114 | BGS |
| 7208 | 114 | BGS |
| 7209 | 114 | BGS |
| 7210 | QF4 | BGS |
| 7211 | QF4 | BGS |
| 7212 | QF4 | BGS |
| 7213 | QF4 | BGS |
| 7214 | QF4 | BGS |
| 7215 | QF4 | BGS |
| 7216 | QF4 | BGS |
| 7217 | QF4 | BGS |
| 7218 | QF4 | BGS |
| 7219 | QF4 | BGS |
| 7221 | QF4 | BGS |
| 7222 | QF4 | BGS |
| 7224 | QF4 | BGS |
| 7227 | QF4 | BGS |

| Art. | | BGS/ KM |
|--------------|-------|------------|
| 7230 | QF4 | BGS |
| 7232 | QF4 | BGS |
| 7236 | QF4 | BGS |
| 7248 | QF4 | BGS |
| 7300 | 148 | BGS |
| 7301 | 115 | BGS |
| 7302 | 115 | BGS |
| 7303 | 115 | BGS |
| 7304 | 115 | BGS |
| 7305 | 115 | BGS |
| 7306 | 115 | BGS |
| 7307 | 148 | BGS |
| 7309 | 115 | BGS |
| 7310 | 16 | KM |
| 7419 | QF2 | BGS |
| 7421 | QF2 | BGS |
| 7422 | QF2 | BGS |
| 7424 | QF2 | BGS |
| 7427 | QF2 | BGS |
| 7430 | QF2 | BGS |
| 7432 | QF2 | BGS |
| 7434 | QF2 | BGS |
| 7436 | QF2 | BGS |
| 7438 | QF2 | BGS |
| 7441 | QF2 | BGS |
| 7446 | QF2 | BGS |
| 7450 | QF2 | BGS |
| 7460 | 129 | BGS |
| 7461 | 129 | BGS |
| 7462 | 129 | BGS |
| 7463 | 129 | BGS |
| 7464 | 129 | BGS |
| 7681 | 501 | BGS |
| 7682 | 117 | KM |
| 7683 | 116 | KM |
| 7685 | 569 | BGS |
| 7690 | 209 | BGS |
| 7691 | 209 | BGS |
| 7692 | 209 | BGS |
| 7693 | 209 | BGS |
| 7694 | 209 | BGS |
| 7695 | 209 | BGS |
| 7696 | 211 | BGS |
| 7697 | 211 | BGS |
| 7698 | 211 | BGS |
| 7699 | 211 | BGS |
| 7700 | 211 | BGS |
| 7701 | 211 | BGS |
| 7710 | 215 | BGS |
| 7710-1 | 215 | BGS |
| 7710-8x11 | 215 | BGS |
| 7710-12x17 | 215 | BGS |
| 7710-18x23 | 215 | BGS |
| 7710-24x29 | 215 | BGS |
| 7710-30x34 | 215 | BGS |
| 7711 | 715 | BGS |
| 7712 | 504 | BGS |
| 7713 | 209 | BGS |
| 7714 | 209 | BGS |
| 7715 | 33 | KM |
| 7715-34x38 | 02_19 | KM |
| 7715-39x43 | 02_19 | KM |
| 7715-44x48 | 02_19 | KM |
| 7715-49x53 | 02_19 | KM |
| 7715-54x58 | 02_19 | KM |
| 7716 | 209 | BGS |
| 7718 | 209 | BGS |
| 7719 | 504 | BGS |
| 7719-1 | 02_19 | BGS |
| 7721-X | 215 | BGS |
| 7721-X-KAPPE | 215 | BGS |
| 7723 | 211 | BGS |
| 7724 | 211 | BGS |
| 7726 | 211 | BGS |
| 7727 | 532 | BGS |
| 7728 | 211 | BGS |
| 7729 | 215 | BGS |
| 7730 | 34 | KM |
| 7731 | 217 | BGS |
| 7733 | 504 | BGS |
| 7734 | 216 | BGS |
| 7734-2 | 216 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 7735 | 503 | BGS |
| 7737 | 212 | BGS |
| 7738 | 212 | BGS |
| 7739 | 532 | BGS |
| 7741 | 214 | BGS |
| 7742 | 214 | BGS |
| 7743 | 584 | BGS |
| 7744 | 213 | BGS |
| 7745 | 501 | BGS |
| 7746 | 445 | BGS |
| 7747 | 445 | BGS |
| 7748 | 444 | BGS |
| 7748-A | 04_18 | BGS |
| 7748-B | 04_18 | BGS |
| 7748-C | 04_18 | BGS |
| 7748-D | 04_18 | BGS |
| 7748-E | 04_18 | BGS |
| 7748-F | 04_18 | BGS |
| 7748-G | 04_18 | BGS |
| 7748-I | 04_18 | BGS |
| 7748-K | 04_18 | BGS |
| 7749 | 214 | BGS |
| 7750 | 213 | BGS |
| 7750-LEER | 213 | BGS |
| 7752 | 216 | BGS |
| 7753 | 214 | BGS |
| 7754 | 04_18 | BGS |
| 7760 | 212 | BGS |
| 7760-LEER | 212 | BGS |
| 7760-1 | 212 | BGS |
| 7760-2 | 212 | BGS |
| 7761 | 02_18 | BGS |
| 7763 | 555 | BGS |
| 7764 | 216 | BGS |
| 7770 | 217 | BGS |
| 7771 | 602 | BGS |
| 7771-1 | 602 | BGS |
| 7771-2 | 602 | BGS |
| 7771-3 | 602 | BGS |
| 7771-6 | 602 | BGS |
| 7771-4 | 602 | BGS |
| 7771-5 | 602 | BGS |
| 7772 | 503 | BGS |
| 7772-1 | 503 | BGS |
| 7772-2 | 503 | BGS |
| 7772-4 | 02_19 | BGS |
| 7774 | 502 | BGS |
| 7774-1 | 502 | BGS |
| 7774-2 | 502 | BGS |
| 7774-3 | 502 | BGS |
| 7775 | 04_18 | KM |
| 7776 | 503 | BGS |
| 7776-1 | 503 | BGS |
| 7777 | 600 | BGS |
| 7777-1 | 601 | BGS |
| 7777-2 | 601 | BGS |
| 7777-3 | 601 | BGS |
| 7777-4 | 601 | BGS |
| 7777-5 | 601 | BGS |
| 7779 | 217 | BGS |
| 7780 | 209 | BGS |
| 7781 | 210 | BGS |
| 7782 | 210 | BGS |
| 7783 | 210 | BGS |
| 7784 | 210 | BGS |
| 7785 | 211 | BGS |
| 7790 | 213 | BGS |
| 7791 | 213 | BGS |
| 7792 | 583 | BGS |
| 7793 | 583 | BGS |
| 7794 | 583 | BGS |
| 7795 | 583 | BGS |
| 7796 | 584 | BGS |
| 7797 | 584 | BGS |
| 7798 | 584 | BGS |
| 7800 | 199 | BGS |
| 7802 | 199 | BGS |
| 7802-1 | 199 | BGS |
| 7805 | 199 | BGS |
| 7805-1 | 199 | BGS |
| 7806 | 132 | BGS |
| 7807 | 132 | BGS |



| Art. | | BGS/KM |
|-----------|-----|--------|
| 7808 | 132 | BGS |
| 7809 | 132 | BGS |
| 7810 | 132 | BGS |
| 7811 | 132 | BGS |
| 7812 | 132 | BGS |
| 7813 | 132 | BGS |
| 7814 | 132 | BGS |
| 7824 | 132 | BGS |
| 7825 | 198 | BGS |
| 7826 | 131 | BGS |
| 7827 | 131 | BGS |
| 7828 | 131 | BGS |
| 7829 | 197 | BGS |
| 7830 | 66 | KM |
| 7840 | 288 | BGS |
| 7841 | 287 | BGS |
| 7842 | 63 | KM |
| 7844 | 67 | KM |
| 7844-T6 | 67 | KM |
| 7844-T7 | 67 | KM |
| 7844-T8 | 67 | KM |
| 7844-T9 | 67 | KM |
| 7844-T10 | 67 | KM |
| 7844-T15 | 67 | KM |
| 7844-T20 | 67 | KM |
| 7844-T25 | 67 | KM |
| 7844-T27 | 67 | KM |
| 7844-T30 | 67 | KM |
| 7844-T40 | 67 | KM |
| 7844-T45 | 67 | KM |
| 7845 | 68 | KM |
| 7846 | 286 | BGS |
| 7847 | 64 | KM |
| 7848 | 68 | KM |
| 7849 | 286 | BGS |
| 7849-T8 | 293 | BGS |
| 7849-T10 | 293 | BGS |
| 7849-T15 | 293 | BGS |
| 7849-T20 | 293 | BGS |
| 7849-T25 | 293 | BGS |
| 7849-T27 | 293 | BGS |
| 7849-T30 | 293 | BGS |
| 7849-T40 | 293 | BGS |
| 7880 | 66 | KM |
| 7880-LEER | n/a | BGS |
| 7880-T10 | 66 | KM |
| 7880-T15 | 66 | KM |
| 7880-T20 | 66 | KM |
| 7880-T25 | 66 | KM |
| 7880-T27 | 66 | KM |
| 7880-T30 | 66 | KM |
| 7880-T40 | 66 | KM |
| 7880-T45 | 66 | KM |
| 7880-T50 | 66 | KM |
| 7881 | 72 | KM |
| 7882 | 62 | KM |
| 7882-2 | 62 | KM |
| 7882-2.5 | 62 | KM |
| 7882-3 | 62 | KM |
| 7882-4 | 62 | KM |
| 7882-5 | 62 | KM |
| 7882-6 | 62 | KM |
| 7882-7 | 62 | KM |
| 7882-8 | 62 | KM |
| 7882-10 | 62 | KM |
| 7890 | 71 | KM |
| 7895 | 284 | BGS |
| 7895-LEER | 284 | BGS |
| 7910 | 289 | BGS |
| 7911 | 289 | BGS |
| 7912 | 289 | BGS |
| 7913 | 289 | BGS |
| 7914 | 289 | BGS |
| 7915 | 289 | BGS |
| 7916 | 291 | BGS |
| 7917 | 291 | BGS |
| 7918 | 291 | BGS |
| 7919 | 291 | BGS |
| 7920 | 291 | BGS |
| 7921 | 291 | BGS |
| 7924 | 283 | BGS |
| 7931 | 290 | BGS |

| Art. | | BGS/KM |
|------------|-------|--------|
| 7932 | 290 | BGS |
| 7933 | 290 | BGS |
| 7934 | 288 | BGS |
| 7935 | 288 | BGS |
| 7936 | 290 | BGS |
| 7937 | 290 | BGS |
| 7943 | 283 | BGS |
| 7944 | 283 | BGS |
| 7946 | 71 | KM |
| 7946-3 | 65 | KM |
| 7946-4 | 65 | KM |
| 7946-5 | 65 | KM |
| 7946-6 | 65 | KM |
| 7946-8 | 65 | KM |
| 7946-PH0 | 65 | KM |
| 7946-PH1 | 65 | KM |
| 7946-PH2 | 65 | KM |
| 7946-PH3 | 65 | KM |
| 7946-PZ1 | 65 | KM |
| 7946-PZ2 | 65 | KM |
| 7946-PZ3 | 65 | KM |
| 7952 | 295 | BGS |
| 7955 | 260 | BGS |
| 7957 | 64 | KM |
| 7958 | 260 | BGS |
| 7959 | 68 | KM |
| 7961 | 52 | KM |
| 7962 | 262 | BGS |
| 7963 | 263 | BGS |
| 7964 | 52 | KM |
| 7965 | 263 | BGS |
| 7966 | 260 | BGS |
| 7967 | 285 | BGS |
| 7968 | 69 | KM |
| 7969 | 69 | KM |
| 7970 | 54 | KM |
| 7971 | 261 | BGS |
| 7972 | 54 | KM |
| 7973 | 261 | BGS |
| 7975 | 261 | BGS |
| 7976 | 261 | BGS |
| 7977 | 43 | KM |
| 7980 | 260 | BGS |
| 7982 | 71 | KM |
| 7983 | 571 | BGS |
| 7985 | 284 | BGS |
| 7985-1 | 198 | BGS |
| 7985-25X27 | 284 | BGS |
| 7985-LEER | 284 | BGS |
| 7987 | 572 | BGS |
| 7988 | 74 | KM |
| 7988-1 | 74 | KM |
| 7991 | 572 | BGS |
| 7992 | 228 | BGS |
| 7993 | 571 | BGS |
| 7995 | 572 | BGS |
| 7996 | 571 | BGS |
| 7997 | 570 | BGS |
| 7998 | 572 | BGS |
| 7999 | 566 | BGS |
| 8000 | 571 | BGS |
| 8001 | 566 | BGS |
| 8002 | 565 | BGS |
| 8003 | 566 | BGS |
| 8004 | 566 | BGS |
| 8005 | 819 | BGS |
| 8005-10 | 819 | BGS |
| 8005-12 | 819 | BGS |
| 8006 | 566 | BGS |
| 8007 | 816 | BGS |
| 8007-2 | 02_18 | BGS |
| 8008 | 817 | BGS |
| 8008-1 | 817 | BGS |
| 8008-2 | 817 | BGS |
| 8008-35 | 817 | BGS |
| 8008-52 | 817 | BGS |
| 8008-55 | 817 | BGS |
| 8008-56 | 817 | BGS |
| 8008-69 | 817 | BGS |
| 8008-70 | 817 | BGS |
| 8008-72 | 817 | BGS |
| 8008-M10K | 817 | BGS |

| Art. | | BGS/KM |
|--------------|-------|--------|
| 8008-M10X1.0 | 817 | BGS |
| 8009 | 616 | BGS |
| 8011 | 493 | BGS |
| 8012 | 615 | BGS |
| 8014 | 492 | BGS |
| 8015 | 590 | BGS |
| 8016 | 136 | KM |
| 8017 | 294 | BGS |
| 8018 | 487 | BGS |
| 8022 | 567 | BGS |
| 8023 | 702 | BGS |
| 8025 | 562 | BGS |
| 8026 | 816 | BGS |
| 8026-1 | 816 | BGS |
| 8027 | 593 | BGS |
| 8027-1 | 593 | BGS |
| 8027-2 | 593 | BGS |
| 8027-3 | 593 | BGS |
| 8027-4 | 593 | BGS |
| 8027-5 | 593 | BGS |
| 8027-6 | 593 | BGS |
| 8027-7 | 593 | BGS |
| 8027-8 | 593 | BGS |
| 8027-9 | 593 | BGS |
| 8027-10 | 593 | BGS |
| 8027-11 | 593 | BGS |
| 8027-12 | 593 | BGS |
| 8027-13 | 593 | BGS |
| 8027-14 | 593 | BGS |
| 8027-15 | 593 | BGS |
| 8027-16 | 593 | BGS |
| 8027-17 | 593 | BGS |
| 8027-18 | 593 | BGS |
| 8027-19 | 593 | BGS |
| 8027-30 | 593 | BGS |
| 8027-31 | 593 | BGS |
| 8027-32 | 593 | BGS |
| 8027-33 | 593 | BGS |
| 8027-LEER | 593 | BGS |
| 8028 | 821 | BGS |
| 8029 | 167 | KM |
| 8030 | 756 | BGS |
| 8031 | 168 | KM |
| 8033 | 57 | KM |
| 8034 | 57 | KM |
| 8035 | 590 | BGS |
| 8036 | 616 | BGS |
| 8037 | 815 | BGS |
| 8037-1 | 815 | BGS |
| 8037-2 | 10_18 | BGS |
| 8038 | 833 | BGS |
| 8039 | 886 | BGS |
| 8040 | 164 | KM |
| 8041 | 164 | KM |
| 8042 | 882 | BGS |
| 8043 | 871 | BGS |
| 8044 | 862 | BGS |
| 8045 | 860 | BGS |
| 8045-LEER | 860 | BGS |
| 8046 | 885 | BGS |
| 8047 | 873 | BGS |
| 8048 | 870 | BGS |
| 8049 | 885 | BGS |
| 8050 | 105 | KM |
| 8051 | 107 | KM |
| 8052 | 867 | BGS |
| 8053 | 865 | BGS |
| 8054 | 872 | BGS |
| 8055 | 877 | BGS |
| 8057 | 119 | KM |
| 8058 | 859 | BGS |
| 8059 | 863 | BGS |
| 8060 | 226 | BGS |
| 8061 | 861 | BGS |
| 8062 | 48 | KM |
| 8063 | 48 | KM |
| 8065 | 880 | BGS |
| 8065-1 | 880 | BGS |
| 8066 | 470 | BGS |
| 8066-1 | 470 | BGS |
| 8066-2 | 470 | BGS |
| 8066-3 | 470 | BGS |

| Art. | | BGS/KM |
|------------|-----|--------|
| 8067 | 833 | BGS |
| 8067-1 | 833 | BGS |
| 8067-2 | 833 | BGS |
| 8068 | 197 | KM |
| 8071-2 | 470 | BGS |
| 8072 | 192 | KM |
| 8073 | 196 | KM |
| 8074 | 190 | KM |
| 8076 | 188 | KM |
| 8077 | 149 | KM |
| 8078 | 886 | BGS |
| 8080 | 468 | BGS |
| 8080-31 | 468 | BGS |
| 8080-31-1 | 468 | BGS |
| 8080-32 | 468 | BGS |
| 8080-32-1 | 468 | BGS |
| 8081 | 181 | KM |
| 8082 | 181 | KM |
| 8083 | 187 | KM |
| 8084 | 187 | KM |
| 8085 | 187 | KM |
| 8086 | 187 | KM |
| 8087 | 871 | BGS |
| 8088 | 177 | KM |
| 8090 | 176 | KM |
| 8091 | 177 | KM |
| 8092 | 177 | KM |
| 8093 | 177 | KM |
| 8094 | 177 | KM |
| 8095 | 877 | BGS |
| 8095-8x12 | 877 | BGS |
| 8095-10x16 | 877 | BGS |
| 8095-12x20 | 877 | BGS |
| 8095-16x25 | 877 | BGS |
| 8095-20x32 | 877 | BGS |
| 8095-25x40 | 877 | BGS |
| 8095-30x45 | 877 | BGS |
| 8095-32x50 | 877 | BGS |
| 8095-40x60 | 877 | BGS |
| 8095-50x70 | 877 | BGS |
| 8095-60x80 | 877 | BGS |
| 8096 | 594 | BGS |
| 8098 | 592 | BGS |
| 8098-1 | 592 | BGS |
| 8098-2 | 592 | BGS |
| 8098-3 | 592 | BGS |
| 8098-20 | 592 | BGS |
| 8098-21 | 592 | BGS |
| 8098-22 | 592 | BGS |
| 8098-LEER | 592 | BGS |
| 8100 | 332 | BGS |
| 8101 | 614 | BGS |
| 8101-1 | 614 | BGS |
| 8101-2 | 614 | BGS |
| 8101-LEER | 614 | BGS |
| 8102 | 613 | BGS |
| 8103 | 614 | BGS |
| 8105 | 862 | BGS |
| 8106 | 127 | KM |
| 8107 | 866 | BGS |
| 8109 | 883 | BGS |
| 8111 | 886 | BGS |
| 8112 | 870 | BGS |
| 8113 | 866 | BGS |
| 8114 | 880 | BGS |
| 8117 | 887 | BGS |
| 8118 | 792 | BGS |
| 8119 | 792 | BGS |
| 8120 | 868 | BGS |
| 8121 | 863 | BGS |
| 8122 | 702 | BGS |
| 8123 | 882 | BGS |
| 8124 | 884 | BGS |
| 8125 | 870 | BGS |
| 8126 | 884 | BGS |
| 8127 | 884 | BGS |
| 8128 | 193 | KM |
| 8129 | 852 | BGS |
| 8131 | 194 | KM |
| 8132 | 869 | BGS |
| 8133 | 881 | BGS |
| 8134 | 191 | KM |



| Art. | | BGS/ KM |
|-----------|-------|------------|
| 8135 | 881 | BGS |
| 8136 | 881 | BGS |
| 8137 | 871 | BGS |
| 8138 | 887 | BGS |
| 8139 | 887 | BGS |
| 8140 | 129 | KM |
| 8141 | 872 | BGS |
| 8142 | 867 | BGS |
| 8143 | 865 | BGS |
| 8144 | 869 | BGS |
| 8145 | 682 | BGS |
| 8147 | 494 | BGS |
| 8147-T30 | 494 | BGS |
| 8148 | 648 | BGS |
| 8148-13 | 648 | BGS |
| 8149 | 562 | BGS |
| 8150 | 702 | BGS |
| 8151-1 | 666 | BGS |
| 8151-2 | 666 | BGS |
| 8151-3 | 666 | BGS |
| 8151-6 | 666 | BGS |
| 8151-8 | 666 | BGS |
| 8151-10 | 666 | BGS |
| 8151-12 | 666 | BGS |
| 8151-17 | 666 | BGS |
| 8151-19 | 666 | BGS |
| 8151-22 | 666 | BGS |
| 8151-LEER | n/a | BGS |
| 8152 | 673 | BGS |
| 8152-7 | 01_19 | BGS |
| 8152-19 | 673 | BGS |
| 8152-30 | 673 | BGS |
| 8154 | 679 | BGS |
| 8154-1 | 679 | BGS |
| 8154-2 | 679 | BGS |
| 8154-4 | 679 | BGS |
| 8154-11 | 679 | BGS |
| 8154-15 | 679 | BGS |
| 8154-LEER | 679 | BGS |
| 8155 | 692 | BGS |
| 8155-01 | 692 | BGS |
| 8155-1 | 692 | BGS |
| 8155-2 | 692 | BGS |
| 8155-5 | 692 | BGS |
| 8155-6 | 692 | BGS |
| 8155-8 | 692 | BGS |
| 8155-9 | 692 | BGS |
| 8155-12 | 692 | BGS |
| 8155-15 | 692 | BGS |
| 8155-16 | 692 | BGS |
| 8155-17 | 692 | BGS |
| 8155-18 | 692 | BGS |
| 8155-19 | 692 | BGS |
| 8155-20 | 692 | BGS |
| 8155-23 | 692 | BGS |
| 8155-25 | 692 | BGS |
| 8155-26 | 692 | BGS |
| 8155-LEER | 692 | BGS |
| 8156 | 653 | BGS |
| 8156-2 | 653 | BGS |
| 8156-3 | 653 | BGS |
| 8156-4 | 653 | BGS |
| 8156-5 | 653 | BGS |
| 8156-6 | 653 | BGS |
| 8156-12 | 653 | BGS |
| 8156-14 | 653 | BGS |
| 8156-17 | 653 | BGS |
| 8156-18 | 653 | BGS |
| 8156-19 | 653 | BGS |
| 8157 | 690 | BGS |
| 8157-1 | 690 | BGS |
| 8158 | 697 | BGS |
| 8159-6 | 648 | BGS |
| 8159-16 | 648 | BGS |
| 8159-17 | 648 | BGS |
| 8160 | QF9 | BGS |
| 8161 | QF9 | BGS |
| 8162 | QF9 | BGS |
| 8163 | QF9 | BGS |
| 8164 | QF9 | BGS |
| 8165 | QF9 | BGS |
| 8166 | QF9 | BGS |

| Art. | | BGS/ KM |
|---------|-------|------------|
| 8167 | QF9 | BGS |
| 8168 | QF9 | BGS |
| 8169 | QF9 | BGS |
| 8170 | QF9 | BGS |
| 8171 | 442 | BGS |
| 8172 | QF9 | BGS |
| 8173 | QF9 | BGS |
| 8174 | QF9 | BGS |
| 8176 | QF9 | BGS |
| 8177 | QF9 | BGS |
| 8178 | QF9 | BGS |
| 8179 | QF9 | BGS |
| 8180 | QF9 | BGS |
| 8181 | QF9 | BGS |
| 8182 | QF9 | BGS |
| 8183 | 04_19 | BGS |
| 8185 | QF9 | BGS |
| 8186 | QF9 | BGS |
| 8187 | QF9 | BGS |
| 8188 | QF9 | BGS |
| 8189 | QF9 | BGS |
| 8190 | QF9 | BGS |
| 8191 | QF9 | BGS |
| 8192 | QF9 | BGS |
| 8193 | QF9 | BGS |
| 8194 | QF9 | BGS |
| 8195 | QF9 | BGS |
| 8196 | QF9 | BGS |
| 8197 | QF9 | BGS |
| 8198 | QF9 | BGS |
| 8199 | QF9 | BGS |
| 8201 | 174 | BGS |
| 8202 | 195 | BGS |
| 8204 | 28 | KM |
| 8208 | QF9 | BGS |
| 8209 | QF9 | BGS |
| 8210 | 323 | BGS |
| 8212 | 43 | KM |
| 8213 | 174 | BGS |
| 8214 | 195 | BGS |
| 8214-1 | 194 | BGS |
| 8215 | 652 | BGS |
| 8215-1 | 652 | BGS |
| 8216 | 697 | BGS |
| 8217 | QF9 | BGS |
| 8218 | 653 | BGS |
| 8219 | 696 | BGS |
| 8220 | 734 | BGS |
| 8221 | 716 | BGS |
| 8224 | 716 | BGS |
| 8224-1 | 716 | BGS |
| 8224-2 | 716 | BGS |
| 8225 | 174 | BGS |
| 8227 | 665 | BGS |
| 8228 | 466 | BGS |
| 8229 | 467 | BGS |
| 8231 | 515 | BGS |
| 8232 | 703 | BGS |
| 8233 | 703 | BGS |
| 8234 | 703 | BGS |
| 8235 | 819 | BGS |
| 8236 | 819 | BGS |
| 8237 | 608 | BGS |
| 8237-29 | 608 | BGS |
| 8238 | 728 | BGS |
| 8239 | 703 | BGS |
| 8240 | 643 | BGS |
| 8241 | 696 | BGS |
| 8242 | 442 | BGS |
| 8243 | 690 | BGS |
| 8244 | 608 | BGS |
| 8245 | 502 | BGS |
| 8246 | 581 | BGS |
| 8247 | 493 | BGS |
| 8248 | 447 | BGS |
| 8249 | 704 | BGS |
| 8250 | 599 | BGS |
| 8251 | 174 | BGS |
| 8252 | 728 | BGS |
| 8253 | 537 | BGS |
| 8253-1 | 537 | BGS |
| 8253-2 | 537 | BGS |

| Art. | | BGS/ KM |
|-----------|-----|------------|
| 8253-3 | 537 | BGS |
| 8254 | 538 | BGS |
| 8256 | 600 | BGS |
| 8257 | 839 | BGS |
| 8258 | 600 | BGS |
| 8259 | 802 | BGS |
| 8260 | 615 | BGS |
| 8261 | 694 | BGS |
| 8262 | 502 | BGS |
| 8264 | 747 | BGS |
| 8265 | 126 | BGS |
| 8265-1 | 126 | BGS |
| 8265-2 | 126 | BGS |
| 8265-3 | 126 | BGS |
| 8265-4 | 126 | BGS |
| 8265-5 | 126 | BGS |
| 8265-6 | 126 | BGS |
| 8265-7 | 126 | BGS |
| 8265-8 | 126 | BGS |
| 8265-9 | 126 | BGS |
| 8265-10 | 126 | BGS |
| 8265-11 | 126 | BGS |
| 8266-1 | 127 | BGS |
| 8266-2 | 127 | BGS |
| 8266-3 | 127 | BGS |
| 8266-4 | 127 | BGS |
| 8266-5 | 127 | BGS |
| 8266-6 | 127 | BGS |
| 8266-7 | 127 | BGS |
| 8266-8 | 127 | BGS |
| 8266-9 | 127 | BGS |
| 8266-10 | 127 | BGS |
| 8267 | 530 | BGS |
| 8268 | 459 | BGS |
| 8269 | 459 | BGS |
| 8270 | 540 | BGS |
| 8271 | 805 | BGS |
| 8272 | 322 | BGS |
| 8273 | 217 | BGS |
| 8274 | 615 | BGS |
| 8275 | 705 | BGS |
| 8278 | 691 | BGS |
| 8279 | 696 | BGS |
| 8281 | 691 | BGS |
| 8283 | 525 | BGS |
| 8284 | 526 | BGS |
| 8285 | 590 | BGS |
| 8286 | 524 | BGS |
| 8289 | 716 | BGS |
| 8290 | 620 | BGS |
| 8291 | 606 | BGS |
| 8292 | 506 | BGS |
| 8293 | 515 | BGS |
| 8293-1 | 516 | BGS |
| 8297 | 752 | BGS |
| 8297-1 | 752 | BGS |
| 8297-2 | 752 | BGS |
| 8297-3 | 752 | BGS |
| 8297-4 | 752 | BGS |
| 8299 | 695 | BGS |
| 8301 | 735 | BGS |
| 8301-1 | 734 | BGS |
| 8302 | 628 | BGS |
| 8303 | 667 | BGS |
| 8304 | 691 | BGS |
| 8304-LEER | 691 | BGS |
| 8305 | 528 | BGS |
| 8306 | 532 | BGS |
| 8306-LEER | 532 | BGS |
| 8307 | 511 | BGS |
| 8308 | 490 | BGS |
| 8309 | 608 | BGS |
| 8310 | 464 | BGS |
| 8310-1 | 464 | BGS |
| 8310-2 | 464 | BGS |
| 8310-3 | 464 | BGS |
| 8310-4 | 464 | BGS |
| 8310-5 | 464 | BGS |
| 8310-6 | 464 | BGS |
| 8312 | 496 | BGS |
| 8313 | 496 | BGS |
| 8314 | 616 | BGS |

| Art. | | BGS/ KM |
|---------|-------|------------|
| 8315 | 468 | BGS |
| 8315-3 | 468 | BGS |
| 8315-4 | 04_18 | BGS |
| 8316 | 469 | BGS |
| 8317 | 654 | BGS |
| 8319 | 452 | BGS |
| 8319-1 | 452 | BGS |
| 8320 | 525 | BGS |
| 8321 | 540 | BGS |
| 8322 | 540 | BGS |
| 8323 | 540 | BGS |
| 8324 | 540 | BGS |
| 8328 | 270 | BGS |
| 8329 | 270 | BGS |
| 8330 | 275 | BGS |
| 8332 | 02_19 | BGS |
| 8334 | 704 | BGS |
| 8335 | 704 | BGS |
| 8340 | 270 | BGS |
| 8340-1 | 270 | BGS |
| 8341 | 269 | BGS |
| 8341-1 | 269 | BGS |
| 8343 | 807 | BGS |
| 8344 | 269 | BGS |
| 8344-1 | 269 | BGS |
| 8345 | 808 | BGS |
| 8346 | 531 | BGS |
| 8347 | 361 | BGS |
| 8348 | 716 | BGS |
| 8349 | 607 | BGS |
| 8351 | 603 | BGS |
| 8355 | 618 | BGS |
| 8356 | 755 | BGS |
| 8357 | 726 | BGS |
| 8359 | 363 | BGS |
| 8360 | 441 | BGS |
| 8362 | 439 | BGS |
| 8363 | 233 | BGS |
| 8364 | 233 | BGS |
| 8365 | 837 | BGS |
| 8366 | 763 | BGS |
| 8367 | 835 | BGS |
| 8367-1 | 835 | BGS |
| 8369 | 270 | BGS |
| 8370 | 754 | BGS |
| 8371 | 754 | BGS |
| 8372 | 915 | BGS |
| 8373 | 443 | BGS |
| 8374 | 754 | BGS |
| 8375 | 745 | BGS |
| 8376 | 745 | BGS |
| 8377 | 797 | BGS |
| 8377-27 | 797 | BGS |
| 8377-36 | 797 | BGS |
| 8378 | 118 | BGS |
| 8379 | 342 | BGS |
| 8380 | 570 | BGS |
| 8381 | 412 | BGS |
| 8382 | 414 | BGS |
| 8382-1 | 02_18 | BGS |
| 8383 | 07_18 | BGS |
| 8384 | 797 | BGS |
| 8385 | 500 | BGS |
| 8386 | 889 | BGS |
| 8386-1 | 889 | BGS |
| 8388 | 849 | BGS |
| 8389 | 454 | BGS |
| 8389-1 | 454 | BGS |
| 8390 | 803 | BGS |
| 8391 | 444 | BGS |
| 8392 | 267 | BGS |
| 8393 | 267 | BGS |
| 8394 | 267 | BGS |
| 8395 | 803 | BGS |
| 8396 | 803 | BGS |
| 8397 | 821 | BGS |
| 8398 | 76 | BGS |
| 8400 | 817 | BGS |
| 8401 | 818 | BGS |
| 8403 | 471 | BGS |
| 8403-1 | 471 | BGS |
| 8405 | 251 | BGS |



| Art. | | BGS/KM |
|--------|-------|--------|
| 8406 | 756 | BGS |
| 8407 | 682 | BGS |
| 8408 | 483 | BGS |
| 8408-1 | 483 | BGS |
| 8408-2 | 483 | BGS |
| 8408-3 | 483 | BGS |
| 8409 | 359 | BGS |
| 8410 | 519 | BGS |
| 8411 | 519 | BGS |
| 8412 | 360 | BGS |
| 8413 | 674 | BGS |
| 8414 | 360 | BGS |
| 8415 | 578 | BGS |
| 8416 | 620 | BGS |
| 8417 | 682 | BGS |
| 8418 | 677 | BGS |
| 8419 | 442 | BGS |
| 8420 | 671 | BGS |
| 8421 | 680 | BGS |
| 8422 | 676 | BGS |
| 8424 | 455 | BGS |
| 8425 | 814 | BGS |
| 8426 | 834 | BGS |
| 8427 | 265 | BGS |
| 8432 | 605 | BGS |
| 8433 | 605 | BGS |
| 8434 | 605 | BGS |
| 8435 | 605 | BGS |
| 8436 | 420 | BGS |
| 8437 | 542 | BGS |
| 8438 | 683 | BGS |
| 8439 | 208 | BGS |
| 8440 | 599 | BGS |
| 8441 | 767 | BGS |
| 8442 | 326 | BGS |
| 8443 | 695 | BGS |
| 8444 | 729 | BGS |
| 8446-1 | 757 | BGS |
| 8447 | 751 | BGS |
| 8448 | 274 | BGS |
| 8449 | 162 | BGS |
| 8450 | 605 | BGS |
| 8451 | 590 | BGS |
| 8452 | 294 | BGS |
| 8453 | 845 | BGS |
| 8454 | 735 | BGS |
| 8457 | 446 | BGS |
| 8459 | 454 | BGS |
| 8460 | 570 | BGS |
| 8460-1 | 02_18 | BGS |
| 8461 | 443 | BGS |
| 8462 | 120 | BGS |
| 8463 | 355 | BGS |
| 8463-1 | 355 | BGS |
| 8463-2 | 355 | BGS |
| 8463-3 | 355 | BGS |
| 8463-4 | 355 | BGS |
| 8464 | 543 | BGS |
| 8465 | 446 | BGS |
| 8466 | 445 | BGS |
| 8467 | 553 | BGS |
| 8468 | 830 | BGS |
| 8469 | 607 | BGS |
| 8470 | 362 | BGS |
| 8471 | 396 | BGS |
| 8472 | 393 | BGS |
| 8473 | 393 | BGS |
| 8474 | 443 | BGS |
| 8476 | 261 | BGS |
| 8477 | 173 | BGS |
| 8478 | 888 | BGS |
| 8479 | 591 | BGS |
| 8480 | 551 | BGS |
| 8481 | 552 | BGS |
| 8482 | 516 | BGS |
| 8483 | 193 | BGS |
| 8484 | 333 | BGS |
| 8484-1 | 333 | BGS |
| 8485 | 336 | BGS |
| 8486 | 545 | BGS |
| 8487 | 01_19 | BGS |
| 8489 | 343 | BGS |

| Art. | | BGS/KM |
|----------|-------|--------|
| 8490 | 343 | BGS |
| 8491 | 767 | BGS |
| 8492 | 761 | BGS |
| 8493 | 767 | BGS |
| 8494 | 236 | BGS |
| 8495 | 428 | BGS |
| 8496 | 427 | BGS |
| 8497 | 392 | BGS |
| 8500 | 641 | BGS |
| 8501 | 717 | BGS |
| 8501-1 | 717 | BGS |
| 8501-2 | 717 | BGS |
| 8502 | n/a | BGS |
| 8504 | 839 | BGS |
| 8505 | 786 | BGS |
| 8505-1 | 786 | BGS |
| 8505-2 | 04_19 | BGS |
| 8505-13P | 786 | BGS |
| 8508 | 576 | BGS |
| 8509 | 444 | BGS |
| 8510 | 444 | BGS |
| 8511 | 441 | BGS |
| 8512 | 333 | BGS |
| 8512-1 | 333 | BGS |
| 8514 | 460 | BGS |
| 8514-1 | 460 | BGS |
| 8514-2 | 460 | BGS |
| 8514-3 | 460 | BGS |
| 8514-4 | 460 | BGS |
| 8514-5 | 460 | BGS |
| 8514-6 | 460 | BGS |
| 8514-7 | 460 | BGS |
| 8514-8 | 460 | BGS |
| 8514-9 | 460 | BGS |
| 8515 | 762 | BGS |
| 8516 | 823 | BGS |
| 8517 | 806 | BGS |
| 8519 | 471 | BGS |
| 8520 | 526 | BGS |
| 8522 | 705 | BGS |
| 8526 | 820 | BGS |
| 8527 | 713 | BGS |
| 8528 | 519 | BGS |
| 8529 | 676 | BGS |
| 8530 | 688 | BGS |
| 8531 | 705 | BGS |
| 8532 | 706 | BGS |
| 8533 | 657 | BGS |
| 8534 | 629 | BGS |
| 8535 | 618 | BGS |
| 8536 | 792 | BGS |
| 8536-1 | 792 | BGS |
| 8537 | 792 | BGS |
| 8537-1 | 792 | BGS |
| 8539 | 450 | BGS |
| 8540 | 418 | BGS |
| 8540-1 | 418 | BGS |
| 8541 | 520 | BGS |
| 8542 | 322 | BGS |
| 8544-1 | 778 | BGS |
| 8544-2 | 778 | BGS |
| 8545 | 778 | BGS |
| 8547 | 120 | BGS |
| 8549 | 121 | BGS |
| 8551 | 717 | BGS |
| 8552 | 723 | BGS |
| 8553 | 620 | BGS |
| 8554 | 781 | BGS |
| 8555 | 706 | BGS |
| 8557 | 814 | BGS |
| 8557-1 | 814 | BGS |
| 8558 | 143 | KM |
| 8559 | 400 | BGS |
| 8560 | 274 | BGS |
| 8561 | 610 | BGS |
| 8562 | 713 | BGS |
| 8563 | 724 | BGS |
| 8563-1 | 724 | BGS |
| 8565 | 701 | BGS |
| 8568 | 757 | BGS |
| 8569 | 757 | BGS |
| 8570 | 629 | BGS |

| Art. | | BGS/KM |
|--------|-----|--------|
| 8571 | 605 | BGS |
| 8572 | 506 | BGS |
| 8573 | 627 | BGS |
| 8575 | 521 | BGS |
| 8576 | 328 | BGS |
| 8577 | 680 | BGS |
| 8578 | 654 | BGS |
| 8579 | 544 | BGS |
| 8580 | 419 | BGS |
| 8580-1 | 419 | BGS |
| 8580-3 | 419 | BGS |
| 8580-4 | 419 | BGS |
| 8580-5 | 419 | BGS |
| 8582 | 874 | BGS |
| 8583 | 567 | BGS |
| 8584 | 403 | BGS |
| 8589 | 549 | BGS |
| 8590 | 280 | BGS |
| 8591 | 280 | BGS |
| 8592 | 281 | BGS |
| 8595 | 131 | KM |
| 8596 | 804 | BGS |
| 8598 | 32 | KM |
| 8599 | 594 | BGS |
| 8599-1 | 594 | BGS |
| 8599-2 | 594 | BGS |
| 8599-3 | 594 | BGS |
| 8600 | 360 | BGS |
| 8602 | 638 | BGS |
| 8603 | 422 | BGS |
| 8604 | 889 | BGS |
| 8604-1 | 889 | BGS |
| 8605 | 322 | BGS |
| 8606 | 762 | BGS |
| 8608 | 129 | BGS |
| 8611 | 586 | BGS |
| 8612 | 428 | BGS |
| 8613 | 446 | BGS |
| 8615 | 466 | BGS |
| 8616 | 191 | BGS |
| 8617 | 192 | BGS |
| 8618 | 170 | BGS |
| 8620 | 378 | BGS |
| 8621 | 228 | BGS |
| 8622 | 712 | BGS |
| 8624 | n/a | BGS |
| 8625 | 43 | KM |
| 8626 | 236 | BGS |
| 8627 | 595 | BGS |
| 8628 | 272 | BGS |
| 8629 | 283 | BGS |
| 8629-1 | 288 | BGS |
| 8629-2 | 288 | BGS |
| 8629-3 | 288 | BGS |
| 8629-4 | 288 | BGS |
| 8629-5 | 288 | BGS |
| 8629-6 | 288 | BGS |
| 8629-7 | 288 | BGS |
| 8629-8 | 288 | BGS |
| 8630 | 620 | BGS |
| 8631 | 582 | BGS |
| 8632 | 582 | BGS |
| 8633 | 506 | BGS |
| 8634 | 438 | BGS |
| 8635 | 145 | KM |
| 8640 | 126 | KM |
| 8641 | 497 | BGS |
| 8642 | 491 | BGS |
| 8643 | 341 | BGS |
| 8644 | 267 | BGS |
| 8646 | 297 | BGS |
| 8647 | 752 | BGS |
| 8647-1 | 752 | BGS |
| 8648 | 752 | BGS |
| 8648-1 | 752 | BGS |
| 8649 | 752 | BGS |
| 8649-1 | 752 | BGS |
| 8650 | 752 | BGS |
| 8650-1 | 752 | BGS |
| 8650-2 | 752 | BGS |
| 8651 | 752 | BGS |
| 8651-1 | 752 | BGS |

| Art. | | BGS/KM |
|-----------|-------|--------|
| 8651-2 | 752 | BGS |
| 8651-3 | 752 | BGS |
| 8652 | 249 | BGS |
| 8653 | 753 | BGS |
| 8655 | 839 | BGS |
| 8656 | 125 | BGS |
| 8656-3 | 125 | BGS |
| 8656-4 | 125 | BGS |
| 8656-5 | 125 | BGS |
| 8656-6 | 125 | BGS |
| 8656-7 | 125 | BGS |
| 8656-8 | 125 | BGS |
| 8656-9 | 125 | BGS |
| 8656-10 | 125 | BGS |
| 8657 | 750 | BGS |
| 8658 | 838 | BGS |
| 8661 | 202 | BGS |
| 8662 | 741 | BGS |
| 8665 | 322 | BGS |
| 8665-24 | 323 | BGS |
| 8665-27 | 323 | BGS |
| 8665-30 | 323 | BGS |
| 8665-32 | 323 | BGS |
| 8667 | 796 | BGS |
| 8668 | 730 | BGS |
| 8669 | 649 | BGS |
| 8670 | 554 | BGS |
| 8671 | 657 | BGS |
| 8672 | 657 | BGS |
| 8673 | 658 | BGS |
| 8674 | 717 | BGS |
| 8675 | 265 | BGS |
| 8676 | 135 | KM |
| 8676-LEER | 135 | KM |
| 8677 | 801 | BGS |
| 8678 | 736 | BGS |
| 8679 | 510 | BGS |
| 8681 | 526 | BGS |
| 8682 | 557 | BGS |
| 8683 | 528 | BGS |
| 8684 | 575 | BGS |
| 8686 | 372 | BGS |
| 8687 | 557 | BGS |
| 8688 | 410 | BGS |
| 8688-23 | 01_19 | BGS |
| 8689 | 488 | BGS |
| 8690 | 706 | BGS |
| 8691 | 241 | BGS |
| 8693 | 846 | BGS |
| 8695 | 788 | BGS |
| 8697 | 668 | BGS |
| 8698 | 751 | BGS |
| 8698-1 | 751 | BGS |
| 8698-2 | 751 | BGS |
| 8698-3 | 751 | BGS |
| 8698-4 | 751 | BGS |
| 8699 | 748 | BGS |
| 8700 | 528 | BGS |
| 8702 | 419 | BGS |
| 8702-1 | 02_18 | BGS |
| 8703 | 574 | BGS |
| 8704 | 464 | BGS |
| 8704-1 | 464 | BGS |
| 8705 | 367 | BGS |
| 8706 | 400 | BGS |
| 8707 | 548 | BGS |
| 8707-1 | 548 | BGS |
| 8707-2 | 548 | BGS |
| 8708 | 541 | BGS |
| 8709 | 539 | BGS |
| 8710 | 628 | BGS |
| 8713 | 576 | BGS |
| 8714 | 833 | BGS |
| 8715 | 533 | BGS |
| 8716 | 546 | BGS |
| 8717 | 414 | BGS |
| 8717-1 | 414 | BGS |
| 8717-2 | 414 | BGS |
| 8718 | 467 | BGS |
| 8719 | 781 | BGS |
| 8720 | 782 | BGS |
| 8721 | 671 | BGS |



| Art. | | BGS/ KM |
|---------|-----|------------|
| 8722 | 749 | BGS |
| 8723 | 604 | BGS |
| 8724 | 630 | BGS |
| 8725 | 650 | BGS |
| 8726 | 445 | BGS |
| 8727 | 802 | BGS |
| 8728 | 802 | BGS |
| 8729 | 453 | BGS |
| 8731 | 472 | BGS |
| 8732 | 270 | BGS |
| 8733 | 550 | BGS |
| 8734 | 549 | BGS |
| 8735 | 550 | BGS |
| 8736 | 553 | BGS |
| 8737 | 539 | BGS |
| 8738 | 538 | BGS |
| 8739 | 538 | BGS |
| 8740 | 650 | BGS |
| 8741 | 650 | BGS |
| 8742 | 638 | BGS |
| 8743 | 630 | BGS |
| 8744 | 639 | BGS |
| 8745 | 639 | BGS |
| 8746 | 631 | BGS |
| 8747 | 631 | BGS |
| 8748 | 631 | BGS |
| 8749 | 619 | BGS |
| 8750 | 723 | BGS |
| 8750-1 | 723 | BGS |
| 8751 | 706 | BGS |
| 8752 | 361 | BGS |
| 8754 | 808 | BGS |
| 8758 | n/a | BGS |
| 8759 | 721 | BGS |
| 8760 | 523 | BGS |
| 8761 | 798 | BGS |
| 8763 | 563 | BGS |
| 8764 | 365 | BGS |
| 8765 | 800 | BGS |
| 8766 | 843 | BGS |
| 8766-1 | 843 | BGS |
| 8767 | 214 | BGS |
| 8768 | 214 | BGS |
| 8769 | 697 | BGS |
| 8770 | 547 | BGS |
| 8771 | 612 | BGS |
| 8772 | 741 | BGS |
| 8774 | 353 | BGS |
| 8774-1 | 353 | BGS |
| 8775 | 785 | BGS |
| 8776 | 546 | BGS |
| 8777 | 724 | BGS |
| 8778 | 537 | BGS |
| 8779 | 541 | BGS |
| 8780 | 542 | BGS |
| 8781 | 517 | BGS |
| 8782 | 607 | BGS |
| 8784 | n/a | BGS |
| 8785 | 668 | BGS |
| 8786 | 643 | BGS |
| 8787 | 533 | BGS |
| 8788 | 539 | BGS |
| 8789 | 569 | BGS |
| 8790 | 879 | BGS |
| 8790-3 | 879 | BGS |
| 8790-5 | 879 | BGS |
| 8790-6 | 879 | BGS |
| 8790-8 | 879 | BGS |
| 8790-10 | 879 | BGS |
| 8791 | 130 | BGS |
| 8792 | 533 | BGS |
| 8793 | 463 | BGS |
| 8794 | 632 | BGS |
| 8796 | 529 | BGS |
| 8799 | 328 | BGS |
| 8802 | 439 | BGS |
| 8804 | 358 | BGS |
| 8805 | 357 | BGS |
| 8806 | 143 | BGS |
| 8807 | 850 | BGS |
| 8808 | 28 | KM |
| 8815 | 651 | BGS |

| Art. | | BGS/ KM |
|-----------|-------|------------|
| 8816 | 580 | BGS |
| 8817 | 569 | BGS |
| 8819 | 622 | BGS |
| 8819-1 | 622 | BGS |
| 8820 | 84 | BGS |
| 8820-LEER | n/a | BGS |
| 8821 | 797 | BGS |
| 8822 | 837 | BGS |
| 8823 | 837 | BGS |
| 8825 | 122 | KM |
| 8827 | 623 | BGS |
| 8829 | 552 | BGS |
| 8830 | 730 | BGS |
| 8831 | 374 | BGS |
| 8831-1 | 374 | BGS |
| 8831-2 | 374 | BGS |
| 8832 | 639 | BGS |
| 8833 | 293 | BGS |
| 8834 | 632 | BGS |
| 8835 | 678 | BGS |
| 8835-1 | 678 | BGS |
| 8836 | 677 | BGS |
| 8837 | 678 | BGS |
| 8839 | 698 | BGS |
| 8840 | 194 | BGS |
| 8841 | 413 | BGS |
| 8842 | 545 | BGS |
| 8842-LEER | 01_19 | BGS |
| 8843 | 547 | BGS |
| 8845 | 546 | BGS |
| 8846 | 548 | BGS |
| 8849 | 551 | BGS |
| 8850 | 672 | BGS |
| 8851 | 496 | BGS |
| 8852 | 395 | BGS |
| 8853 | 410 | BGS |
| 8853-1 | 410 | BGS |
| 8854 | 718 | BGS |
| 8855 | 576 | BGS |
| 8856 | 204 | BGS |
| 8857 | 669 | BGS |
| 8858 | 901 | BGS |
| 8859 | 800 | BGS |
| 8860 | 568 | BGS |
| 8863 | 737 | BGS |
| 8864 | 473 | BGS |
| 8867 | 439 | BGS |
| 8868 | 372 | BGS |
| 8868-1 | 372 | BGS |
| 8869 | 372 | BGS |
| 8869-1 | 372 | BGS |
| 8870 | 621 | BGS |
| 8871 | 706 | BGS |
| 8872 | 378 | BGS |
| 8873 | 378 | BGS |
| 8874 | 655 | BGS |
| 8875 | 551 | BGS |
| 8877 | 510 | BGS |
| 8878 | 707 | BGS |
| 8879 | 838 | BGS |
| 8880-1 | 56 | BGS |
| 8880-9 | n/a | BGS |
| 8880-11 | n/a | BGS |
| 8880-14 | n/a | BGS |
| 8880-15 | n/a | BGS |
| 8880-16 | n/a | BGS |
| 8880-18 | n/a | BGS |
| 8881 | 844 | BGS |
| 8882 | 698 | BGS |
| 8883 | 707 | BGS |
| 8884 | 612 | BGS |
| 8885 | 168 | BGS |
| 8886 | 168 | BGS |
| 8887 | 157 | BGS |
| 8889 | 836 | BGS |
| 8890 | 826 | BGS |
| 8891 | 457 | BGS |
| 8892 | 330 | BGS |
| 8893 | 376 | BGS |
| 8894 | 515 | BGS |
| 8895 | 444 | BGS |
| 8896 | 462 | BGS |

| Art. | | BGS/ KM |
|--------|-------|------------|
| 8897 | 472 | BGS |
| 8898 | 787 | BGS |
| 8899 | 787 | BGS |
| 8900 | 841 | BGS |
| 8901 | 841 | BGS |
| 8902 | 805 | BGS |
| 8903 | 218 | BGS |
| 8904 | 842 | BGS |
| 8905 | 665 | BGS |
| 8906 | 842 | BGS |
| 8907 | 639 | BGS |
| 8908 | 841 | BGS |
| 8910 | 580 | BGS |
| 8914 | 07_18 | BGS |
| 8917 | 465 | BGS |
| 8918 | 465 | BGS |
| 8918-1 | 02_18 | BGS |
| 8918-2 | 02_18 | BGS |
| 8918-3 | 02_18 | BGS |
| 8919 | 836 | BGS |
| 8920 | 588 | BGS |
| 8921 | 640 | BGS |
| 8922 | 699 | BGS |
| 8922-1 | 02_19 | BGS |
| 8924 | 699 | BGS |
| 8925 | 07_18 | BGS |
| 8926 | 07_18 | BGS |
| 8927 | 07_18 | BGS |
| 8928 | 700 | BGS |
| 8929 | 486 | BGS |
| 8932 | 123 | BGS |
| 8933 | 123 | BGS |
| 8934 | 589 | BGS |
| 8935 | 621 | BGS |
| 8936 | 376 | BGS |
| 8937 | 823 | BGS |
| 8939 | 453 | BGS |
| 8940 | 707 | BGS |
| 8942 | 782 | BGS |
| 8943 | 421 | BGS |
| 8944 | 446 | BGS |
| 8946 | 707 | BGS |
| 8951 | 700 | BGS |
| 8952 | 549 | BGS |
| 8953 | 623 | BGS |
| 8954 | 609 | BGS |
| 8955 | 229 | BGS |
| 8956 | 396 | BGS |
| 8957 | 723 | BGS |
| 8958 | 725 | BGS |
| 8959 | 461 | BGS |
| 8960 | 846 | BGS |
| 8961 | 747 | BGS |
| 8962 | 123 | BGS |
| 8963 | 123 | BGS |
| 8964 | 218 | BGS |
| 8965 | 396 | BGS |
| 8966 | 776 | BGS |
| 8967 | 807 | BGS |
| 8968 | 527 | BGS |
| 8969 | 619 | BGS |
| 8971 | 672 | BGS |
| 8972 | 672 | BGS |
| 8973 | 672 | BGS |
| 8974 | 658 | BGS |
| 8976 | 496 | BGS |
| 8977 | 708 | BGS |
| 8978 | 675 | BGS |
| 8979 | 801 | BGS |
| 8980 | 818 | BGS |
| 8981 | 484 | BGS |
| 8982 | 400 | BGS |
| 8983 | 531 | BGS |
| 8984 | 598 | BGS |
| 8985 | 220 | BGS |
| 8986 | 220 | BGS |
| 8989-1 | n/a | BGS |
| 8990 | 847 | BGS |
| 8991 | 789 | BGS |
| 8992 | 847 | BGS |
| 8993 | 823 | BGS |
| 8994 | 133 | BGS |

| Art. | | BGS/ KM |
|--------|-------|------------|
| 8995 | 133 | BGS |
| 8996 | 133 | BGS |
| 8998 | 713 | BGS |
| 8999 | 112 | KM |
| 8999-1 | 02_18 | KM |
| 9000 | 803 | BGS |
| 9001 | 469 | BGS |
| 9002 | 421 | BGS |
| 9003 | 718 | BGS |
| 9004 | 173 | BGS |
| 9005 | 660 | BGS |
| 9006 | 659 | BGS |
| 9007 | 718 | BGS |
| 9008 | 661 | BGS |
| 9009 | 659 | BGS |
| 9010 | 660 | BGS |
| 9015 | 719 | BGS |
| 9016 | n/a | BGS |
| 9017 | 611 | BGS |
| 9019 | 321 | BGS |
| 9021 | 621 | BGS |
| 9023 | 525 | BGS |
| 9024 | 268 | BGS |
| 9025 | 842 | BGS |
| 9026 | 745 | BGS |
| 9028 | 492 | BGS |
| 9029 | 105 | BGS |
| 9031 | 521 | BGS |
| 9038 | 736 | BGS |
| 9041 | 852 | BGS |
| 9042 | 853 | BGS |
| 9043 | 853 | BGS |
| 9044 | 854 | BGS |
| 9045 | 854 | BGS |
| 9046 | 855 | BGS |
| 9047 | 855 | BGS |
| 9048 | 856 | BGS |
| 9049 | 856 | BGS |
| 9051 | 856 | BGS |
| 9052 | 857 | BGS |
| 9053 | 857 | BGS |
| 9054 | 858 | BGS |
| 9055 | 858 | BGS |
| 9057 | 859 | BGS |
| 9060 | 790 | BGS |
| 9061 | 592 | BGS |
| 9063 | 618 | BGS |
| 9064 | 701 | BGS |
| 9065 | 719 | BGS |
| 9066 | 719 | BGS |
| 9069 | 818 | BGS |
| 9070 | 87 | KM |
| 9071 | 633 | BGS |
| 9072 | 656 | BGS |
| 9073 | 743 | BGS |
| 9074 | 829 | BGS |
| 9077 | 798 | BGS |
| 9081 | 259 | BGS |
| 9082 | 259 | BGS |
| 9083 | 259 | BGS |
| 9084 | 259 | BGS |
| 9085 | 259 | BGS |
| 9086 | 540 | BGS |
| 9087 | 405 | BGS |
| 9088 | 563 | BGS |
| 9089 | 127 | BGS |
| 9090 | 184 | BGS |
| 9091 | 720 | BGS |
| 9092 | n/a | BGS |
| 9093 | 363 | BGS |
| 9094 | 720 | BGS |
| 9095 | 457 | BGS |
| 9096 | 343 | BGS |
| 9097 | 344 | BGS |
| 9098 | 344 | BGS |
| 9099 | 124 | BGS |
| 9101 | 541 | BGS |
| 9102 | 133 | BGS |
| 9104 | 136 | BGS |
| 9105 | 137 | BGS |
| 9106 | 138 | BGS |
| 9107 | 140 | BGS |



| Art. | | BGS/KM |
|--------|-------|--------|
| 9108 | 138 | BGS |
| 9109 | 140 | BGS |
| 9110 | 137 | BGS |
| 9111 | 155 | KM |
| 9112 | 138 | BGS |
| 9113 | 139 | BGS |
| 9114 | 141 | BGS |
| 9115 | 567 | BGS |
| 9120 | 189 | KM |
| 9127 | 189 | KM |
| 9132 | 136 | KM |
| 9133 | 777 | BGS |
| 9134 | 777 | BGS |
| 9135 | 777 | BGS |
| 9136 | 141 | KM |
| 9137 | 777 | BGS |
| 9137-1 | 777 | BGS |
| 9137-2 | 777 | BGS |
| 9137-3 | 777 | BGS |
| 9137-4 | 777 | BGS |
| 9144 | 01_19 | BGS |
| 9146 | 677 | BGS |
| 9147 | 577 | BGS |
| 9148 | 585 | BGS |
| 9149 | 60 | KM |
| 9150 | 197 | BGS |
| 9151 | 294 | BGS |
| 9152 | 469 | BGS |
| 9153 | 617 | BGS |
| 9154 | 741 | BGS |
| 9155 | 576 | BGS |
| 9156 | 533 | BGS |
| 9157 | 736 | BGS |
| 9158 | 170 | BGS |
| 9159 | 479 | BGS |
| 9160 | 188 | BGS |
| 9161 | 188 | BGS |
| 9162 | 194 | BGS |
| 9163 | 799 | BGS |
| 9164 | 758 | BGS |
| 9170 | 121 | BGS |
| 9171 | 487 | BGS |
| 9172 | 496 | BGS |
| 9174 | 718 | BGS |
| 9175 | 623 | BGS |
| 9176 | 254 | BGS |
| 9177 | 488 | BGS |
| 9179 | 421 | BGS |
| 9180 | 422 | BGS |
| 9181 | 50 | KM |
| 9182 | 421 | BGS |
| 9183 | 280 | BGS |
| 9184 | 280 | BGS |
| 9185 | 723 | BGS |
| 9186 | 234 | BGS |
| 9187 | 234 | BGS |
| 9190 | 426 | BGS |
| 9191 | 8 | KM |
| 9192 | 9 | KM |
| 9193 | 197 | BGS |
| 9194 | 197 | BGS |
| 9195 | 197 | BGS |
| 9197 | 139 | KM |
| 9199 | 376 | BGS |
| 9201 | 800 | BGS |
| 9202 | 720 | BGS |
| 9203 | 497 | BGS |
| 9204 | 708 | BGS |
| 9205 | 497 | BGS |
| 9206 | 711 | BGS |
| 9207 | 459 | BGS |
| 9209 | 708 | BGS |
| 9210 | 808 | BGS |
| 9212 | 621 | BGS |
| 9213 | 652 | BGS |
| 9214 | 642 | BGS |
| 9215 | 663 | BGS |
| 9216 | 644 | BGS |
| 9217 | 644 | BGS |
| 9218 | 678 | BGS |
| 9220 | 548 | BGS |
| 9222 | 720 | BGS |

| Art. | | BGS/KM |
|--------|-------|--------|
| 9223 | 640 | BGS |
| 9224 | 720 | BGS |
| 9225 | 646 | BGS |
| 9226 | 647 | BGS |
| 9227 | 644 | BGS |
| 9228 | 647 | BGS |
| 9229 | 647 | BGS |
| 9230 | 758 | BGS |
| 9231 | 758 | BGS |
| 9232 | 137 | KM |
| 9232-1 | 137 | KM |
| 9233 | 759 | BGS |
| 9233-1 | 759 | BGS |
| 9233-2 | 759 | BGS |
| 9234 | 761 | BGS |
| 9234-1 | 761 | BGS |
| 9234-2 | 761 | BGS |
| 9235 | 761 | BGS |
| 9236 | 890 | BGS |
| 9237 | 762 | BGS |
| 9238 | 763 | BGS |
| 9239 | 759 | BGS |
| 9240-1 | n/a | BGS |
| 9242-1 | n/a | BGS |
| 9242-2 | n/a | BGS |
| 9244 | 454 | BGS |
| 9245 | 760 | BGS |
| 9245-1 | 760 | BGS |
| 9246 | 894 | BGS |
| 9246-1 | 894 | BGS |
| 9246-2 | 894 | BGS |
| 9246-3 | 894 | BGS |
| 9247-1 | n/a | BGS |
| 9247-2 | n/a | BGS |
| 9247-3 | n/a | BGS |
| 9248 | 893 | BGS |
| 9249 | 760 | BGS |
| 9252 | 893 | BGS |
| 9254 | 761 | BGS |
| 9255 | 893 | BGS |
| 9258 | 430 | BGS |
| 9258-1 | 430 | BGS |
| 9258-2 | 430 | BGS |
| 9259 | 430 | BGS |
| 9259-1 | 430 | BGS |
| 9259-2 | 430 | BGS |
| 9259-3 | 430 | BGS |
| 9259-4 | 430 | BGS |
| 9259-5 | 430 | BGS |
| 9259-6 | 430 | BGS |
| 9260 | 10_18 | KM |
| 9260-1 | 10_18 | KM |
| 9260-2 | 10_18 | KM |
| 9261 | 646 | BGS |
| 9262 | 646 | BGS |
| 9263 | 646 | BGS |
| 9264 | 645 | BGS |
| 9265 | 645 | BGS |
| 9266 | 645 | BGS |
| 9267 | 647 | BGS |
| 9268 | 645 | BGS |
| 9274 | 366 | BGS |
| 9286 | 145 | BGS |
| 9287 | 843 | BGS |
| 9269 | 799 | BGS |
| 9270 | 839 | BGS |
| 9271 | 838 | BGS |
| 9272 | 721 | BGS |
| 9273 | 452 | BGS |
| 9275 | 47 | BGS |
| 9276 | 527 | BGS |
| 9277 | 736 | BGS |
| 9279 | 358 | BGS |
| 9280 | 721 | BGS |
| 9282 | 325 | BGS |
| 9283 | 325 | BGS |
| 9284 | 325 | BGS |
| 9285 | 325 | BGS |
| 9288 | 423 | BGS |
| 9289 | 424 | BGS |
| 9290 | 303 | BGS |
| 9291 | 415 | BGS |

| Art. | | BGS/KM |
|-----------|-------|--------|
| 9296 | 227 | BGS |
| 9297 | 222 | BGS |
| 9298 | 371 | BGS |
| 9299 | 401 | BGS |
| 9300 | 138 | KM |
| 9302 | 776 | BGS |
| 9303 | 768 | BGS |
| 9306 | 864 | BGS |
| 9307 | 690 | BGS |
| 9309 | 633 | BGS |
| 9308 | 609 | BGS |
| 9310 | 453 | BGS |
| 9311 | 766 | BGS |
| 9312 | 766 | BGS |
| 9313 | 868 | BGS |
| 9314 | 231 | BGS |
| 9315 | 230 | BGS |
| 9316 | 230 | BGS |
| 9317 | 230 | BGS |
| 9318 | 60 | KM |
| 9319 | 709 | BGS |
| 9320 | 387 | BGS |
| 9321 | 263 | BGS |
| 9322 | 263 | BGS |
| 9323 | 527 | BGS |
| 9324 | 610 | BGS |
| 9326 | 642 | BGS |
| 9327 | 778 | BGS |
| 9328 | 178 | BGS |
| 9328-LEER | 02_19 | BGS |
| 9329 | 756 | BGS |
| 9330 | 266 | BGS |
| 9331 | 555 | BGS |
| 9332 | 722 | BGS |
| 9333 | 581 | BGS |
| 9334 | 785 | BGS |
| 9336 | 129 | BGS |
| 9338 | 124 | BGS |
| 9339 | 527 | BGS |
| 9341 | 169 | BGS |
| 9342 | 69 | BGS |
| 9343 | 69 | BGS |
| 9344 | 69 | BGS |
| 9346 | 483 | BGS |
| 9346-1 | 483 | BGS |
| 9347 | 484 | BGS |
| 9348 | QF7 | BGS |
| 9349 | QF7 | BGS |
| 9350 | QF6 | BGS |
| 9351 | QF6 | BGS |
| 9352 | QF6 | BGS |
| 9353 | QF7 | BGS |
| 9354 | QF7 | BGS |
| 9355 | QF1 | BGS |
| 9356 | QF2 | BGS |
| 9357 | QF2 | BGS |
| 9358 | QF3 | BGS |
| 9359 | QF2 | BGS |
| 9360 | QF2 | BGS |
| 9361 | QF3 | BGS |
| 9362 | QF3 | BGS |
| 9363 | QF2 | BGS |
| 9364 | QF6 | BGS |
| 9365 | QF7 | BGS |
| 9366 | 78 | BGS |
| 9367 | 681 | BGS |
| 9368 | 378 | BGS |
| 9371 | 115 | BGS |
| 9372 | 551 | BGS |
| 9373 | 234 | BGS |
| 9373-12 | 234 | BGS |
| 9373-13 | 234 | BGS |
| 9373-14 | 234 | BGS |
| 9373-16 | 234 | BGS |
| 9374 | 336 | BGS |
| 9375 | 338 | BGS |
| 9376 | 618 | BGS |
| 9377 | 423 | BGS |
| 9378 | 662 | BGS |
| 9379 | 641 | BGS |
| 9380 | 905 | BGS |
| 9381 | 905 | BGS |

| Art. | | BGS/KM |
|---------|-------|--------|
| 9382 | 840 | BGS |
| 9383 | 840 | BGS |
| 9384 | 182 | BGS |
| 9385 | 126 | BGS |
| 9386 | QF8 | BGS |
| 9387 | 656 | BGS |
| 9388 | 564 | BGS |
| 9389 | 564 | BGS |
| 9390 | 773 | BGS |
| 9391 | 787 | BGS |
| 9392 | 489 | BGS |
| 9393 | 416 | BGS |
| 9393-1 | 416 | BGS |
| 9394 | 670 | BGS |
| 9395 | 480 | BGS |
| 9396 | 02_18 | KM |
| 9397 | 347 | BGS |
| 9401 | 07_18 | BGS |
| 9402 | 04_18 | BGS |
| 9403 | 02_19 | BGS |
| 9404 | 883 | BGS |
| 9405 | 883 | BGS |
| 9406 | 887 | BGS |
| 9408 | 209 | BGS |
| 9409 | 04_18 | BGS |
| 9409-1 | 04_18 | BGS |
| 9409-2 | 04_18 | BGS |
| 9409-3 | 04_18 | BGS |
| 9409-4 | 04_18 | BGS |
| 9409-5 | 04_18 | BGS |
| 9409-6 | 04_18 | BGS |
| 9411 | 575 | BGS |
| 9412 | 485 | BGS |
| 9413 | 400 | BGS |
| 9414 | 508 | BGS |
| 9415 | 275 | BGS |
| 9416 | 275 | BGS |
| 9417 | 417 | BGS |
| 9418 | 712 | BGS |
| 9419 | 585 | BGS |
| 9420 | 516 | BGS |
| 9421 | 743 | BGS |
| 9422 | 633 | BGS |
| 9423 | 552 | BGS |
| 9424 | 790 | BGS |
| 9425 | 835 | BGS |
| 9425-5 | 835 | BGS |
| 9425-10 | 835 | BGS |
| 9425-15 | 835 | BGS |
| 9425-20 | 835 | BGS |
| 9425-25 | 835 | BGS |
| 9425-30 | 835 | BGS |
| 9425-35 | 835 | BGS |
| 9425-40 | 835 | BGS |
| 9425-45 | 835 | BGS |
| 9426 | 834 | BGS |
| 9427 | 240 | BGS |
| 9427-1 | 240 | BGS |
| 9427-3 | 01_19 | BGS |
| 9428 | 240 | BGS |
| 9428-1 | 240 | BGS |
| 9428-3 | 01_19 | BGS |
| 9429 | 240 | BGS |
| 9429-1 | 240 | BGS |
| 9429-3 | 01_19 | BGS |
| 9430 | 240 | BGS |
| 9430-1 | 240 | BGS |
| 9430-3 | 01_19 | BGS |
| 9431 | 240 | BGS |
| 9431-1 | 240 | BGS |
| 9431-3 | 01_19 | BGS |
| 9432 | 240 | BGS |
| 9432-1 | 240 | BGS |
| 9432-3 | 01_19 | BGS |
| 9433 | 240 | BGS |
| 9433-1 | 240 | BGS |
| 9433-3 | 01_19 | BGS |
| 9434 | 240 | BGS |
| 9434-1 | 240 | BGS |
| 9434-3 | 01_19 | BGS |
| 9435 | 240 | BGS |
| 9435-1 | 240 | BGS |



| Art. | | BGS/ KM |
|--------|-------|------------|
| 9435-3 | 01_19 | BGS |
| 9436 | 240 | BGS |
| 9436-1 | 240 | BGS |
| 9436-3 | 01_19 | BGS |
| 9437 | 240 | BGS |
| 9437-1 | 240 | BGS |
| 9437-3 | 01_19 | BGS |
| 9438 | 240 | BGS |
| 9438-1 | 240 | BGS |
| 9438-3 | 01_19 | BGS |
| 9439 | 04_18 | BGS |
| 9440 | 488 | BGS |
| 9441 | 04_18 | BGS |
| 9442 | 641 | BGS |
| 9444 | 547 | BGS |
| 9445 | 464 | BGS |
| 9446 | 542 | BGS |
| 9447 | 545 | BGS |
| 9449 | 04_18 | BGS |
| 9450 | 262 | BGS |
| 9451 | 507 | BGS |
| 9452 | 507 | BGS |
| 9453 | 725 | BGS |
| 9454 | 04_18 | BGS |
| 9455 | 743 | BGS |
| 9456 | 332 | BGS |
| 9457 | 602 | BGS |
| 9458 | 46 | BGS |
| 9459 | 200 | BGS |
| 9460 | 420 | BGS |
| 9461 | 617 | BGS |
| 9462 | 04_18 | BGS |
| 9463 | 04_18 | BGS |
| 9464 | 722 | BGS |
| 9465 | 462 | BGS |
| 9466 | 0F6 | BGS |
| 9467 | 0F6 | BGS |
| 9468 | 02_18 | BGS |
| 9469 | 02_18 | BGS |
| 9470 | 504 | BGS |
| 9471 | 843 | BGS |
| 9472 | 599 | BGS |
| 9473 | 302 | BGS |
| 9474 | 780 | BGS |
| 9475 | 02_18 | BGS |
| 9476 | 878 | BGS |
| 9479 | 778 | BGS |
| 9480 | 888 | BGS |
| 9490 | 04_18 | BGS |
| 9491 | 04_18 | BGS |
| 9492 | 712 | BGS |
| 9493 | 712 | BGS |
| 9495 | 04_18 | BGS |
| 9496 | 10_18 | BGS |
| 9497 | 23 | BGS |
| 9498 | 02_18 | BGS |
| 9499 | 124 | BGS |
| 9500 | 834 | BGS |
| 9501 | 02_18 | BGS |
| 9502 | 594 | BGS |
| 9504 | 04_18 | KM |
| 9505 | 02_18 | KM |
| 9519 | 820 | BGS |
| 9520 | 368 | BGS |
| 9523 | 22 | BGS |
| 9524 | 724 | BGS |
| 9525 | 04_18 | BGS |
| 9527 | 487 | BGS |
| 9528 | 04_18 | BGS |
| 9529 | 04_18 | BGS |
| 9530 | 04_18 | BGS |
| 9532 | 04_18 | BGS |
| 9533 | 10_18 | BGS |
| 9533-1 | 10_18 | BGS |
| 9533-2 | 10_18 | BGS |
| 9535 | 04_18 | BGS |
| 9537 | 02_18 | BGS |
| 9538 | 23 | BGS |
| 9539 | 375 | BGS |
| 9540 | 613 | BGS |
| 9541 | 01_19 | BGS |
| 9542 | 01_19 | BGS |

| Art. | | BGS/ KM |
|------|-------|------------|
| 9543 | 01_19 | BGS |
| 9544 | 01_19 | BGS |
| 9545 | 01_19 | BGS |
| 9546 | 02_18 | BGS |
| 9547 | 04_18 | BGS |
| 9548 | 01_19 | KM |
| 9550 | 71 | BGS |
| 9551 | 144 | BGS |
| 9553 | 04_18 | BGS |
| 9555 | 04_18 | BGS |
| 9556 | 02_18 | BGS |
| 9557 | 02_18 | BGS |
| 9558 | 02_18 | BGS |
| 9559 | 02_18 | BGS |
| 9560 | 10_18 | BGS |
| 9561 | 10_18 | KM |
| 9565 | 01_19 | BGS |
| 9569 | 04_18 | BGS |
| 9570 | 04_18 | BGS |
| 9571 | 04_18 | BGS |
| 9572 | 04_18 | BGS |
| 9573 | 02_18 | BGS |
| 9576 | 04_18 | KM |
| 9577 | 04_18 | KM |
| 9578 | 04_18 | BGS |
| 9579 | 02_19 | BGS |
| 9580 | 04_18 | BGS |
| 9582 | 10_18 | BGS |
| 9583 | 04_19 | BGS |
| 9584 | 04_18 | BGS |
| 9585 | 04_18 | BGS |
| 9586 | 04_18 | BGS |
| 9587 | 04_18 | BGS |
| 9588 | 04_18 | BGS |
| 9589 | 04_18 | BGS |
| 9591 | 04_18 | BGS |
| 9592 | 04_18 | BGS |
| 9593 | 02_18 | BGS |
| 9594 | 02_18 | BGS |
| 9595 | 390 | BGS |
| 9596 | 04_18 | BGS |
| 9597 | 577 | BGS |
| 9598 | 274 | BGS |
| 9599 | 274 | BGS |
| 9601 | 04_18 | BGS |
| 9603 | 10_18 | BGS |
| 9602 | 04_19 | BGS |
| 9605 | 07_18 | BGS |
| 9606 | 07_18 | BGS |
| 9610 | 897 | BGS |
| 9611 | 897 | BGS |
| 9612 | 897 | BGS |
| 9613 | 897 | BGS |
| 9614 | 07_18 | BGS |
| 9615 | 07_18 | BGS |
| 9616 | 07_18 | BGS |
| 9617 | 07_18 | BGS |
| 9620 | 898 | BGS |
| 9621 | 07_18 | BGS |
| 9622 | 10_18 | BGS |
| 9623 | 10_18 | BGS |
| 9624 | 07_18 | BGS |
| 9625 | 07_18 | BGS |
| 9626 | 07_18 | BGS |
| 9627 | 02_19 | BGS |
| 9628 | 02_19 | BGS |
| 9629 | 07_18 | BGS |
| 9631 | 07_18 | BGS |
| 9632 | 07_18 | BGS |
| 9633 | 10_18 | BGS |
| 9634 | 10_18 | BGS |
| 9635 | 12_18 | BGS |
| 9636 | 12_18 | BGS |
| 9637 | 07_18 | BGS |
| 9638 | 07_18 | BGS |
| 9639 | 07_18 | BGS |
| 9640 | 10_18 | BGS |
| 9641 | 10_18 | BGS |
| 9642 | 07_18 | BGS |
| 9647 | 10_18 | BGS |
| 9648 | 10_18 | BGS |
| 9649 | 10_18 | BGS |

| Art. | | BGS/ KM |
|---------|-------|------------|
| 9651 | 07_18 | KM |
| 9652 | 07_18 | BGS |
| 9653 | 07_18 | BGS |
| 9655 | 10_18 | BGS |
| 9656 | 07_18 | BGS |
| 9657 | 07_18 | BGS |
| 9660 | 895 | BGS |
| 9661 | n/a | BGS |
| 9665 | 04_19 | BGS |
| 9666 | 04_19 | BGS |
| 9667 | 07_18 | KM |
| 9668 | 07_18 | KM |
| 9669 | 02_19 | BGS |
| 9670 | 10_18 | BGS |
| 9671 | 10_18 | BGS |
| 9672 | 10_18 | KM |
| 9673 | 10_18 | BGS |
| 9683 | 12_18 | BGS |
| 9684 | 12_18 | BGS |
| 9685 | 10_18 | BGS |
| 9686 | 12_18 | BGS |
| 9687 | 12_18 | BGS |
| 9688 | 12_18 | BGS |
| 9689 | 12_18 | BGS |
| 9690 | 12_18 | BGS |
| 9691 | 01_19 | BGS |
| 9692 | 12_18 | BGS |
| 9693 | 12_18 | BGS |
| 9694 | 12_18 | BGS |
| 9695 | 12_18 | BGS |
| 9697 | 12_18 | BGS |
| 9699 | 12_18 | BGS |
| 9700 | 268 | BGS |
| 9704 | 769 | BGS |
| 9710 | n/a | KM |
| 9711 | 138 | KM |
| 9737 | 10_18 | BGS |
| 9738 | 12_18 | BGS |
| 9739 | 12_18 | BGS |
| 9746 | 04_18 | BGS |
| 9747 | 04_18 | BGS |
| 9748 | 04_18 | BGS |
| 9749 | 04_18 | BGS |
| 9753 | 10_18 | BGS |
| 9754 | 12_18 | BGS |
| 9758 | 04_19 | BGS |
| 9759 | 02_19 | BGS |
| 9764 | 04_19 | KM |
| 9765 | 12_18 | BGS |
| 9766 | 02_19 | BGS |
| 9767 | 10_18 | BGS |
| 9768 | 02_19 | BGS |
| 9769 | 12_18 | BGS |
| 9771 | 02_19 | BGS |
| 9775 | 768 | BGS |
| 9777 | 12_18 | BGS |
| 9778 | 04_19 | BGS |
| 9779 | 12_18 | BGS |
| 9779-10 | 01_19 | BGS |
| 9779-12 | 01_19 | BGS |
| 9779-14 | 01_19 | BGS |
| 9779-16 | 01_19 | BGS |
| 9779-18 | 01_19 | BGS |
| 9779-20 | 01_19 | BGS |
| 9779-22 | 01_19 | BGS |
| 9779-24 | 01_19 | BGS |
| 9781 | 12_18 | KM |
| 9782 | 04_19 | BGS |
| 9783 | 04_19 | KM |
| 9789 | 10_18 | KM |
| 9780 | 01_19 | BGS |
| 9786 | 04_19 | BGS |
| 9787 | 04_19 | KM |
| 9791 | 01_19 | BGS |
| 9792 | 04_19 | BGS |
| 9793 | 02_19 | KM |
| 9794 | 10_18 | KM |
| 9795 | 04_19 | BGS |
| 9796 | 12_18 | BGS |
| 9798 | 01_19 | KM |
| 9799 | 01_19 | BGS |
| 9801 | 01_19 | BGS |

| Art. | | BGS/ KM |
|------------|-------|------------|
| 9803 | 02_19 | BGS |
| 9805 | 04_19 | BGS |
| 9808 | 02_19 | BGS |
| 9811 | 01_19 | BGS |
| 9812 | 01_19 | BGS |
| 9813 | 01_19 | BGS |
| 9815 | 04_19 | BGS |
| 9816 | 04_19 | BGS |
| 9826 | 02_19 | BGS |
| 9827 | 02_19 | BGS |
| 9831 | 02_19 | BGS |
| 9832 | 02_19 | BGS |
| 9833 | 02_19 | BGS |
| 9835 | 04_19 | BGS |
| 9838 | 04_19 | BGS |
| 9842 | 04_19 | BGS |
| 9844 | 04_19 | BGS |
| 9845 | 04_19 | BGS |
| 9846 | 04_19 | BGS |
| 9847 | 01_19 | BGS |
| 9856 | 01_19 | BGS |
| 9857 | 01_19 | BGS |
| 9858 | 02_19 | BGS |
| 9859 | 04_19 | BGS |
| 9860 | 04_19 | BGS |
| 9862 | 04_19 | BGS |
| 9863 | 04_19 | BGS |
| 9864 | 04_19 | BGS |
| 9865 | 02_19 | BGS |
| 9866 | 04_19 | BGS |
| 9867 | 04_19 | BGS |
| 9868 | 04_19 | BGS |
| 9872 | 915 | BGS |
| 9873 | 04_19 | BGS |
| 9874 | 04_19 | BGS |
| 9876 | 04_19 | BGS |
| 9877 | 04_19 | BGS |
| 9878 | 02_19 | BGS |
| 9879 | 04_19 | BGS |
| 9880 | 04_19 | BGS |
| 9880-REP | 04_19 | BGS |
| 9898 | 918 | BGS |
| 9899 | 918 | BGS |
| 9901 | n/a | BGS |
| 9902 | n/a | BGS |
| 9910 | 807 | BGS |
| 9916 | 430 | BGS |
| 9919 | 432 | BGS |
| 9919-LEER | n/a | BGS |
| 9919-REP01 | 432 | BGS |
| 9919-REP02 | 432 | BGS |
| 9919-REP03 | 432 | BGS |
| 9920 | 105 | KM |
| 9921 | 105 | KM |
| 9923 | 432 | BGS |
| 9924 | 432 | BGS |
| 9925 | 281 | BGS |
| 9926 | 810 | BGS |
| 9927 | 02_19 | BGS |
| 9931 | 429 | BGS |
| 9933 | 04_19 | KM |
| 9935 | 43 | KM |
| 9936 | 43 | KM |
| 9937 | 228 | BGS |
| 9938 | 757 | BGS |
| 9939 | 757 | BGS |
| 9940 | 104 | KM |
| 9941 | 104 | KM |
| 9942 | 915 | BGS |
| 9943 | 757 | BGS |
| 9944 | 757 | BGS |
| 9945 | 378 | BGS |
| 9946 | 758 | BGS |
| 9947 | 900 | BGS |
| 9948 | 431 | BGS |
| 9949 | 900 | BGS |
| 9950 | 900 | BGS |
| 9951 | 900 | BGS |
| 9953 | 900 | BGS |
| 9954 | 900 | BGS |
| 9956 | 900 | BGS |
| 9957 | 900 | BGS |



| Art. | | BGS/KM |
|----------|-----|--------|
| 9959 | 151 | KM |
| 9961 | 151 | KM |
| 9965 | 585 | BGS |
| 9965-1 | 585 | BGS |
| 9966 | 585 | BGS |
| 9967 | 584 | BGS |
| 9974 | 583 | BGS |
| 9976 | 474 | BGS |
| 9977 | 534 | BGS |
| 9978 | 782 | BGS |
| 9979 | 779 | BGS |
| 9980 | 780 | BGS |
| 9981 | 779 | BGS |
| 9982 | 780 | BGS |
| 9983 | 757 | BGS |
| 9984 | 757 | BGS |
| 9985 | 767 | BGS |
| 9986 | 788 | BGS |
| 9987 | 781 | BGS |
| 9988 | 757 | BGS |
| 9989 | 810 | BGS |
| 9990 | 784 | BGS |
| 9991 | 783 | BGS |
| 9991-2 | 783 | BGS |
| 9992 | 784 | BGS |
| 9992-1 | 783 | BGS |
| 9992-2 | 784 | BGS |
| 9992-109 | 784 | BGS |
| 9992-110 | 784 | BGS |
| 9992-111 | 784 | BGS |
| 9992-112 | 784 | BGS |
| 9992-113 | 784 | BGS |
| 9992-114 | 784 | BGS |
| 9992-115 | 784 | BGS |
| 9992-116 | 784 | BGS |
| 9992-118 | 784 | BGS |
| 9994 | 779 | BGS |
| 9997 | 780 | BGS |
| 10101 | QF3 | BGS |
| 10102 | QF3 | BGS |
| 10104 | QF3 | BGS |
| 10105 | QF3 | BGS |
| 10106 | QF3 | BGS |
| 10107 | QF3 | BGS |
| 10108 | QF3 | BGS |
| 10109 | QF3 | BGS |
| 10110 | QF3 | BGS |
| 10111 | QF3 | BGS |
| 10112 | QF3 | BGS |
| 10113 | QF3 | BGS |
| 10114 | QF3 | BGS |
| 10154 | QF3 | BGS |
| 10155 | QF3 | BGS |
| 10156 | QF3 | BGS |
| 10157 | QF3 | BGS |
| 10158 | QF3 | BGS |
| 10159 | QF3 | BGS |
| 10160 | QF3 | BGS |
| 10161 | QF3 | BGS |
| 10162 | QF3 | BGS |
| 10163 | QF3 | BGS |
| 10208 | QF3 | BGS |
| 10209 | QF3 | BGS |
| 10210 | QF3 | BGS |
| 10211 | QF3 | BGS |
| 10212 | QF3 | BGS |
| 10213 | QF3 | BGS |
| 10214 | QF3 | BGS |
| 10215 | QF3 | BGS |
| 10216 | QF3 | BGS |
| 10217 | QF3 | BGS |
| 10218 | QF3 | BGS |
| 10219 | QF3 | BGS |
| 10220 | QF3 | BGS |
| 10221 | QF3 | BGS |
| 10222 | QF3 | BGS |
| 10224 | QF3 | BGS |
| 10227 | QF3 | BGS |
| 10230 | QF3 | BGS |
| 10232 | QF3 | BGS |
| 10254 | QF3 | BGS |
| 10255 | QF3 | BGS |

| Art. | | BGS/KM |
|-------|-------|--------|
| 10256 | QF3 | BGS |
| 10257 | QF3 | BGS |
| 10258 | QF3 | BGS |
| 10259 | QF3 | BGS |
| 10268 | QF3 | BGS |
| 10270 | QF3 | BGS |
| 10271 | QF3 | BGS |
| 10272 | QF3 | BGS |
| 10310 | QF3 | BGS |
| 10311 | QF3 | BGS |
| 10312 | QF3 | BGS |
| 10313 | QF3 | BGS |
| 10314 | QF3 | BGS |
| 10315 | QF3 | BGS |
| 10316 | QF3 | BGS |
| 10317 | QF3 | BGS |
| 10318 | QF3 | BGS |
| 10319 | QF3 | BGS |
| 10350 | QF3 | BGS |
| 10351 | QF3 | BGS |
| 10352 | QF3 | BGS |
| 10353 | QF3 | BGS |
| 10354 | QF3 | BGS |
| 10355 | QF3 | BGS |
| 10408 | 12_18 | BGS |
| 10410 | 12_18 | BGS |
| 10411 | 12_18 | BGS |
| 10412 | 12_18 | BGS |
| 10413 | 12_18 | BGS |
| 10414 | 12_18 | BGS |
| 10503 | QF1 | BGS |
| 10504 | QF1 | BGS |
| 10505 | QF1 | BGS |
| 10506 | QF1 | BGS |
| 10507 | QF1 | BGS |
| 10508 | QF1 | BGS |
| 10509 | QF1 | BGS |
| 10510 | QF1 | BGS |
| 10511 | QF1 | BGS |
| 10512 | QF1 | BGS |
| 10513 | QF1 | BGS |
| 10514 | QF1 | BGS |
| 10528 | QF1 | BGS |
| 10530 | QF1 | BGS |
| 10531 | QF1 | BGS |
| 10532 | QF1 | BGS |
| 10533 | QF1 | BGS |
| 10534 | QF1 | BGS |
| 10535 | QF1 | BGS |
| 10536 | QF1 | BGS |
| 10537 | QF1 | BGS |
| 10538 | QF1 | BGS |
| 10539 | QF1 | BGS |
| 10550 | QF1 | BGS |
| 10551 | QF1 | BGS |
| 10552 | QF1 | BGS |
| 10553 | QF1 | BGS |
| 10554 | QF1 | BGS |
| 10555 | QF1 | BGS |
| 10556 | QF1 | BGS |
| 10557 | QF1 | BGS |
| 10558 | QF1 | BGS |
| 10559 | QF1 | BGS |
| 10560 | QF1 | BGS |
| 10561 | QF1 | BGS |
| 10562 | QF1 | BGS |
| 10564 | QF1 | BGS |
| 10566 | QF1 | BGS |
| 10567 | QF1 | BGS |
| 10568 | QF1 | BGS |
| 10570 | QF1 | BGS |
| 10572 | QF1 | BGS |
| 10610 | QF1 | BGS |
| 10611 | QF1 | BGS |
| 10612 | QF1 | BGS |
| 10613 | QF1 | BGS |
| 10614 | QF1 | BGS |
| 10615 | QF1 | BGS |
| 10616 | QF1 | BGS |
| 10617 | QF1 | BGS |
| 10618 | QF1 | BGS |
| 10619 | QF1 | BGS |

| Art. | | BGS/KM |
|-------|-------|--------|
| 10625 | QF2 | BGS |
| 10626 | QF2 | BGS |
| 10627 | QF1 | BGS |
| 10628 | QF2 | BGS |
| 10629 | QF2 | BGS |
| 10630 | QF2 | BGS |
| 10631 | QF2 | BGS |
| 10632 | QF2 | BGS |
| 10633 | QF2 | BGS |
| 10634 | QF2 | BGS |
| 10635 | QF2 | BGS |
| 10636 | QF2 | BGS |
| 10637 | QF2 | BGS |
| 10638 | QF2 | BGS |
| 10639 | QF2 | BGS |
| 10640 | QF2 | BGS |
| 10641 | QF2 | BGS |
| 10642 | QF2 | BGS |
| 10644 | QF2 | BGS |
| 10645 | QF2 | BGS |
| 10646 | QF2 | BGS |
| 10647 | QF2 | BGS |
| 10648 | QF2 | BGS |
| 10649 | QF2 | BGS |
| 10650 | QF1 | BGS |
| 10651 | QF1 | BGS |
| 10652 | QF1 | BGS |
| 10653 | QF1 | BGS |
| 10654 | QF1 | BGS |
| 10655 | QF1 | BGS |
| 10656 | QF1 | BGS |
| 10657 | QF1 | BGS |
| 10658 | QF1 | BGS |
| 10659 | QF1 | BGS |
| 10662 | QF2 | BGS |
| 10663 | QF2 | BGS |
| 10664 | QF2 | BGS |
| 10670 | QF1 | BGS |
| 10671 | QF1 | BGS |
| 10672 | QF1 | BGS |
| 10673 | QF1 | BGS |
| 10674 | QF1 | BGS |
| 10680 | QF2 | BGS |
| 10681 | QF2 | BGS |
| 10682 | QF2 | BGS |
| 10683 | QF2 | BGS |
| 10684 | QF2 | BGS |
| 10685 | QF2 | BGS |
| 10686 | QF2 | BGS |
| 10687 | QF2 | BGS |
| 10688 | QF2 | BGS |
| 10689 | QF2 | BGS |
| 10772 | QF2 | BGS |
| 10773 | QF2 | BGS |
| 10774 | QF2 | BGS |
| 10775 | QF2 | BGS |
| 10776 | QF2 | BGS |
| 10777 | QF2 | BGS |
| 10778 | QF2 | BGS |
| 10779 | QF2 | BGS |
| 10780 | QF2 | BGS |
| 10781 | QF2 | BGS |
| 10782 | QF2 | BGS |
| 10783 | QF2 | BGS |
| 10784 | QF2 | BGS |
| 10870 | 04_18 | BGS |
| 10871 | 04_18 | BGS |
| 10872 | 04_18 | BGS |
| 10873 | 04_18 | BGS |
| 10874 | 04_18 | BGS |
| 10875 | 04_18 | BGS |
| 10876 | 04_18 | BGS |
| 10877 | 04_18 | BGS |
| 10878 | 04_18 | BGS |
| 10879 | 04_18 | BGS |
| 10880 | 04_18 | BGS |
| 10881 | 04_18 | BGS |
| 11000 | 480 | BGS |
| 11006 | 479 | BGS |
| 11007 | 479 | BGS |
| 11008 | 479 | BGS |
| 11009 | 479 | BGS |

| Art. | | BGS/KM |
|------------|-------|--------|
| 11010 | 479 | BGS |
| 11011 | 479 | BGS |
| 11012 | 479 | BGS |
| 11013 | 479 | BGS |
| 11014 | 479 | BGS |
| 11015 | 479 | BGS |
| 11016 | 479 | BGS |
| 11017 | 479 | BGS |
| 11018 | 479 | BGS |
| 11019 | 479 | BGS |
| 11020 | 479 | BGS |
| 14105 | 875 | BGS |
| 14110 | 875 | BGS |
| 14115 | 878 | BGS |
| 14120 | 876 | BGS |
| 14125 | 12_18 | BGS |
| 14126 | 876 | BGS |
| 14127 | 877 | BGS |
| 14130 | 881 | BGS |
| 14135 | 882 | BGS |
| 14136 | 10_18 | BGS |
| 14140 | 12_18 | BGS |
| 14145 | 878 | BGS |
| 15007 | 15 | KM |
| 15008 | 15 | KM |
| 15105 | 10 | KM |
| 15110 | 11 | KM |
| 15111 | 12 | KM |
| 15112 | 11 | KM |
| 15113 | 12 | KM |
| 15123 | 16 | KM |
| 15125 | 16 | KM |
| 15216 | 4 | KM |
| 15216-1 | n/a | BGS |
| 15217 | 02_18 | KM |
| 15501 | 106 | BGS |
| 15501-2 | 875 | BGS |
| 15501-LEER | n/a | BGS |
| 18087 | 112 | KM |
| 19500 | 49 | KM |
| 20100 | 179 | BGS |
| 20101 | 22 | KM |
| 20102 | 10 | KM |
| 20122 | 10_18 | KM |
| 20131 | 01_19 | KM |
| 20138 | 20 | KM |
| 20210 | 18 | KM |
| 20801 | 27 | KM |
| 20802 | 24 | KM |
| 20804 | 25 | KM |
| 20805 | 25 | KM |
| 20806 | 97 | KM |
| 20810 | 23 | KM |
| 20816 | 25 | KM |
| 20820 | 25 | KM |
| 20823 | 26 | KM |
| 20831 | 26 | KM |
| 22474 | 12_18 | BGS |
| 22475 | 12_18 | BGS |
| 22476 | 12_18 | BGS |
| 22477 | 12_18 | BGS |
| 22478 | 12_18 | BGS |
| 22479 | 12_18 | BGS |
| 22480 | 12_18 | BGS |
| 22481 | 12_18 | BGS |
| 22482 | 12_18 | BGS |
| 22483 | 12_18 | BGS |
| 22484 | 12_18 | BGS |
| 22485 | 12_18 | BGS |
| 22486 | 12_18 | BGS |
| 22908 | 12_18 | BGS |
| 22909 | 12_18 | BGS |
| 22910 | 12_18 | BGS |
| 22911 | 12_18 | BGS |
| 22912 | 12_18 | BGS |
| 22913 | 12_18 | BGS |
| 22914 | 12_18 | BGS |
| 22915 | 12_18 | BGS |
| 22916 | 12_18 | BGS |
| 22917 | 12_18 | BGS |
| 22918 | 12_18 | BGS |
| 22919 | 12_18 | BGS |



| Art. | | BGS/KM |
|-------|-------|--------|
| 22921 | 12_18 | BGS |
| 22922 | 12_18 | BGS |
| 22924 | 12_18 | BGS |
| 22927 | 12_18 | BGS |
| 22930 | 12_18 | BGS |
| 22932 | 12_18 | BGS |
| 25103 | 187 | BGS |
| 25104 | 187 | BGS |
| 25105 | 187 | BGS |
| 25106 | 187 | BGS |
| 25107 | 187 | BGS |
| 25108 | 187 | BGS |
| 25140 | 196 | BGS |
| 25150 | 294 | BGS |
| 25151 | 422 | BGS |
| 26404 | 12_18 | BGS |
| 26405 | 12_18 | BGS |
| 26406 | 12_18 | BGS |
| 26407 | 12_18 | BGS |
| 26408 | 12_18 | BGS |
| 26430 | 12_18 | BGS |
| 26431 | 12_18 | BGS |
| 30000 | 79 | KM |
| 30001 | 78 | KM |
| 30002 | 78 | KM |
| 30003 | 80 | KM |
| 30004 | 79 | KM |
| 30005 | 79 | KM |
| 30006 | 78 | KM |
| 30007 | 80 | KM |
| 30030 | 77 | KM |
| 30035 | 75 | KM |
| 30100 | 302 | BGS |
| 30101 | 302 | BGS |
| 30106 | QF11 | BGS |
| 30107 | QF11 | BGS |
| 30108 | QF11 | BGS |
| 30109 | QF11 | BGS |
| 30110 | QF11 | BGS |
| 30111 | QF11 | BGS |
| 30112 | QF11 | BGS |
| 30113 | QF11 | BGS |
| 30114 | QF11 | BGS |
| 30115 | QF11 | BGS |
| 30116 | QF11 | BGS |
| 30117 | QF11 | BGS |
| 30118 | QF11 | BGS |
| 30119 | QF11 | BGS |
| 30120 | QF11 | BGS |
| 30121 | QF11 | BGS |
| 30122 | QF11 | BGS |
| 30123 | QF11 | BGS |
| 30124 | QF11 | BGS |
| 30125 | QF11 | BGS |
| 30126 | QF11 | BGS |
| 30127 | QF11 | BGS |
| 30128 | QF11 | BGS |
| 30129 | QF11 | BGS |
| 30130 | QF11 | BGS |
| 30132 | QF11 | BGS |
| 30134 | 04_18 | BGS |
| 30136 | 04_18 | BGS |
| 30141 | 04_18 | BGS |
| 30146 | 04_18 | BGS |
| 30155 | 04_18 | BGS |
| 30160 | 04_18 | BGS |
| 30188 | QF12 | BGS |
| 30189 | QF12 | BGS |
| 30190 | QF12 | BGS |
| 30191 | QF12 | BGS |
| 30192 | QF12 | BGS |
| 30193 | QF12 | BGS |
| 30194 | QF12 | BGS |
| 30195 | QF12 | BGS |
| 30196 | QF12 | BGS |
| 30197 | QF12 | BGS |
| 30198 | QF12 | BGS |
| 30199 | QF12 | BGS |
| 30200 | 308 | BGS |
| 30206 | QF13 | BGS |
| 30208 | QF13 | BGS |
| 30210 | QF13 | BGS |

| Art. | | BGS/KM |
|------------|-------|--------|
| 30211 | QF13 | BGS |
| 30212 | QF13 | BGS |
| 30213 | QF13 | BGS |
| 30214 | QF13 | BGS |
| 30215 | QF13 | BGS |
| 30216 | QF13 | BGS |
| 30217 | QF13 | BGS |
| 30218 | QF13 | BGS |
| 30220 | QF13 | BGS |
| 30221 | QF13 | BGS |
| 30223 | QF13 | BGS |
| 30224 | QF13 | BGS |
| 30230 | QF13 | BGS |
| 30236 | QF13 | BGS |
| 30246 | QF13 | BGS |
| 30300 | 310 | BGS |
| 30300-LEER | 310 | BGS |
| 30301 | 300 | BGS |
| 30302 | 300 | BGS |
| 30306 | 308 | BGS |
| 30330 | QF13 | BGS |
| 30331 | QF13 | BGS |
| 30332 | QF13 | BGS |
| 30333 | QF13 | BGS |
| 30334 | QF13 | BGS |
| 30335 | QF13 | BGS |
| 30336 | QF13 | BGS |
| 30337 | QF13 | BGS |
| 30338 | 04_19 | BGS |
| 30339 | 04_19 | BGS |
| 30412 | 473 | BGS |
| 30413 | 473 | BGS |
| 30500 | 301 | BGS |
| 30501 | 300 | BGS |
| 30506 | QF11 | BGS |
| 30507 | QF11 | BGS |
| 30508 | QF11 | BGS |
| 30509 | QF11 | BGS |
| 30510 | QF11 | BGS |
| 30511 | QF11 | BGS |
| 30512 | QF11 | BGS |
| 30513 | QF11 | BGS |
| 30514 | QF11 | BGS |
| 30515 | QF11 | BGS |
| 30516 | QF11 | BGS |
| 30517 | QF11 | BGS |
| 30518 | QF11 | BGS |
| 30519 | QF11 | BGS |
| 30520 | QF11 | BGS |
| 30521 | QF11 | BGS |
| 30522 | QF11 | BGS |
| 30523 | QF11 | BGS |
| 30524 | QF11 | BGS |
| 30525 | QF11 | BGS |
| 30526 | QF11 | BGS |
| 30527 | QF11 | BGS |
| 30528 | QF11 | BGS |
| 30530 | QF11 | BGS |
| 30532 | QF11 | BGS |
| 30552 | QF11 | BGS |
| 30553 | QF11 | BGS |
| 30554 | QF11 | BGS |
| 30555 | QF11 | BGS |
| 30556 | QF11 | BGS |
| 30557 | QF11 | BGS |
| 30558 | QF11 | BGS |
| 30559 | QF11 | BGS |
| 30560 | QF11 | BGS |
| 30561 | QF11 | BGS |
| 30562 | QF11 | BGS |
| 30563 | QF11 | BGS |
| 30564 | QF11 | BGS |
| 30565 | QF11 | BGS |
| 30566 | QF11 | BGS |
| 30567 | QF11 | BGS |
| 30568 | QF11 | BGS |
| 30569 | QF11 | BGS |
| 30570 | QF11 | BGS |
| 30571 | QF11 | BGS |
| 30572 | 07_18 | BGS |
| 30574 | QF11 | BGS |

| Art. | | BGS/KM |
|---------|-------|--------|
| 30577 | QF11 | BGS |
| 30578 | QF11 | BGS |
| 30579 | QF11 | BGS |
| 30600 | 306 | BGS |
| 30601 | 306 | BGS |
| 30605 | QF13 | BGS |
| 30606 | QF13 | BGS |
| 30608 | QF13 | BGS |
| 30610 | QF13 | BGS |
| 30611 | QF13 | BGS |
| 30612 | QF13 | BGS |
| 30613 | QF13 | BGS |
| 30614 | QF13 | BGS |
| 30616 | QF13 | BGS |
| 30617 | QF13 | BGS |
| 30618 | QF13 | BGS |
| 30620 | QF13 | BGS |
| 30621 | QF13 | BGS |
| 30622 | QF13 | BGS |
| 30623 | QF13 | BGS |
| 30624 | QF13 | BGS |
| 30625 | QF13 | BGS |
| 30627 | QF13 | BGS |
| 30630 | QF13 | BGS |
| 30631 | QF13 | BGS |
| 30632 | QF13 | BGS |
| 30636 | QF13 | BGS |
| 30673 | QF12 | BGS |
| 30675 | QF12 | BGS |
| 30680 | 10_18 | BGS |
| 30681 | 10_18 | BGS |
| 30683 | 10_18 | BGS |
| 30685 | 10_18 | BGS |
| 30708 | 319 | BGS |
| 30709 | 319 | BGS |
| 30710 | 319 | BGS |
| 30711 | 319 | BGS |
| 30712 | 319 | BGS |
| 30713 | 319 | BGS |
| 30714 | 319 | BGS |
| 30715 | 319 | BGS |
| 30716 | 319 | BGS |
| 30717 | 319 | BGS |
| 30718 | 319 | BGS |
| 30719 | 319 | BGS |
| 30720 | 315 | BGS |
| 30721 | QF13 | BGS |
| 30722 | QF13 | BGS |
| 30723 | QF13 | BGS |
| 30724 | QF13 | BGS |
| 30725 | QF13 | BGS |
| 30741 | QF13 | BGS |
| 30742 | QF13 | BGS |
| 30743 | QF13 | BGS |
| 30744 | QF13 | BGS |
| 30745 | QF13 | BGS |
| 30760 | QF11 | BGS |
| 30761 | QF11 | BGS |
| 30762 | QF11 | BGS |
| 30763 | QF11 | BGS |
| 30764 | QF11 | BGS |
| 30775 | QF11 | BGS |
| 30776 | QF11 | BGS |
| 30765 | QF11 | BGS |
| 30778 | QF11 | BGS |
| 30779 | QF11 | BGS |
| 30809 | 319 | BGS |
| 30812 | 319 | BGS |
| 30816 | 319 | BGS |
| 30828 | 318 | BGS |
| 30829 | 318 | BGS |
| 30830 | 318 | BGS |
| 30831 | 318 | BGS |
| 30832 | 318 | BGS |
| 30833 | 23 | BGS |
| 30833-1 | 23 | BGS |
| 30835 | 318 | BGS |
| 30836 | 317 | BGS |
| 30838 | 318 | BGS |
| 30839 | 318 | BGS |
| 30840 | 318 | BGS |
| 30841 | 318 | BGS |

| Art. | | BGS/KM |
|------------|-------|--------|
| 30842 | 318 | BGS |
| 30900-LEER | n/a | BGS |
| 30902 | 314 | BGS |
| 30908 | 319 | BGS |
| 30911 | 319 | BGS |
| 30914 | 319 | BGS |
| 30915 | 319 | BGS |
| 30917 | 319 | BGS |
| 30918 | 319 | BGS |
| 30950 | 314 | BGS |
| 32100 | 297 | BGS |
| 32105 | 309 | BGS |
| 32140 | 299 | BGS |
| 32150 | 310 | BGS |
| 32400 | 304 | BGS |
| 32400-LEER | 304 | BGS |
| 32500 | 305 | BGS |
| 32801 | 420 | BGS |
| 32802 | n/a | BGS |
| 32805 | 391 | BGS |
| 32899 | 390 | BGS |
| 34206 | QF11 | BGS |
| 34207 | QF11 | BGS |
| 34208 | QF11 | BGS |
| 34209 | QF11 | BGS |
| 34210 | QF11 | BGS |
| 34211 | QF11 | BGS |
| 34212 | QF11 | BGS |
| 34213 | QF11 | BGS |
| 34214 | QF11 | BGS |
| 34215 | QF11 | BGS |
| 34216 | QF11 | BGS |
| 34217 | QF11 | BGS |
| 34218 | QF11 | BGS |
| 34219 | QF11 | BGS |
| 34221 | QF11 | BGS |
| 34222 | QF11 | BGS |
| 34223 | QF11 | BGS |
| 34224 | QF11 | BGS |
| 34225 | QF11 | BGS |
| 34227 | QF11 | BGS |
| 34230 | QF11 | BGS |
| 34232 | QF11 | BGS |
| 34234 | QF11 | BGS |
| 34236 | QF11 | BGS |
| 34238 | QF11 | BGS |
| 34241 | QF11 | BGS |
| 34246 | QF11 | BGS |
| 34250 | QF11 | BGS |
| 34255 | QF11 | BGS |
| 34260 | QF11 | BGS |
| 34265 | QF11 | BGS |
| 34270 | QF11 | BGS |
| 34275 | QF11 | BGS |
| 34280 | QF11 | BGS |
| 34285 | QF11 | BGS |
| 34290 | QF11 | BGS |
| 34295 | QF11 | BGS |
| 35100 | 335 | BGS |
| 35101 | 336 | BGS |
| 35105 | 337 | BGS |
| 35124 | 10_18 | BGS |
| 35127 | 10_18 | BGS |
| 35130 | 10_18 | BGS |
| 35132 | 10_18 | BGS |
| 35134 | 10_18 | BGS |
| 35136 | 10_18 | BGS |
| 35138 | 10_18 | BGS |
| 35141 | 10_18 | BGS |
| 35146 | 10_18 | BGS |
| 35150 | 10_18 | BGS |
| 35155 | 10_18 | BGS |
| 35160 | 10_18 | BGS |
| 35165 | 10_18 | BGS |
| 35170 | 10_18 | BGS |
| 35175 | 10_18 | BGS |
| 35180 | 10_18 | BGS |
| 35318 | 10_18 | BGS |
| 35230 | 10_18 | BGS |
| 35232 | 10_18 | BGS |
| 35236 | 10_18 | BGS |
| 35241 | 10_18 | BGS |



| Art. | | BGS/KM |
|-------|-------|--------|
| 35246 | 10_18 | BGS |
| 35250 | 10_18 | BGS |
| 35255 | 10_18 | BGS |
| 35260 | 10_18 | BGS |
| 35265 | 10_18 | BGS |
| 35270 | 10_18 | BGS |
| 35275 | 10_18 | BGS |
| 35280 | 10_18 | BGS |
| 35285 | 10_18 | BGS |
| 35290 | 10_18 | BGS |
| 35295 | 10_18 | BGS |
| 35320 | 10_18 | BGS |
| 35324 | 10_18 | BGS |
| 35334 | 10_18 | BGS |
| 35336 | 02_19 | BGS |
| 35807 | 70 | KM |
| 35808 | 70 | KM |
| 35812 | 284 | BGS |
| 35815 | 72 | KM |
| 35820 | 73 | KM |
| 35826 | 67 | KM |
| 35831 | 21 | KM |
| 35835 | 72 | KM |
| 35838 | 285 | BGS |
| 40100 | 826 | BGS |
| 40105 | 827 | BGS |
| 40106 | 498 | BGS |
| 40107 | 498 | BGS |
| 40108 | 131 | KM |
| 40110 | 827 | BGS |
| 42015 | 01_19 | BGS |
| 42016 | 01_19 | BGS |
| 42025 | 01_19 | BGS |
| 42026 | 01_19 | BGS |
| 42027 | 01_19 | BGS |
| 42028 | 01_19 | BGS |
| 42031 | 01_19 | BGS |
| 42032 | 01_19 | BGS |
| 50200 | 235 | BGS |
| 50210 | 45 | KM |
| 50235 | 45 | KM |
| 50240 | 52 | KM |
| 50300 | 42 | KM |
| 50305 | 42 | KM |
| 50310 | 42 | KM |
| 50315 | 42 | KM |
| 50335 | 59 | KM |
| 50340 | 59 | KM |
| 50350 | 272 | BGS |
| 50355 | 60 | KM |
| 50401 | 225 | BGS |
| 50403 | 225 | BGS |
| 50405 | 40 | KM |
| 50406 | 10_18 | KM |
| 50407 | 40 | KM |
| 50408 | 10_18 | KM |
| 50410 | 18 | KM |
| 50440 | 266 | BGS |
| 50500 | 82 | KM |
| 50505 | 10_18 | KM |
| 50602 | 259 | BGS |
| 50603 | n/a | KM |
| 50604 | 54 | KM |
| 50605 | 263 | BGS |
| 50606 | 260 | BGS |
| 50611 | 54 | KM |
| 50613 | 55 | KM |
| 50615 | 146 | KM |
| 50616 | n/a | KM |
| 50619 | 51 | KM |
| 50620 | 53 | KM |
| 50625 | 259 | BGS |
| 50626 | 259 | BGS |
| 50628 | 55 | KM |
| 50630 | 02_18 | KM |
| 50801 | 38 | KM |
| 50802 | 46 | KM |
| 50803 | 46 | KM |
| 50804 | 47 | KM |
| 50805 | 37 | KM |
| 50807 | 37 | KM |
| 50808 | 38 | KM |

| Art. | | BGS/KM |
|------------|-------|--------|
| 50813 | 38 | KM |
| 50815 | 04_19 | KM |
| 50816 | 36 | KM |
| 50817 | 04_19 | KM |
| 50818 | 04_19 | KM |
| 50819 | 37 | KM |
| 50820 | 36 | KM |
| 50830 | 156 | KM |
| 50835 | 48 | KM |
| 50840 | 85 | KM |
| 50850 | 60 | KM |
| 50855 | 273 | BGS |
| 50860 | 273 | BGS |
| 50861 | 168 | KM |
| 50865 | 273 | BGS |
| 50869 | 57 | KM |
| 50870 | 57 | KM |
| 50871 | 57 | KM |
| 50872 | 57 | KM |
| 50873 | 57 | KM |
| 50877 | 57 | KM |
| 50880 | 02_19 | KM |
| 50885 | 58 | KM |
| 50888 | 58 | KM |
| 50903 | 44 | KM |
| 50908 | 44 | KM |
| 52104 | 142 | KM |
| 52106 | 142 | KM |
| 52109 | 142 | KM |
| 52138 | 141 | KM |
| 52302 | 253 | BGS |
| 52303 | 253 | BGS |
| 52304 | 253 | BGS |
| 52305 | 253 | BGS |
| 52308 | 253 | BGS |
| 52310 | 253 | BGS |
| 52315 | 253 | BGS |
| 52320 | 253 | BGS |
| 52326 | 254 | BGS |
| 52712 | 913 | BGS |
| 52830 | 141 | KM |
| 53801 | 168 | KM |
| 53820 | 56 | KM |
| 55400 | 402 | BGS |
| 55401 | 403 | BGS |
| 55410 | 401 | BGS |
| 55411 | 403 | BGS |
| 55412 | 04_18 | KM |
| 55415 | 402 | BGS |
| 59001 | 324 | BGS |
| 59002 | 324 | BGS |
| 59003 | 324 | BGS |
| 59004 | 324 | BGS |
| 59110 | 324 | BGS |
| 59112 | 324 | BGS |
| 59115 | 324 | BGS |
| 59255 | 324 | BGS |
| 59260 | 324 | BGS |
| 59265 | 324 | BGS |
| 59270 | 324 | BGS |
| 59505 | 137 | KM |
| 59804 | 84 | KM |
| 59810 | 83 | KM |
| 59811 | 84 | KM |
| 59812 | 83 | KM |
| 59813 | 84 | KM |
| 59815 | 83 | KM |
| 59816 | 10_18 | KM |
| 59820 | 02_19 | KM |
| 59824 | 02_19 | KM |
| 59826 | 02_19 | KM |
| 59830 | 02_19 | KM |
| 59835 | 02_19 | KM |
| 60100 | 494 | BGS |
| 60100-1 | 494 | BGS |
| 60100-CE56 | 494 | BGS |
| 60100-CE91 | 494 | BGS |
| 60120 | 495 | BGS |
| 60150 | 495 | BGS |
| 60160 | 495 | BGS |
| 60300 | 120 | KM |
| 62005 | 603 | BGS |

| Art. | | BGS/KM |
|----------|-------|--------|
| 62005-1 | 603 | BGS |
| 62050 | 640 | BGS |
| 62051 | 12_18 | BGS |
| 62505 | 679 | BGS |
| 62506 | 669 | BGS |
| 62604 | 604 | BGS |
| 62605 | 604 | BGS |
| 62606 | 605 | BGS |
| 62610 | 730 | BGS |
| 62614 | 634 | BGS |
| 62616 | 634 | BGS |
| 62616-2 | 634 | BGS |
| 62617 | 635 | BGS |
| 62617-14 | 635 | BGS |
| 62618 | 627 | BGS |
| 62619 | 636 | BGS |
| 62622 | 675 | BGS |
| 62623 | 662 | BGS |
| 62623-1 | 662 | BGS |
| 62625 | 701 | BGS |
| 62625-1 | 701 | BGS |
| 62626 | 640 | BGS |
| 62627 | 636 | BGS |
| 62628 | 663 | BGS |
| 62630 | 610 | BGS |
| 62630-1 | 610 | BGS |
| 62632 | 664 | BGS |
| 62633 | 664 | BGS |
| 62634 | 637 | BGS |
| 62635 | 603 | BGS |
| 62635-1 | 603 | BGS |
| 62635-2 | 603 | BGS |
| 62635-3 | 603 | BGS |
| 62636 | 134 | KM |
| 62637 | 637 | BGS |
| 62637-1 | 637 | BGS |
| 62640 | 709 | BGS |
| 62641 | 709 | BGS |
| 62642 | 710 | BGS |
| 62643 | 710 | BGS |
| 62644 | 128 | KM |
| 62645 | 819 | BGS |
| 62645-1 | 819 | BGS |
| 62646 | 133 | KM |
| 62650 | 615 | BGS |
| 62650-1 | 615 | BGS |
| 62650-2 | 615 | BGS |
| 62650-3 | 615 | BGS |
| 62655 | 614 | BGS |
| 62660 | 133 | KM |
| 62665 | 651 | BGS |
| 62666 | 652 | BGS |
| 62666-1 | 652 | BGS |
| 62670 | 453 | BGS |
| 62671 | 612 | BGS |
| 62672 | 637 | BGS |
| 62673 | 728 | BGS |
| 62674 | 611 | BGS |
| 62675 | 131 | BGS |
| 63150 | 841 | BGS |
| 63151 | 841 | BGS |
| 63215 | 142 | KM |
| 63221 | n/a | BGS |
| 63246 | n/a | BGS |
| 63247 | 02_18 | BGS |
| 63250 | 586 | BGS |
| 63311 | 500 | BGS |
| 63400 | 829 | BGS |
| 63401 | 828 | BGS |
| 63402 | 828 | BGS |
| 63404 | 499 | BGS |
| 63500 | 809 | BGS |
| 63502 | 809 | BGS |
| 63505 | 809 | BGS |
| 63520 | 830 | BGS |
| 63524 | 816 | BGS |
| 63525 | 812 | BGS |
| 63528 | n/a | BGS |
| 63535 | 815 | BGS |
| 63800 | 514 | BGS |
| 64100 | 550 | BGS |
| 64111 | 553 | BGS |

| Art. | | BGS/KM |
|------------|-------|--------|
| 64200 | 624 | BGS |
| 64201 | 624 | BGS |
| 64202 | 624 | BGS |
| 64203 | 624 | BGS |
| 64204 | 624 | BGS |
| 64205 | 624 | BGS |
| 64206 | 624 | BGS |
| 64207 | 624 | BGS |
| 64208 | 624 | BGS |
| 65260 | 742 | BGS |
| 65505 | 327 | BGS |
| 66514 | 474 | BGS |
| 65515 | 326 | BGS |
| 65515-5 | 327 | BGS |
| 65515-7 | 327 | BGS |
| 65515-9 | 327 | BGS |
| 65515-10.5 | 327 | BGS |
| 65515-11 | 327 | BGS |
| 65515-14 | 327 | BGS |
| 65515-16 | 327 | BGS |
| 65520 | 482 | BGS |
| 65521 | 482 | BGS |
| 65522 | 482 | BGS |
| 65525 | 482 | BGS |
| 65550 | 520 | BGS |
| 65590 | 242 | BGS |
| 65591 | 242 | BGS |
| 65592 | 517 | BGS |
| 65601 | 748 | BGS |
| 65630 | 750 | BGS |
| 65631 | 749 | BGS |
| 65700 | 582 | BGS |
| 65700-1 | 582 | BGS |
| 65701 | 898 | BGS |
| 66101 | 616 | BGS |
| 66102 | 358 | BGS |
| 66103 | 754 | BGS |
| 66105 | 379 | BGS |
| 66107 | 379 | BGS |
| 66109 | 379 | BGS |
| 66110 | 379 | BGS |
| 66120 | 362 | BGS |
| 66150 | 617 | BGS |
| 66151 | 529 | BGS |
| 66155 | 748 | BGS |
| 66157 | 748 | BGS |
| 66200 | 693 | BGS |
| 66200-1 | 693 | BGS |
| 66202 | 670 | BGS |
| 66205 | 693 | BGS |
| 66210 | 695 | BGS |
| 66211 | 702 | BGS |
| 66215 | 242 | BGS |
| 66215-1 | 242 | BGS |
| 66250 | 596 | BGS |
| 66250-1 | 596 | BGS |
| 66251 | 596 | BGS |
| 66255 | 596 | BGS |
| 66350 | 658 | BGS |
| 66512 | 473 | BGS |
| 66512-1 | 473 | BGS |
| 66512-2 | 473 | BGS |
| 66513 | 474 | BGS |
| 66516 | 04_19 | BGS |
| 66525 | 530 | BGS |
| 66526 | 530 | BGS |
| 66527 | 530 | BGS |
| 66528 | 406 | BGS |
| 66529 | 851 | BGS |
| 66530 | 530 | BGS |
| 66530-2 | 530 | BGS |
| 66531 | 851 | BGS |
| 66534 | 529 | BGS |
| 66535 | 529 | BGS |
| 66540 | 405 | BGS |
| 66541 | 406 | BGS |
| 66701 | 710 | BGS |
| 66703 | 710 | BGS |
| 66720 | 711 | BGS |
| 66725 | 711 | BGS |
| 67100 | 67 | BGS |
| 67102 | 67 | BGS |



| Art. | | BGS/KM |
|-----------|-------|--------|
| 67150 | 67 | BGS |
| 67156 | 68 | BGS |
| 67159 | 68 | BGS |
| 67160 | 68 | BGS |
| 67161 | 69 | BGS |
| 67162 | 70 | BGS |
| 67163 | 70 | BGS |
| 67164 | 70 | BGS |
| 67165 | 70 | BGS |
| 67166 | 71 | BGS |
| 67200 | 568 | BGS |
| 67201 | 568 | BGS |
| 67202 | 568 | BGS |
| 67203 | 497 | BGS |
| 67210 | 461 | BGS |
| 67210-1 | 461 | BGS |
| 67213 | 522 | BGS |
| 67214 | 522 | BGS |
| 67215 | 522 | BGS |
| 67216 | 522 | BGS |
| 67218 | 522 | BGS |
| 67220 | 125 | BGS |
| 67230 | 461 | BGS |
| 67240 | 812 | BGS |
| 67241 | 812 | BGS |
| 67242 | 812 | BGS |
| 67300 | n/a | KM |
| 67300-9 | 115 | KM |
| 67300-2 | 115 | KM |
| 67300-3 | 115 | KM |
| 67301 | 535 | BGS |
| 67301-1 | 535 | BGS |
| 67301-2 | 535 | BGS |
| 67301-3 | 535 | BGS |
| 67302 | 535 | BGS |
| 67302-1 | 535 | BGS |
| 67302-M10 | 535 | BGS |
| 67302-M12 | 535 | BGS |
| 67302-M14 | 535 | BGS |
| 67302-M16 | 535 | BGS |
| 67305 | 115 | KM |
| 67307 | 134 | KM |
| 67308 | 20 | KM |
| 67309 | 481 | BGS |
| 67310 | 115 | KM |
| 67801 | 141 | KM |
| 67850 | 168 | KM |
| 68000 | 398 | BGS |
| 68000-1 | 398 | BGS |
| 68000-2 | 398 | BGS |
| 68000-60 | 398 | BGS |
| 68000-120 | 398 | BGS |
| 68000-160 | 398 | BGS |
| 68010 | 423 | BGS |
| 68012 | 423 | BGS |
| 68310 | 689 | BGS |
| 68340 | 742 | BGS |
| 68341 | 711 | BGS |
| 68345 | 609 | BGS |
| 68346 | 731 | BGS |
| 69500 | 565 | BGS |
| 69505 | 565 | BGS |
| 69510 | 591 | BGS |
| 75109 | 01_19 | BGS |
| 75110 | 385 | BGS |
| 75111 | 385 | BGS |
| 75112 | 385 | BGS |
| 75113 | 385 | BGS |
| 75120 | 277 | BGS |
| 75200 | 385 | BGS |
| 75201 | 385 | BGS |
| 75205 | 385 | BGS |
| 75206 | 99 | KM |
| 75207 | 99 | KM |
| 75208 | 99 | KM |
| 75209 | 99 | KM |
| 75210 | 99 | KM |
| 75810 | 164 | KM |
| 75812 | 02_18 | KM |
| 75820 | 96 | KM |
| 75825 | 96 | KM |
| 75830 | 89 | KM |

| Art. | | BGS/KM |
|-------|-------|--------|
| 75835 | 93 | KM |
| 75840 | 04_18 | KM |
| 75845 | 88 | KM |
| 75847 | 89 | KM |
| 75848 | 89 | KM |
| 75849 | 89 | KM |
| 78950 | 909 | BGS |
| 79901 | 02_18 | KM |
| 79903 | 02_18 | KM |
| 79905 | 02_18 | KM |
| 79907 | 02_18 | KM |
| 79909 | 02_18 | KM |
| 79911 | 02_18 | KM |
| 79913 | 02_18 | KM |
| 79915 | 02_18 | KM |
| 79919 | 02_18 | KM |
| 80330 | 159 | KM |
| 80332 | 160 | KM |
| 80336 | 160 | KM |
| 80338 | 160 | KM |
| 80340 | 175 | KM |
| 80550 | 10_18 | KM |
| 80601 | 905 | BGS |
| 80602 | 906 | BGS |
| 80603 | 906 | BGS |
| 80604 | 909 | BGS |
| 80605 | 909 | BGS |
| 80606 | 908 | BGS |
| 80607 | 908 | BGS |
| 80608 | 911 | BGS |
| 80609 | 912 | BGS |
| 80610 | 912 | BGS |
| 80612 | 910 | BGS |
| 80613 | 911 | BGS |
| 80614 | 907 | BGS |
| 80615 | 907 | BGS |
| 80616 | 910 | BGS |
| 80617 | 12_18 | BGS |
| 80650 | 162 | KM |
| 80652 | 162 | KM |
| 80655 | 162 | KM |
| 80657 | 162 | KM |
| 80663 | 161 | KM |
| 80664 | 161 | KM |
| 80701 | 10_18 | KM |
| 80703 | 10_18 | KM |
| 80711 | 10_18 | KM |
| 80713 | 10_18 | KM |
| 80724 | 169 | KM |
| 80725 | 194 | KM |
| 80727 | 194 | KM |
| 80751 | 144 | KM |
| 80752 | 144 | KM |
| 80753 | 144 | KM |
| 80754 | 144 | KM |
| 80756 | 811 | BGS |
| 80757 | 876 | BGS |
| 80760 | 145 | KM |
| 80761 | 108 | KM |
| 80762 | 108 | KM |
| 80770 | 186 | KM |
| 80772 | 186 | KM |
| 80773 | 186 | KM |
| 80774 | 186 | KM |
| 80775 | 186 | KM |
| 80776 | 186 | KM |
| 80777 | 186 | KM |
| 80778 | 186 | KM |
| 80779 | 186 | KM |
| 80781 | 181 | KM |
| 80782 | 156 | KM |
| 80783 | 181 | KM |
| 80784 | 181 | KM |
| 80785 | 181 | KM |
| 80787 | 181 | KM |
| 80802 | 169 | KM |
| 80804 | 170 | KM |
| 80805 | 170 | KM |
| 80807 | 170 | KM |
| 80815 | 47 | KM |
| 80817 | 47 | KM |

| Art. | | BGS/KM |
|----------|-------|--------|
| 80819 | 48 | KM |
| 80823 | 04_18 | KM |
| 80824 | 04_18 | KM |
| 80825 | 194 | KM |
| 80836 | 873 | BGS |
| 80841 | 194 | KM |
| 80843 | 195 | KM |
| 80844 | 195 | KM |
| 80845 | 105 | KM |
| 80847 | 108 | KM |
| 80848 | 108 | KM |
| 80849 | 107 | KM |
| 80850 | 195 | KM |
| 80851 | 107 | KM |
| 80852 | 107 | KM |
| 80853 | 171 | KM |
| 80854 | 171 | KM |
| 80855 | 193 | KM |
| 80859 | 878 | BGS |
| 80860 | 152 | KM |
| 80861 | 152 | KM |
| 80862 | 154 | KM |
| 80863 | 152 | KM |
| 80864 | 172 | KM |
| 80865 | 152 | KM |
| 80866 | 155 | KM |
| 80867 | 155 | KM |
| 80868 | 154 | KM |
| 80869 | 155 | KM |
| 80870 | 173 | KM |
| 80871 | 189 | KM |
| 80872 | 189 | KM |
| 80873 | 187 | KM |
| 80874 | 874 | BGS |
| 80875 | 186 | KM |
| 80876 | 874 | BGS |
| 80877 | 186 | KM |
| 80878 | 874 | BGS |
| 80879 | 186 | KM |
| 80880 | 170 | KM |
| 80881 | 874 | BGS |
| 80885 | 173 | KM |
| 80887 | 151 | KM |
| 80895 | 175 | KM |
| 80896 | 172 | KM |
| 80897 | 172 | KM |
| 80898 | 173 | KM |
| 80900 | n/a | KM |
| 80902 | 182 | KM |
| 80904 | 182 | KM |
| 80906 | 182 | KM |
| 80908 | 157 | KM |
| 80910 | 157 | KM |
| 80912 | 157 | KM |
| 80913 | 189 | KM |
| 80915 | 182 | KM |
| 80916 | 157 | KM |
| 80920 | 184 | KM |
| 80921 | 182 | KM |
| 80923 | 182 | KM |
| 80925 | 182 | KM |
| 80927 | 182 | KM |
| 80930 | 182 | KM |
| 80932 | 183 | KM |
| 80934 | 183 | KM |
| 80934-50 | 183 | KM |
| 80935 | 183 | KM |
| 80937 | 183 | KM |
| 80937-25 | 183 | KM |
| 80939 | 183 | KM |
| 80940 | 185 | KM |
| 80941 | 183 | KM |
| 80942 | 184 | KM |
| 80943 | 184 | KM |
| 80944 | 184 | KM |
| 80945 | 184 | KM |
| 80946 | 183 | KM |
| 80947 | 183 | KM |
| 80948 | 183 | KM |
| 80949 | 162 | KM |
| 80950 | 161 | KM |
| 80951 | 160 | KM |

| Art. | | BGS/KM |
|---------|-------|--------|
| 80953 | 160 | KM |
| 80954 | 161 | KM |
| 80955 | 161 | KM |
| 80956 | n/a | KM |
| 80957 | 161 | KM |
| 80958 | 145 | KM |
| 80959 | 160 | KM |
| 80960 | 146 | KM |
| 80961 | 192 | KM |
| 80962 | 144 | KM |
| 80963 | 192 | KM |
| 80964 | 145 | KM |
| 80965 | 192 | KM |
| 80967 | 192 | KM |
| 80971 | 192 | KM |
| 80973 | 192 | KM |
| 80975 | 192 | KM |
| 80990 | 192 | KM |
| 80992 | 192 | KM |
| 80993 | 192 | KM |
| 80994 | 192 | KM |
| 80995 | 192 | KM |
| 80996 | 192 | KM |
| 80997 | 192 | KM |
| 80998 | 192 | KM |
| 80999 | 192 | KM |
| 81000 | 192 | KM |
| 81660 | 12_18 | KM |
| 81662 | 12_18 | KM |
| 81665 | 12_18 | KM |
| 81669 | 175 | KM |
| 81728 | 264 | BGS |
| 81735 | 264 | BGS |
| 81970 | 161 | KM |
| 85030 | 179 | KM |
| 85040 | 179 | KM |
| 85050 | 179 | KM |
| 85130 | 179 | KM |
| 85140 | 179 | KM |
| 85150 | 179 | KM |
| 85160 | 179 | KM |
| 85164 | 179 | KM |
| 85168 | 179 | KM |
| 85200 | 165 | KM |
| 85200-1 | 165 | KM |
| 85201 | 165 | KM |
| 85205 | 165 | KM |
| 85210 | 190 | KM |
| 85213 | 165 | KM |
| 85220 | 876 | BGS |
| 85301 | 769 | BGS |
| 85305 | 771 | BGS |
| 85305-1 | 771 | BGS |
| 85314 | 768 | BGS |
| 85316 | 771 | BGS |
| 85317 | 770 | BGS |
| 85319 | 770 | BGS |
| 85320 | 772 | BGS |
| 85321 | 770 | BGS |
| 85322 | 769 | BGS |
| 85323 | 02_18 | BGS |
| 85325 | 772 | BGS |
| 85412 | 771 | BGS |
| 85502 | 149 | KM |
| 85505 | 149 | KM |
| 85510 | 150 | KM |
| 85512 | 150 | KM |
| 85516 | 150 | KM |
| 85817 | 180 | KM |
| 85518 | 150 | KM |
| 85801 | 166 | KM |
| 85803 | 173 | KM |
| 85806 | 180 | KM |
| 85808 | 180 | KM |
| 85809 | 180 | KM |
| 85810 | 157 | KM |
| 85811 | 43 | KM |
| 85812 | 157 | KM |
| 85813 | 53 | KM |
| 85814 | 82 | KM |
| 85815 | 44 | KM |
| 85816 | 55 | KM |



| Art. | | BGS/ KM |
|-------|-------|------------|
| 85818 | 177 | KM |
| 85819 | 178 | KM |
| 85820 | 53 | KM |
| 85821 | 53 | KM |
| 85853 | 166 | KM |
| 85860 | 174 | KM |
| 85862 | 174 | KM |
| 85865 | 02_18 | KM |
| 86674 | 51 | KM |
| 86676 | 51 | KM |
| 86678 | 51 | KM |
| 86680 | n/a | KM |
| 88110 | 10_18 | KM |
| 88112 | 10_18 | KM |
| 88114 | 10_18 | KM |
| 88116 | 10_18 | KM |
| 88118 | 10_18 | KM |
| 88130 | 190 | KM |
| 88132 | 196 | KM |
| 88134 | 197 | KM |
| 88136 | 195 | KM |
| 88138 | 197 | KM |
| 88140 | 196 | KM |
| 88142 | 89 | KM |
| 88144 | 197 | KM |
| 88146 | 201 | KM |
| 88148 | 10_18 | KM |
| 88150 | 198 | KM |
| 88152 | 198 | KM |
| 88154 | 199 | KM |
| 88156 | 201 | KM |
| 88158 | 200 | KM |
| 88160 | 200 | KM |
| 88162 | 200 | KM |
| 88164 | 191 | KM |
| 88166 | 201 | KM |
| 88168 | 201 | KM |
| 88170 | 202 | KM |
| 88174 | 202 | KM |
| 88176 | 200 | KM |
| 88178 | 10_18 | KM |
| 88180 | 196 | KM |
| 88181 | 185 | KM |
| 88182 | 193 | KM |
| 88183 | 04_18 | KM |
| 88184 | 07_18 | KM |
| 88186 | 07_18 | KM |
| 88188 | 10_18 | KM |
| 88190 | 02_19 | KM |
| 88195 | 187 | KM |
| 88230 | 157 | KM |
| 88232 | 157 | KM |
| 89900 | n/a | BGS |
| 89901 | n/a | BGS |
| 89902 | n/a | BGS |
| 89903 | n/a | BGS |
| 89905 | n/a | BGS |
| 89906 | n/a | BGS |
| 89917 | n/a | BGS |
| 89920 | n/a | BGS |
| 89921 | n/a | BGS |
| 89927 | n/a | BGS |
| 89955 | 02_19 | BGS |
| 89956 | 02_19 | BGS |
| 89957 | 02_19 | BGS |
| 89958 | 02_19 | BGS |
| 89959 | 02_19 | BGS |
| 89960 | 07_18 | KM |
| 89961 | 07_18 | KM |
| 89962 | 07_18 | BGS |
| 90012 | 07_18 | BGS |
| 90013 | 07_18 | BGS |
| 90014 | 07_18 | BGS |
| 90015 | 07_18 | BGS |
| 90016 | 07_18 | BGS |
| 90017 | 07_18 | BGS |
| 90018 | 07_18 | BGS |
| 90019 | 07_18 | BGS |
| 90022 | 12_18 | BGS |
| 90023 | 12_18 | BGS |
| 90024 | 12_18 | BGS |
| 90025 | 12_18 | BGS |

| Art. | | BGS/ KM |
|--------|-------|------------|
| 90026 | 12_18 | BGS |
| 90027 | 12_18 | BGS |
| 90028 | 12_18 | BGS |
| 90032 | 12_18 | BGS |
| 90033 | 12_18 | BGS |
| 90034 | 12_18 | BGS |
| 90035 | 12_18 | BGS |
| 90036 | 12_18 | BGS |
| 90037 | 12_18 | BGS |
| 90038 | 12_18 | BGS |
| 90042 | 12_18 | BGS |
| 90043 | 12_18 | BGS |
| 90044 | 12_18 | BGS |
| 90045 | 12_18 | BGS |
| 90046 | 12_18 | BGS |
| 90047 | 12_18 | BGS |
| 90048 | 12_18 | BGS |
| 90052 | 12_18 | BGS |
| 90053 | 12_18 | BGS |
| 90054 | 12_18 | BGS |
| 90055 | 12_18 | BGS |
| 90056 | 12_18 | BGS |
| 90057 | 12_18 | BGS |
| 90058 | 12_18 | BGS |
| 90060 | 12_18 | BGS |
| 90061 | 12_18 | BGS |
| 90062 | 12_18 | BGS |
| 90063 | 12_18 | BGS |
| 90064 | 12_18 | BGS |
| 90065 | 12_18 | BGS |
| 90066 | 12_18 | BGS |
| 90067 | 12_18 | BGS |
| 90068 | 12_18 | BGS |
| 90069 | 12_18 | BGS |
| 90070 | 12_18 | BGS |
| 90071 | 12_18 | BGS |
| 90072 | 12_18 | BGS |
| 90073 | 12_18 | BGS |
| 90074 | 12_18 | BGS |
| 90075 | 12_18 | BGS |
| 90076 | 12_18 | BGS |
| 90077 | 12_18 | BGS |
| 90078 | 12_18 | BGS |
| 90079 | 12_18 | BGS |
| 90330 | 94 | KM |
| 90380 | 12_18 | KM |
| 90381 | 12_18 | KM |
| 90382 | 12_18 | KM |
| 90383 | 12_18 | KM |
| 90457 | 02_18 | KM |
| 90865 | 118 | KM |
| 91036 | 126 | KM |
| 91115 | 110 | KM |
| 91126 | 111 | KM |
| 91530 | 114 | KM |
| 91531 | 114 | KM |
| 91532 | 114 | KM |
| 91533 | 114 | KM |
| 91534 | 114 | KM |
| 91656 | 01_19 | KM |
| 91931 | 01_19 | KM |
| 92025 | 04_18 | KM |
| 93057 | 04_19 | KM |
| 93625 | 151 | KM |
| 95100 | 17 | KM |
| 95207 | 17 | KM |
| 97710 | 33 | KM |
| 97729 | 32 | KM |
| 97743 | 33 | KM |
| 98007 | 132 | KM |
| 98098 | 132 | KM |
| 98152 | 02_18 | KM |
| 98253 | 117 | KM |
| 98297 | 135 | KM |
| 98349 | 135 | KM |
| 98443 | 129 | KM |
| 98467 | 118 | KM |
| 98736 | 118 | KM |
| 99135 | 141 | KM |
| 99302 | 02_18 | KM |
| 99910 | 142 | KM |
| 962670 | 132 | KM |

| Art. | | BGS/ KM |
|------------|-------|------------|
| AUFKLEBER | 920 | BGS |
| AUFKLEBER2 | 920 | BGS |
| BALL | 916 | BGS |
| BANNER | 916 | BGS |
| BECHER | 917 | BGS |
| BOX13 | 10_18 | BGS |
| BOX16 | 10_18 | BGS |
| BOX26 | 04_19 | BGS |
| Coin | 917 | BGS |
| F1 | 917 | BGS |
| FLAG1 | 920 | BGS |
| FLAG2 | 920 | BGS |
| FLAG3 | 920 | BGS |
| FLAG4 | 920 | BGS |
| FLAG5 | 920 | BGS |
| FLAG6 | 920 | BGS |
| HANGER-1 | n/a | BGS |
| HANGER-2 | n/a | BGS |
| HANGER-3 | n/a | BGS |
| HANGER-4 | n/a | BGS |
| HANGER-5 | n/a | BGS |
| HANGER-6 | n/a | BGS |
| Kugel | 917 | BGS |
| Öffner | 917 | BGS |
| POSTER | 918 | BGS |
| TUCH | 918 | BGS |
| USB | n/a | BGS |



**Vous cherchez un revendeur local?
Envoyez nous un email mail@bgs-technic.de**



**Vente destinée aux professionnels!
Vente exclusivement aux distributeurs.**

Explication du pictogramme ✓ = peut être utilisé avec (n'est pas identique)

Copyright© BGS technic KG pour toutes les images, les textes et graphismes. L'utilisation autorisée uniquement avec une autorisation écrite préalable de BGS technic KG.

BGS technic®, Kraftmann® & ProTorque® sont des marques commerciales enregistrées de la société BGS technic KG.

XZN®, Ribe® et Torx® sont des marques commerciales enregistrées des propriétaires respectifs de la marque.

« BGS TX » est compatible avec Torx®. Toutes les informations d'articles, en particulier leur composition et mise en page peuvent être modifiées sans préavis dans le cadre des efforts continus d'amélioration et ont un caractère informatif.

Retrouvez chaque produit sur notre site Internet www.bgs-technic.com.

Edité par : BGS technic KG, CP 1450, 42907 Wermelskirchen ; HR Köln HRA 26256, siège Wermelskirchen